
PRLR Antibody – Rabbit Monoclonal

PRODUCT OVERVIEW

Product Name	PRLR, Monoclonal Antibody
Full Product Name	Anti-PRLR antibody (DMC462); IgG1 Chimeric mAb
Product Gene Name	anti-PRLR antibody
Product Synonym Names	Prolactin receptor; PRL-R
Clonality	Monoclonal
Isotype	Rabbit/Human Fc chimeric IgG1
Clone Number	DMC462
Host	Rabbit
Species Reactivity	Human
Form/Format	Lyophilized from sterile PBS, pH 7.4. Normally 5%-8% trehalose is added as protectants before lyophilization.
Purity/Purification	Purified from cell culture supernatant by affinity chromatography
Preparation and Storage	Store at -20 degree C to -80 degree C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80 degree C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.
Molecular Weight	24,000
Chromosome Location	Chromosome: 5; NC_000005.9 (35048861..35230823, complement). Location: 5p13.2
OMIM	176761
3D Structure	ModBase 3D Structure for P16471
Product Categories/Family for anti-PRLR antibody	mAb 420; monoclonal antibodies
Applications Tested/Suitable for anti-PRLR antibody	Flow Cytometry (FC/FACS)
Application Notes for anti-PRLR antibody	FC/FACS: 1:100
Related Product Information for anti-PRLR antibody	This gene encodes a receptor for the anterior pituitary hormone; prolactin; and belongs to the type I cytokine receptor family. Prolactin-dependent signaling occurs as the result of ligand-induced dimerization of the prolactin receptor. Several alternatively spliced transcript variants encoding different membrane-bound and soluble isoforms have been described for this gene; which may function to modulate the endocrine and autocrine effects of prolactin in normal tissue and cancer. [provided by RefSeq; Feb 2011]
Other Notes	Small volumes of anti-PRLR antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for PRLR purchase	MBS1880319 is an antibody targeting PRLR. Also known as Anti-PRLR antibody (DMC462); IgG1 Chimeric mAb. Reactive in Human. Host: Rabbit.



Flow Cytometry (FC/FACS) of anti-PRLR antibody
Figure 1. Flow cytometry analysis with Anti-PRLR (DMC462) on Expi293 cells transfected with human PRLR (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for PRLR. It may not necessarily be applicable to this product.

NCBI GI #	4506107
NCBI GeneID	5618
NCBI Accession #	NP_000940.1
UniProt Primary Accession #	P16471
UniProt Secondary Accession #	Q16354; Q8TD75; Q8TD78; Q96P35; Q96P36; Q9BX87; Q9UHJ5; B2R882
UniProt Related Accession #	P16471
GenBank Nucleotide #	NM_000949.5
NCBI Official Full Name	prolactin receptor isoform 1
NCBI Official Synonym Full Names	prolactin receptor
NCBI Official Symbol	PRLR
NCBI Official Synonym Symbols	hPRLrI
UniProt Protein Name	Prolactin receptor
Protein Family	Prolactin receptor
UniProt Gene Name	PRLR
UniProt Synonym Gene Names	PRL-R
UniProt Entry Name	PRLR_HUMAN
NCBI Protein Information	prolactin receptor; PRL-R; hPRL receptor; secreted prolactin binding protein
NCBI Summary for PRLR	This gene encodes a receptor for the anterior pituitary hormone, prolactin, and belongs to the type I cytokine receptor family. Prolactin-dependent signaling occurs as the result of ligand-induced dimerization of the prolactin receptor. Several alternatively spliced transcript variants encoding different membrane-bound and soluble isoforms have been described for this gene, which may function to modulate the endocrine and autocrine effects of prolactin in normal tissue and cancer. [provided by RefSeq, Feb 2011]

UniProt Comments for PRLR	PRLR: receptor for the anterior pituitary hormone prolactin and placental lactogen I and II. Interacts with Cyclophilin A, differentially regulating various signaling pathways from the PrlR. Prolactin signaling is attenuated by threonine and tyrosine phosphorylation. Two alternative splice isoforms have been identified. Protein type: Receptor, cytokine; Membrane protein, integral Chromosomal Location of Human Ortholog: 5p13.2 Cellular Component: cell surface; integral to membrane; plasma membrane; extracellular region Molecular Function: protein binding; protein homodimerization activity; ornithine decarboxylase activator activity; peptide hormone binding; metal ion binding; prolactin receptor activity Biological Process: regulation of cell adhesion; lactation; transmembrane receptor protein tyrosine kinase activation (dimerization); cell surface receptor linked signal transduction; T cell activation; regulation of epithelial cell differentiation; tyrosine phosphorylation of JAK2 protein; steroid biosynthetic process; embryo implantation; negative regulation of apoptosis Disease: Multiple Fibroadenomas Of The Breast; Hyperprolactinemia
Research Articles on PRLR	**1.** Our results indicate no significant association of prolactin and PRLR polymorphisms with clozapine response, tardive dyskinesia diagnosis or its severity in patients with schizophrenia
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/monoclonal-human-antibody/prlr/1880319