Adiponectin (ADP) Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	Adiponectin (ADP), Polyclonal Antibody
Full Product Name	HRP-Linked Polyclonal Antibody to Adiponectin (ADP)
Product Gene Name	anti-ADP antibody
Product Synonym Names	GBP28; ApM1; AdipoQ; Acrp30; ACDC; APM1; C1Q And Collagen Domain Containing; Adipocyte Complement-Related Protein Of 30 KDa; Adipose Most Abundant Gene Transcript 1
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Mouse
Concentration	500ug/ml (lot specific)
Matching Pairs	Unconjugated Antibody: ADP (MBS2032114) HRP Conjugated Antibody: ADP (MBS2044895)
Matching Pairs	HRP Conjugated Antibody: ADP (MBS2044895) Immunogen: ADP (MBS2030623)
Molecular Weight	26,414 Da
OMIM	D45371 mRNA
3D Structure	ModBase 3D Structure for Q15848
Supply Chain Verification	Manufactured in a lab with traceable raw materials. Bulk orders can typically be prepared to the customer's specifications, please inquire.
Immunogen	ADP (Ala111~Asn247)
Conjugation	HRP
Cross Reactivity	Mouse
Unconjugated Antibody	The unconjugated antibody version of this item is also available as catalog #MBS2032114
ISO Certification	Manufactured in an ISO 9001:2015 and ISO 13485:2016 Certified Laboratory.
Applications Tested/Suitable for anti-ADP antibody	Western Blot (WB), Immunocytochemistry (ICC), Immunohistochemistry (IHC) Formalin/Paraffin, ELISA (ELISA)
Related Product Information for anti-ADP antibody	MBS2044895 is an antibody targeting ADP. Also known as HRP-Linked Polyclonal Antibody to Adiponectin (ADP). Reactive in Mouse. Host: Rabbit.
Other Notes	Small volumes of anti-ADP antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for ADP. It may not necessarily be applicable to this product.

NCBI GI #	295317372
NCBI GeneID	9370

NCBI Accession #	NP_001171271.1
UniProt Primary Accession #	Q15848
UniProt Secondary Accession #	Q58EX9
UniProt Related Accession #	Q15848
GenBank Nucleotide #	NM_001177800.1
NCBI Official Full Name	adiponectin
NCBI Official Synonym Full Names	adiponectin, C1Q and collagen domain containing
NCBI Official Symbol	ADIPOQ
NCBI Official Synonym Symbols	ACDC; ADPN; APM1; APM-1; GBP28; ACRP30; ADIPQTL1
UniProt Protein Name	Adiponectin
UniProt Synonym Protein Names	30 kDa adipocyte complement-related protein; Adipocyte complement-related 30 kDa protein; ACRP30; Adipocyte, C1q and collagen domain-containing protein; Adipose most abundant gene transcript 1 protein; apM-1; Gelatin-binding protein
UniProt Gene Name	ADIPOQ
UniProt Synonym Gene Names	ACDC; ACRP30; APM1; GBP28; ACRP30; apM-1
NCBI Protein Information	adiponectin
NCBI Summary for ADP	This gene is expressed in adipose tissue exclusively. It encodes a protein with similarity to collagens X and VIII and complement factor C1q. The encoded protein circulates in the plasma and is involved with metabolic and hormonal processes. Mutations in this gene are associated with adiponectin deficiency. Multiple alternatively spliced variants, encoding the same protein, have been identified. [provided by RefSeq, Apr 2010]

UniProt Comments for ADP	adiponectin: Important adipokine involved in the control of fat metabolism and insulin sensitivity, with direct anti-diabetic, anti-atherogenic and anti-inflammatory activities. Stimulates AMPK phosphorylation and activation in the liver and the skeletal muscle, enhancing glucose utilization and fatty-acid combustion. Antagonizes TNF-alpha by negatively regulating its expression in various tissues such as liver and macrophages, and also by counteracting its effects. Inhibits endothelial NF-kappa-B signaling through a cAMP-dependent pathway. May play a role in cell growth, angiogenesis and tissue remodeling by binding and sequestering various growth factors with distinct binding affinities, depending on the type of complex, LMW, MMW or HMW. Homomultimer. Forms trimers, hexamers and 12- to 18-mers. The trimers (low molecular weight complexes / LMW) are assembled via non-covalent interactions of the collagen-like domains in a triple helix and hydrophobic interactions within the globular C1q domain. Several trimers can associate to form disulfide-linked hexamers (middle molecular weight complexes / MMW) and larger complexes (higher molecular weight / HMW). The HMW-complex assembly may rely aditionally on lysine hydroxylation and glycosylation. LMW, MMW and HMW complexes bind to HBEGF, MMW and HMW complexes bind to PDGFB, and HMW complex binds to FGF2. Interacts with CTRP9A via the C1q domain (heterotrimeric complex). Synthesized exclusively by adipocytes and secreted into plasma. Protein type: Endoplasmic reticulum; Hormone; Secreted; Secreted, signal peptide Chromosomal Location of Human Ortholog: 3q27.3 Cellular Component: cell surface; endoplasmic reticulum; extracellular region; extracellular space Molecular Function: hormone activity; identical protein binding; protein binding; protein homodimerization activity; receptor binding; sialic acid binding Biological Process: brown fat cell differentiation; cellular response to insulin stimulus; fatty acid beta-oxidation; fatty acid oxidation; generation of precursor metabolites and energy; glucose homeostasis; glucose metabolic process; negative regulation of blood pressure; negative regulation of cell migration; negative regulation of fat cell differentiation; negative regulation of gluconeogenesis; negative regulation of granulocyte differentiation; negative regulation of heterotypic cell-cell adhesion; negative regulation of I-kappaB kinase/NF-kappaB cascade; negative regulation of inflammatory response; negative regulation of low-density lipoprotein receptor biosynthetic process; negative regulation of macrophage differentiation; negative regulation of MAP kinase activity; negative regulation of phagocytosis; negative regulation of protein amino acid autophosphorylation; negative regulation of smooth muscle cell migration; negative regulation of smooth muscle cell proliferation; negative regulation of synaptic transmission; negative regulation of transcription, DNA-dependent; negative regulation of tumor necrosis factor production; positive regulation of cellular protein metabolic process; positive regulation of fatty acid metabolic process; positive regulation of glucose import; positive regulation of I-kappaB kinase/NF-kappaB cascade; positive regulation of interleukin-8 production; positive regulation of myeloid cell apoptosis; positive regulation of protein amino acid phosphorylation; positive regulation of signal transduction; protein homooligomerization; response to glucose stimulus Disease: Adiponectin, Serum Level Of, Quantitative Trait Locus 1
Research Articles on ADP	**1.** The results of this meta-analysis suggest an association between the ADIPOQ rs2241766 polymorphism and metabolic syndrome in the Chinese population.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.

Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-mouse-antibody/adiponectin-adp/2044895