Renin (REN) Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	Renin (REN), Polyclonal Antibody
Full Product Name	HRP-Linked Polyclonal Antibody to Renin (REN)
Product Gene Name	anti-REN antibody
Product Synonym Names	angiotensinogenase
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human, Mouse
Concentration	500ug/ml (lot specific)
Matching Pairs	Unconjugated Antibody: REN (MBS2005454) HRP Conjugated Antibody: REN (MBS2049221)
Matching Pairs	HRP Conjugated Antibody: REN (MBS2049221) Immunogen: REN (MBS2011967)
Molecular Weight	44,726 Da
3D Structure	ModBase 3D Structure for P00797
Supply Chain Verification	Manufactured in a lab with traceable raw materials. Bulk orders can typically be prepared to the customer's specifications, please inquire.
Immunogen	REN (Thr265~Tyr386)
Conjugation	HRP
Cross Reactivity	Mouse
Unconjugated Antibody	The unconjugated antibody version of this item is also available as catalog #MBS2005454
ISO Certification	Manufactured in an ISO 9001:2015 and ISO 13485:2016 Certified Laboratory.
Applications Tested/Suitable for anti-REN antibody	Western Blot (WB), Immunocytochemistry (ICC), Immunohistochemistry (IHC) Formalin/Paraffin, ELISA (ELISA)
Related Product Information for anti-REN antibody	MBS2049221 is an antibody targeting REN. Also known as HRP-Linked Polyclonal Antibody to Renin (REN). Reactive in Human, Mouse. Host: Rabbit.
Other Notes	Small volumes of anti-REN antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for REN. It may not necessarily be applicable to this product.

NCBI GI #	4506475
NCBI GeneID	5972
NCBI Accession #	NP_000528.1
UniProt Primary Accession #	P00797

UniProt Secondary Accession #	Q6FI38; Q6T5C2
UniProt Related Accession #	P00797
GenBank Nucleotide #	NM_000537.3
NCBI Official Full Name	renin preproprotein
NCBI Official Synonym Full Names	renin
NCBI Official Symbol	REN
NCBI Official Synonym Symbols	HNFJ2
UniProt Protein Name	Renin
UniProt Synonym Protein Names	Angiotensinogenase
Protein Family	Protein
UniProt Gene Name	REN
NCBI Protein Information	renin
NCBI Summary for REN	Renin catalyzes the first step in the activation pathway of angiotensinogen--a cascade that can result in aldosterone release,vasoconstriction, and increase in blood pressure. Renin, an aspartyl protease, cleaves angiotensinogen to form angiotensin I, which is converted to angiotensin II by angiotensin I converting enzyme, an important regulator of blood pressure and electrolyte balance. Transcript variants that encode different protein isoforms and that arise from alternative splicing and the use of alternative promoters have been described, but their full-length nature has not been determined. Mutations in this gene have been shown to cause familial hyperproreninemia. [provided by RefSeq, Jul 2008]
UniProt Comments for REN	REN: Renin is a highly specific endopeptidase, whose only known function is to generate angiotensin I from angiotensinogen in the plasma, initiating a cascade of reactions that produce an elevation of blood pressure and increased sodium retention by the kidney. Interacts with ATP6AP2. Interaction with ATP6AP2 results in a 5-fold increased efficiency in angiotensinogen processing. Belongs to the peptidase A1 family. 2 isoforms of the human protein are produced by alternative splicing. Protein type: EC 3.4.23.15; Protease; Secreted; Secreted, signal peptide Chromosomal Location of Human Ortholog: 1q32.1 Cellular Component: extracellular region; extracellular space; lysosome; plasma membrane Molecular Function: aspartic-type endopeptidase activity; peptidase activity; receptor binding Biological Process: angiotensin maturation; kidney development; protein catabolic process; proteolysis; regulation of blood pressure; regulation of MAPKKK cascade Disease: Hyperuricemic Nephropathy, Familial Juvenile, 2; Renal Tubular Dysgenesis
Research Articles on REN	**1.** Data show that the optimum time for beta-adrenoreceptor antagonists (beta-blockers) withdrawal was 2 weeks when using direct renin concentration (DRC) and 3 weeks for plasma renin activity (PRA).
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.

Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-mouse-antibody/renin-ren/2049221