Mucin 1 (MUC1) Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	Mucin 1 (MUC1), Polyclonal Antibody
Full Product Name	Biotin-Linked Polyclonal Antibody to Mucin 1 (MUC1)
Product Gene Name	anti-MUC1 antibody
Product Synonym Names	CD227; EMA; H23AG; KL-6; PEM; PEMT; PUM; CA15-3; Cancer antigen 15-3; Carcinoma-associated mucin; Episialin; Peanut-reactive urinary mucin; Polymorphic epithelial mucin
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as solution form in 0.01 M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Purity/Purification	Antigen-specific Affinity Chromatography
Concentration	0.93mg/mL (lot specific)
Preparation and Storage	**Storage:** Avoid repeated freeze/thaw cycles. Store at 4 degree C for frequent use. Aliquot and store at -20 degree C for 24 months. **Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Matching Pairs	Unconjugated Antibody: MUC1 (MBS2001679) Biotin Conjugated Antibody: MUC1 (MBS2091971)
Matching Pairs	Biotin Conjugated Antibody: MUC1 (MBS2091971) Immunogen: MUC1 (MBS2018668)
OMIM	J05582 mRNA
3D Structure	ModBase 3D Structure for P15941
Supply Chain Verification	Manufactured in a lab with traceable raw materials. Bulk orders can typically be prepared to the customer's specifications, please inquire.
Source	Antibody labeling
Label	Biotin
Unconjugated Antibody	MBS2001679
Traits	Liquid
Immunogen	Recombinant MUC1 (Pro1034~Gln1151) expressed in E.coli (MBS2018668).
ISO Certification	Manufactured in an ISO 9001:2015 and ISO 13485:2016 Certified Laboratory.
Applications Tested/Suitable for anti-MUC1 antibody	Western Blot (WB); Immunohistochemistry (IHC); Immunocytochemistry (ICC); Immunofluorescence (IF).

Application Notes for anti-MUC1 antibody	Western blotting: 0.5-2ug/mL Immunohistochemistry: 5-20ug/mL Immunocytochemistry: 5-20ug/mL Optimal working dilutions must be determined by end user
Related Product Information for anti-MUC1 antibody	MBS2091971 is an antibody targeting MUC1. Also known as Biotin-Linked Polyclonal Antibody to Mucin 1 (MUC1). Reactive in Human. Host: Rabbit.
Other Notes	Small volumes of anti-MUC1 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for MUC1. It may not necessarily be applicable to this product.

NCBI GI #	324120956
NCBI GeneID	4582
NCBI Accession #	NP_001191214.1
UniProt Primary Accession #	P15941
UniProt Secondary Accession #	P13931; P15942; P17626; A5YRV1; A6ZID9; A6ZIE0; B1AVQ8; B1AVR0; B6ECA1; E7ESE5; E7EUG9
UniProt Related Accession #	P15941
GenBank Nucleotide #	NM_001204285.1
NCBI Official Full Name	mucin-1 isoform 9
NCBI Official Synonym Full Names	mucin 1, cell surface associated
NCBI Official Symbol	MUC1
NCBI Official Synonym Symbols	EMA; MCD; PEM; PUM; KL-6; MAM6; MCKD; PEMT; CD227; H23AG; MCKD1; MUC-1; ADMCKD; ADMCKD1; CA 15-3; MUC-1/X; MUC1/ZD; MUC-1/SEC
UniProt Protein Name	Mucin-1
UniProt Synonym Protein Names	Breast carcinoma-associated antigen DF3; Cancer antigen 15-3; CA 15-3
Protein Family	Mucin
UniProt Gene Name	MUC1
UniProt Synonym Gene Names	PUM; MUC-1; CA 15-3; KL-6; PUM; PEM; EMA; MUC1-NT; MUC1-alpha; MUC1-beta
NCBI Protein Information	mucin-1
NCBI Summary for MUC1	This gene encodes a membrane-bound protein that is a member of the mucin family. Mucins are O-glycosylated proteins that play an essential role in forming protective mucous barriers on epithelial surfaces. These proteins also play a role in intracellular signaling. This protein is expressed on the apical surface of epithelial cells that line the mucosal surfaces of many different tissues including lung, breast stomach and pancreas. This protein is proteolytically cleaved into alpha and beta subunits that form a heterodimeric complex. The N-terminal alpha subunit functions in cell-adhesion and the C-terminal beta subunit is involved in cell signaling. Overexpression, aberrant intracellular localization, and changes in glycosylation of this protein have been associated with carcinomas. This gene is known to contain a highly polymorphic variable number tandem repeats (VNTR) domain. Alternate splicing results in multiple transcript variants.[provided by RefSeq, Feb 2011]

UniProt Comments for MUC1	MUC1: a large cell surface glycoprotein expressed by most glandular and ductal epithelial cells and some hematopoietic cell lineages. Plays a role in adhesion and cell-cell interactions, metastasis and signaling. May provide a protective layer on epithelial surfaces. Direct or indirect interaction with actin cytoskeleton. Its cytoplasmic tail (MUC1CT) is involved in several signaling pathways, including those involving Ras, beta-catenin, p120 catenin, p53 and estrogen receptor alpha. MUC1CT also forms complexes with transcription factors, and then translocates to the nucleus by an unknown mechanism, where it is believed to influence the transcription of their target genes. MUC1CT has also been proposed to localize to mitochondrial membranes under conditions of genotoxic stress, where it attenuates the apoptotic pathway in response and confers resistance to apoptosis-inducing drugs. Aberrantly glycosylated forms expressed in human epithelial tumors, such as breast or ovarian cancer and also in non-epithelial tumor cells. Nine alternatively spliced isoforms have been described. Isoforms 5 and 9 are secreted. Isoform 7, expressed only in tumor cells, is a receptor and binds the secreted isoform 5. The binding induces the phosphorylation of the isoform 7, alters cellular morphology and initiates cell signaling. Can bind to GRB2 adapter protein. Protein type: Actin-binding; Cell adhesion; Membrane protein, integral; Motility/polarity/chemotaxis; Nuclear receptor co-regulator; Tumor suppressor Chromosomal Location of Human Ortholog: 1q22 Cellular Component: apical plasma membrane; extracellular exosome; extracellular space; Golgi lumen; integral component of plasma membrane; nuclear chromatin; plasma membrane; vesicle Molecular Function: p53 binding; protein binding; transcription cofactor activity Biological Process: DNA damage response, signal transduction by p53 class mediator resulting in cell cycle arrest; DNA damage response, signal transduction by p53 class mediator resulting in transcription of p21 class mediator; negative regulation of cell adhesion mediated by integrin; negative regulation of intrinsic apoptotic signaling pathway in response to DNA damage by p53 class mediator; negative regulation of transcription by competitive promoter binding; O-glycan processing; positive regulation of histone H4 acetylation; regulation of transcription from RNA polymerase II promoter in response to stress; stimulatory C-type lectin receptor signaling pathway Disease: Medullary Cystic Kidney Disease 1
Research Articles on MUC1	**1.** MUC1 plays an important role in Tumor-associated macrophage-induced lung cancer stem cell progression; pterostilbene may have therapeutic potential for modulating the unfavorable effects of TAMs in lung cancer progression
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/mucin-1-muc1/2091971