

PRDM5 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	PRDM5, Polyclonal Antibody
Full Product Name	Rabbit Polyclonal to Human PRDM5
Product Gene Name	anti-PRDM5 antibody
Product Synonym Names	Anti-PRDM5 Antibody (aa100-200) IHC-plus; PRDM5; BCS2; PFM2; PR domain containing 5; PR domain-containing protein 5; Human PRDM5
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human
Form/Format	PBS, 0.2% gelatin, 0.05% sodium azide.
Purity/Purification	Protein G Purified
Concentration	0.5 mg/ml (lot specific)
Specificity	A portion of amino acids 100-200 of human PRDM5 protein was used as the immunogen.
Preparation and Storage	Short term 4 degree C, long term aliquot and store at -20 degree C, avoid freeze thaw cycles.
Molecular Weight	58,124 Da
OMIM	gene 614170
3D Structure	ModBase 3D Structure for Q9NQX1
Target Species	Human
Immunogen Description	Synthetic peptide from human PRDM5.
Immunogen Type	Synthetic peptide
Immunogen	PRDM5 antibody was raised against synthetic peptide from human PRDM5.
Antigen Modification	aa100-200
Applications Tested/Suitable for anti-PRDM5 antibody	Immunohistochemistry (IHC - Paraffin), Western Blot (WB)
Application Notes for anti-PRDM5 antibody	IHC-P (5 ug/ml), WB (1 - 3 ug/ml) Usage: Immunohistochemistry: was validated for use in immunohistochemistry on a panel of 21 formalin-fixed, paraffin-embedded (FFPE) human tissues after heat induced antigen retrieval in pH 6.0 citrate buffer. After incubation with the primary anti...
Related Product Information for anti-PRDM5 antibody	MBS241797 is an antibody targeting PRDM5. Also known as Rabbit Polyclonal to Human PRDM5. Reactive in Human. Host: Rabbit.
Other Notes	Small volumes of anti-PRDM5 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Immunohistochemistry (IHC) of anti-PRDM5 antibody
Anti-PRDM5 antibody IHC of human colon. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody concentration 5 ug/ml.



Western Blot (WB) of anti-PRDM5 antibody
Western blot of PRDM5 in HL60 cell lysate using antibody at 1 ug/ml.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for PRDM5. It may not necessarily be applicable to this product.

NCBI GI #	41349476
NCBI GeneID	11107
NCBI Accession #	NP_061169.2
UniProt Primary Accession #	Q9NQX1
UniProt Secondary Accession #	Q0VAI9; Q0VAJ0; Q6NXQ7
UniProt Related Accession #	Q9NQX1
GenBank Nucleotide #	NM_018699.3
NCBI Official Full Name	PR domain zinc finger protein 5 isoform 1
NCBI Official Synonym Full Names	PR domain containing 5
NCBI Official Symbol	PRDM5
NCBI Official Synonym Symbols	BCS2; PFM2
UniProt Protein Name	PR domain zinc finger protein 5
UniProt Synonym Protein Names	PR domain-containing protein 5
Protein Family	PR domain zinc finger protein
UniProt Gene Name	PRDM5
UniProt Synonym Gene Names	PFM2
UniProt Entry Name	PRDM5_HUMAN
NCBI Protein Information	PR domain zinc finger protein 5
NCBI Summary for PRDM5	The protein encoded by this gene is a transcription factor of the PR-domain protein family. It contains a PR-domain and multiple zinc finger motifs. Transcription factors of the PR-domain family are known to be involved in cell differentiation and tumorigenesis. [provided by RefSeq, Jul 2008]

UniProt Comments for PRDM5	PRDM5: Sequence-specific DNA-binding transcription factor. Represses transcription at least in part by recruitment of the histone methyltransferase EHMT2/G9A and histone deacetylases such as HDAC1. Regulates hematopoiesis-associated protein-coding and microRNA (miRNA) genes. May regulate the expression of proteins involved in extracellular matrix development and maintenance, including fibrillar collagens, such as COL4A1 and COL11A1, connective tissue components, such as HAPLN1, and molecules regulating cell migration and adhesion, including EDIL3 and TGFB2. May caused G2/M arrest and apoptosis in cancer cells. Defects in PRDM5 are the cause of Brittle cornea syndrome type 2 (BCS2). A disorder characterized by extreme corneal thinning resulting in corneal rupture after minor trauma, blue sclerae, keratoconus or keratoglobus, hyperelasticity of the skin, and hypermobile joints. 3 isoforms of the human protein are produced by alternative splicing. Protein type: Transcription factor; Methyltransferase, protein lysine, predicted; C2H2-type zinc finger protein; DNA-binding Chromosomal Location of Human Ortholog: 4q25-q26 Cellular Component: nucleus Molecular Function: methyltransferase activity; protein binding; sequence-specific DNA binding; metal ion binding Biological Process: transcription, DNA-dependent; histone deacetylation; mitotic cell cycle; negative regulation of transcription from RNA polymerase II promoter; negative regulation of transcription, DNA-dependent; histone H3-K9 methylation Disease: Brittle Cornea Syndrome 2
Research Articles on PRDM5	**1.** Data provide the first causal link between Prdm5 loss and intestinal carcinogenesis, and uncover an extensive and novel PRDM5 target repertoire likely facilitating the tumor-suppressive functions of PRDM5.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/prdm5/241797