
ULK2 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	ULK2, Polyclonal Antibody
Full Product Name	ULK2 Polyclonal Antibody
Product Gene Name	anti-ULK2 antibody
Product Synonym Names	ULK2 KIAA0623
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human, Mouse, Rat
Purity/Purification	Affinity Purification
Concentration	1mg/mL (lot specific)
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles.
Molecular Weight	Calculated Molecular Weight: 113kDa Observed Molecular Weight: 140kDa
OMIM	AB014523 mRNA
3D Structure	ModBase 3D Structure for Q8IYT8
Immunogen	Synthetic peptide from human protein
Buffer	PBS with 0.02% sodium azide and 50% glycerol pH 7.4.
ISO Certification	Manufactured in an ISO 9001:2015 Certified Laboratory.
Applications Tested/Suitable for anti-ULK2 antibody	Western Blot (WB), ELISA (EIA)
Application Notes for anti-ULK2 antibody	WB: 1:500-2000 ELISA: 1:10000-20000
Related Product Information for anti-ULK2 antibody	ULK2 (Unc-51 Like Autophagy Activating Kinase 2) is a Protein Coding gene. Among its related pathways are Autophagy Pathway and mTOR signalling. GO annotations related to this gene include transferase activity, transferring phosphorus-containing groups and protein tyrosine kinase activity. An important paralog of this gene is ULK1.This gene encodes a protein that is similar to a serine/threonine kinase in C. elegans which is involved in axonal elongation. The structure of this protein is similar to the C. elegans protein in that both proteins have an N-terminal kinase domain, a central proline/serine rich (PS) domain, and a C-terminal (C) domain. The gene is located within the Smith-Magenis syndrome region on chromosome 17. Alternatively spliced transcript variants encoding the same protein have been identified.
Other Notes	Small volumes of anti-ULK2 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for ULK2 purchase	MBS2549484 is an antibody targeting ULK2. Also known as ULK2 Polyclonal Antibody. Reactive in Human, Mouse, Rat. Host: Rabbit.



Western Blot (WB) of anti-ULK2 antibody
Western Blot analysis of Hela cells using ULK2 Polyclonal Antibody at dilution of 1:500.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for ULK2. It may not necessarily be applicable to this product.

NCBI GI #	217330559
NCBI GeneID	9706
NCBI Accession #	NP_001136082.1
UniProt Primary Accession #	Q8IYT8
UniProt Secondary Accession #	O75119; A8MY69
UniProt Related Accession #	Q8IYT8
GenBank Nucleotide #	NM_001142610.1
NCBI Official Full Name	serine/threonine-protein kinase ULK2
NCBI Official Synonym Full Names	unc-51 like autophagy activating kinase 2
NCBI Official Symbol	ULK2
NCBI Official Synonym Symbols	ATG1B; Unc51.2
UniProt Protein Name	Serine/threonine-protein kinase ULK2
UniProt Synonym Protein Names	Unc-51-like kinase 2
Protein Family	Serine/threonine-protein kinase
UniProt Gene Name	ULK2
UniProt Synonym Gene Names	KIAA0623
NCBI Protein Information	serine/threonine-protein kinase ULK2
NCBI Summary for ULK2	This gene encodes a protein that is similar to a serine/threonine kinase in C. elegans which is involved in axonal elongation. The structure of this protein is similar to the C. elegans protein in that both proteins have an N-terminal kinase domain, a central proline/serine rich (PS) domain, and a C-terminal (C) domain. The gene is located within the Smith-Magenis syndrome region on chromosome 17. Alternatively spliced transcript variants encoding the same protein have been identified. [provided by RefSeq, Dec 2008]

UniProt Comments for ULK2	ULK2: Serine/threonine-protein kinase involved in autophagy in response to starvation. Acts upstream of phosphatidylinositol 3- kinase PIK3C3 to regulate the formation of autophagophores, the precursors of autophagosomes. Part of regulatory feedback loops in autophagy: acts both as a downstream effector and a negative regulator of mammalian target of rapamycin complex 1 (mTORC1) via interaction with RPTOR. Activated via phosphorylation by AMPK, also acts as a negative regulator of AMPK through phosphorylation of the AMPK subunits PRKAA1, PRKAB2 and PRKAG1. May phosphorylate ATG13/KIAA0652, FRS2, FRS3 and RPTOR; however such data need additional evidences. Not involved in ammonia-induced autophagy or in autophagic response of cerebellar granule neurons (CGN) to low potassium concentration. Plays a role early in neuronal differentiation and is required for granule cell axon formation: may govern axon formation via Ras-like GTPase signaling and through regulation of the Rab5-mediated endocytic pathways within developing axons. Belongs to the protein kinase superfamily. Ser/Thr protein kinase family. APG1/unc-51/ULK1 subfamily. Protein type: Autophagy; EC 2.7.11.1; Kinase, protein; Other group; Protein kinase, Other; Protein kinase, Ser/Thr (non-receptor); ULK family Chromosomal Location of Human Ortholog: 17p11.2 Cellular Component: cytoplasmic vesicle membrane; pre-autophagosomal structure membrane Molecular Function: ATP binding; protein binding; protein serine/threonine kinase activity Biological Process: autophagy; axon extension; negative regulation of collateral sprouting; protein autophosphorylation; response to starvation; signal transduction
Research Articles on ULK2	**1.** The serine/threonine kinase ULK2 binds to and phosphorylates CARMA2sh.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-mouse-rat-antibody/ulk2/2549484