Complement Fragment 4a (C4A) ELISA Kit for Goat

PRODUCT OVERVIEW

Product Name	Complement Fragment 4A (C4A), ELISA Kit
Full Product Name	Goat Complement Fragment 4A ELISA Kit
Product Gene Name	C4A elisa kit
Species Reactivity	Goat
Assay Type	Sandwich
Preparation and Storage	Store all reagents at 2-8 degree C
Molecular Weight	192,785 Da
Chromosome Location	Chromosome: 6; NC_000006.11 (31949834..31970457). Location: 6p21.3
OMIM	120790
3D Structure	ModBase 3D Structure for P0C0L4
Related Product Information for C4A elisa kit	MBS032053 is a ready-to-use microwell, strip-or-full plate ELISA (enzyme-linked immunosorbent assay) Kit for analyzing the presence of the Complement Fragment 4A (C4A) ELISA Kit target analytes in biological samples. The concentration gradients of the kit standards or positive controls render a theoretical kit detection range in biological research samples containing C4A. The ELISA analytical biochemical technique of the MBS032053 kit is based on C4A antibody-C4A antigen interactions (immunosorbency) and an HRP colorimetric detection system to detect C4A antigen targets in samples. The ELISA Kit is designed to detect native, not recombinant, C4A. Appropriate sample types may include undiluted body fluids and/or tissue homogenates, secretions. Quality control assays assessing reproducibility identified the intra-assay CV (%) and inter-assay CV(%).
Other Notes	Small volumes of C4A elisa kit vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for C4A. It may not necessarily be applicable to this product.

NCBI GI #	67190748
NCBI GeneID	720
NCBI Accession #	NP_009224.2
UniProt Primary Accession #	P0C0L4
UniProt Secondary Accession #	P01028; P78445; Q13160; Q13906; A6H8M8; A6NHJ5; A7E2V2; B0QZR6; B0V2C8; B2RUT6; B7ZVZ6
UniProt Related Accession #	P0C0L4
GenBank Nucleotide #	NM_007293.2
NCBI Official Full Name	complement C4-A isoform 1 preproprotein
NCBI Official Synonym Full Names	complement component 4A (Rodgers blood group)
NCBI Official Symbol	C4A
NCBI Official Synonym Symbols	C4; RG; C4S; CO4; C4A2; C4A3; C4A4; C4A6; C4AD; CPAMD2
UniProt Protein Name	Complement C4-A

UniProt Synonym Protein Names	Acidic complement C4; C3 and PZP-like alpha-2-macroglobulin domain-containing protein 2
Protein Family	Complement C4
UniProt Gene Name	C4A
UniProt Synonym Gene Names	CO4; CPAMD2
UniProt Entry Name	CO4A_HUMAN
NCBI Protein Information	complement C4-A; acidic C4; C4A anaphylatoxin; Rodgers form of C4; acidic complement C4; C3 and PZP-like alpha-2-macroglobulin domain-containing protein 2
NCBI Summary for C4A	This gene encodes the acidic form of complement factor 4, part of the classical activation pathway. The protein is expressed as a single chain precursor which is proteolytically cleaved into a trimer of alpha, beta, and gamma chains prior to secretion. The trimer provides a surface for interaction between the antigen-antibody complex and other complement components. The alpha chain may be cleaved to release C4 anaphylatoxin, a mediator of local inflammation. Deficiency of this protein is associated with systemic lupus erythematosus and type I diabetes mellitus. This gene localizes to the major histocompatibility complex (MHC) class III region on chromosome 6. Varying haplotypes of this gene cluster exist, such that individuals may have 1, 2, or 3 copies of this gene. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2011]
UniProt Comments for C4A	C4A: C4 plays a central role in the activation of the classical pathway of the complement system. It is processed by activated C1 which removes from the alpha chain the C4a anaphylatoxin. The remaining alpha chain fragment C4b is the major activation product and is an essential subunit of the C3 convertase (C4b2a) and the C5 convertase (C3bC4b2a) enzymes of the classical complement pathway. Defects in C4A are the cause of complement component 4A deficiency (C4AD). A rare defect of the complement classical pathway associated with the development of autoimmune disorders, mainly systemic lupus with or without associated glomerulonephritis. Defects in C4A are a cause of susceptibility to systemic lupus erythematosus (SLE). A chronic, inflammatory and often febrile multisystemic disorder of connective tissue. It affects principally the skin, joints, kidneys and serosal membranes. It is thought to represent a failure of the regulatory mechanisms of the autoimmune system. Interindividual copy- number variation (CNV) of complement component C4 and associated polymorphisms result in different susceptibilities to SLE. The risk of SLE susceptibility has been shown to be significantly increased among subjects with only two copies of total C4. A high copy number is a protective factor against SLE. Protein type: Secreted; Secreted, signal peptide; Inhibitor Chromosomal Location of Human Ortholog: 6p21.3 Cellular Component: extracellular region; plasma membrane Molecular Function: complement component C1q binding; endopeptidase inhibitor activity Biological Process: regulation of complement activation; innate immune response; inflammatory response; complement activation, classical pathway; complement activation Disease: Complement Component 4a Deficiency; Blood Group, Chido/rodgers System
Research Articles on C4A	**1.** Studies indicate beta-defensins (DEFB4, DEFB103, DEFB104), chemokine ligand 3 like 1 (CCL3L1), Fc gamma receptor 3B (FCGR3B), and complement component C4 (C4) for copy number variation in disease association.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.

Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/c4a-goat-elisa-kits/complement-fragment-4a/32053