
CEACAM3 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	CEACAM3, Polyclonal Antibody
Full Product Name	CEACAM3 antibody - C-terminal region
Product Gene Name	anti-CEACAM3 antibody
Product Synonym Gene Name	CD66D; CEA; CGM1; MGC119875; W264; W282
Immunogen Sequence	Synthetic peptide located within the following region: AKTGRTSIQR DLKEQQPQAL APGRGPSHSS AFSMSPLSTA QAPLPNPRTA
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human
Form/Format	Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.
Purity/Purification	Affinity Purified
Preparation and Storage	For short term use, store at 2-8 degree C up to 1 week. For long term storage, store at -20 degree C in small aliquots to prevent freeze-thaw cycles.
Antibody/Peptide Pairs	CEACAM3 peptide (MBS3239600) is used for blocking the activity of CEACAM3 antibody (MBS3214663)
Molecular Weight	23kDa
OMIM	609142
3D Structure	ModBase 3D Structure for P40198
Homology	Human: 100%
Immunogen	The immunogen is a synthetic peptide directed towards the C terminal region of human CEACAM3
Product Categories/Family for anti-CEACAM3 antibody	Polyclonal; Cell Adhesion; Membrane Protein
Applications Tested/Suitable for anti-CEACAM3 antibody	Western Blot (WB)
Related Product Information for anti-CEACAM3 antibody	This is a rabbit polyclonal antibody against CEACAM3. It was validated on Western Blot Target Description: This gene encodes a member of the family of carcinoembryonic antigen-related cell adhesion molecules (CEACAMs), which are used by several bacterial pathogens to bind and invade host cells. The encoded transmembrane protein directs phagocytosis of several bacterial species that is dependent on the small GTPase Rac. It is thought to serve an important role in controlling human-specific pathogens by the innate immune system. Alternatively spliced transcript variants have been described, but their biological validity has not been determined.
Other Notes	Small volumes of anti-CEACAM3 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for CEACAM3 purchase	MBS3214663 is an antibody targeting CEACAM3. Also known as CEACAM3 antibody - C-terminal region. Reactive in Human. Host: Rabbit.



Western Blot (WB) of anti-CEACAM3 antibody
WB Suggested Anti-CEACAM3 Antibody Titration: 0.2-1 ug/mlELISA Titer: 1:62500Positive Control: Human Liver

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for CEACAM3. It may not necessarily be applicable to this product.

NCBI GI #	121114300
NCBI GeneID	1084
NCBI Accession #	NP_001806
UniProt Primary Accession #	P40198
UniProt Related Accession #	P40198
GenBank Nucleotide #	NM_001815
NCBI Official Full Name	carcinoembryonic antigen-related cell adhesion molecule 3 isoform 1
NCBI Official Synonym Full Names	carcinoembryonic antigen related cell adhesion molecule 3
NCBI Official Symbol	CEACAM3
NCBI Official Synonym Symbols	CEA; CGM1; W264; W282; CD66D
UniProt Protein Name	Carcinoembryonic antigen-related cell adhesion molecule 3
UniProt Synonym Protein Names	Carcinoembryonic antigen CGM1; CD_antigen: CD66d
Protein Family	Carcinoembryonic antigen-related cell adhesion molecule
UniProt Gene Name	CEACAM3
UniProt Synonym Gene Names	CD66D; CGM1
UniProt Entry Name	CEAM3_HUMAN
NCBI Protein Information	carcinoembryonic antigen-related cell adhesion molecule 3
NCBI Summary for CEACAM3	This gene encodes a member of the family of carcinoembryonic antigen-related cell adhesion molecules (CEACAMs), which are used by several bacterial pathogens to bind and invade host cells. The encoded transmembrane protein directs phagocytosis of several bacterial species that is dependent on the small GTPase Rac. It is thought to serve an important role in controlling human-specific pathogens by the innate immune system. Alternatively spliced transcript variants have been described. [provided by RefSeq, Mar 2013]

UniProt Comments for CEACAM3	CEACAM3: Major granulocyte receptor mediating recognition and efficient opsonin-independent phagocytosis of CEACAM-binding microorganisms, including Neissiria, Moxarella and Haemophilus species, thus playing an important role in the clearance of pathogens by the innate immune system. Responsible for RAC1 stimulation in the course of pathogen phagocytosis. Interacts with S100A9/calprotectin. This interaction is calcium-dependent, but independent of CEACAM3 phosphorylation. CGM1a, the predominant CGM1 transcript, is granulocyte-specific. Not detected out of the granulocytic lineage, such as monocytes, lymphocytes, spleen, testis, colon, brain, liver, pancreas, thymus, ovary, placenta, skeletal muscle, prostate, small intestine, heart, lung and kidney. Belongs to the immunoglobulin superfamily. CEA family. 3 isoforms of the human protein are produced by alternative splicing. Protein type: Immunoglobulin superfamily; Membrane protein, integral; Cell adhesion Chromosomal Location of Human Ortholog: 19q13.2 Cellular Component: integral to membrane
Research Articles on CEACAM3	**1.** the findings reveal an integration of the specific innate immune receptor CEACAM3 into the network of more conventional pattern recognition receptors, providing a mechanism by which the innate immune system can unleash its response to a relentless pathogen.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/ceacam3/3214663