BCO1 Peptide - Middle Region Blocking Peptide

PRODUCT OVERVIEW

Product Name	BCO1, Blocking Peptide
Full Product Name	BCO1 Peptide - middle region
Product Gene Name	BCO1 blocking peptide
Product Synonym Gene Name	BCO; BCDO; BCMO; BCDO1; BCMO1; BCO1
Sequence	VEKGKTKYVI FKIPATVPEG KKQGKSPWKH TEVFCSIPSR SLLSPSYYHS
Species Reactivity	Human
Form/Format	Lyophilized powder
Preparation and Storage	Add 100ul of sterile PBS. Final peptide concentration is 1 mg/ml in PBS. For longer periods of storage, store at -20 degree C. Avoid repeat freeze-thaw cycles.
Antibody/Peptide Pairs	BCO1 peptide (MBS3241206) is used for blocking the activity of BCO1 antibody (MBS3216305)
Molecular Weight	63kDa
OMIM	115300
Product Categories/Family for BCO1 blocking peptide	Peptide
Applications Tested/Suitable for BCO1 blocking peptide	Western Blot (WB)
Related Product Information for BCO1 blocking peptide	Vitamin A metabolism is important for vital processes such as vision, embryonic development, cell differentiation, and membrane and skin protection. The protein encoded by this gene is a key enzyme in beta-carotene metabolism to vitamin A. It catalyzes the oxidative cleavage of beta,beta-carotene into two retinal molecules.
Other Notes	Small volumes of BCO1 blocking peptide vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for BCO1 purchase	MBS3241206 is a blocking peptide targeting BCO1. Also known as BCO1 Peptide - middle region. Reactive in Human.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for BCO1. It may not necessarily be applicable to this product.

NCBI GI #	74027270
NCBI GeneID	53630
NCBI Accession #	NP_059125
UniProt Primary Accession #	Q9HAY6
UniProt Related Accession #	Q9HAY6
GenBank Nucleotide #	NM_017429
NCBI Official Full Name	beta,beta-carotene 15,15'-dioxygenase
NCBI Official Synonym Full Names	beta-carotene oxygenase 1

NCBI Official Symbol	BCO1
NCBI Official Synonym Symbols	BCO; BCDO; BCMO; BCDO1; BCMO1
UniProt Protein Name	Beta,beta-carotene 15,15'-monooxygenase
UniProt Synonym Protein Names	Beta-carotene dioxygenase 1
Protein Family	Beta,beta-carotene 15,15'-dioxygenase
UniProt Gene Name	BCMO1
UniProt Synonym Gene Names	BCDO; BCDO1
UniProt Entry Name	BCDO1_HUMAN
NCBI Protein Information	beta,beta-carotene 15,15'-dioxygenase
UniProt Comments for BCO1	BCMO1: Symmetrically cleaves beta-carotene into two molecules of retinal. The reaction proceeds in three stages, epoxidation of the 15,15'-double bond, hydration of the double bond leading to ring opening, and oxidative cleavage of the diol formed. Defects in BCMO1 are the cause of autosomal dominant hypercarotenemia and vitamin A deficiency (ADHVAD). Vitamin A is essential for normal embryonic development as well as normal physiological functions in children and adults. Hypercarotenemia is characterized by an excess carotene in the serum, but unlike excess vitamin A, carotene is non-toxic. So far, only a few cases of excess vitamin A have been reported. Individuals were thought to be vitamin A deficient due to an impairment in the conversion of carotenoids to retinal in the intestine. Belongs to the carotenoid oxygenase family. Protein type: Cofactor and Vitamin Metabolism - retinol; EC 1.14.99.36; Oxidoreductase Chromosomal Location of Human Ortholog: 16q23.2 Cellular Component: cytosol Molecular Function: beta-carotene 15,15'-monooxygenase activity; metal ion binding; monooxygenase activity Biological Process: phototransduction, visible light; vitamin A biosynthetic process; retinal metabolic process; retinol metabolic process; retinoid metabolic process Disease: Hypercarotenemia And Vitamin A Deficiency, Autosomal Dominant
Research Articles on BCO1	**1.** We did not observe associations of BCMO1 variants and lung cancer.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.