CKMT2 Peptide - N-Terminal Region Blocking Peptide

PRODUCT OVERVIEW

Product Name	CKMT2, Blocking Peptide
Full Product Name	CKMT2 Peptide - N-terminal region
Product Gene Name	CKMT2 blocking peptide
Product Synonym Gene Name	SMTCK; CKMT2
Sequence	Synthetic peptide located within the following region: EVREQPRLFP PSADYPDLRK HNNCMAECLT PAIYAKLRNK VTPNGYTLDQ
Species Reactivity	Human
Form/Format	Lyophilized powder
Preparation and Storage	Add 100ul of sterile PBS. Final peptide concentration is 1 mg/ml in PBS. For longer periods of storage, store at -20 degree C. Avoid repeat freeze-thaw cycles.
Antibody/Peptide Pairs	CKMT2 peptide (MBS3244554) is used for blocking the activity of CKMT2 antibody (MBS3219689)
Molecular Weight	46kDa
OMIM	123295
Product Categories/Family for CKMT2 blocking peptide	Peptide
Applications Tested/Suitable for CKMT2 blocking peptide	Western Blot (WB)
Related Product Information for CKMT2 blocking peptide	Mitochondrial creatine kinase (MtCK) is responsible for the transfer of high energy phosphate from mitochondria to the cytosolic carrier, creatine. It belongs to the creatine kinase isoenzyme family. It exists as two isoenzymes, sarcomeric MtCK and ubiquitous MtCK, encoded by separate genes. Mitochondrial creatine kinase occurs in two different oligomeric forms: dimers and octamers, in contrast to the exclusively dimeric cytosolic creatine kinase isoenzymes. Sarcomeric mitochondrial creatine kinase has 80% homology with the coding exons of ubiquitous mitochondrial creatine kinase. This gene contains sequences homologous to several motifs that are shared among some nuclear genes encoding mitochondrial proteins and thus may be essential for the coordinated activation of these genes during mitochondrial biogenesis. Three transcript variants encoding the same protein have been found for this gene.
Other Notes	Small volumes of CKMT2 blocking peptide vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for CKMT2 purchase	MBS3244554 is a blocking peptide targeting CKMT2. Also known as CKMT2 Peptide - N-terminal region. Reactive in Human.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for CKMT2. It may not necessarily be applicable to this product.

NCBI GI #	153251982
NCBI GeneID	1160
NCBI Accession #	NP_001816
UniProt Primary Accession #	P17540

UniProt Related Accession #	P17540
GenBank Nucleotide #	NM_001825.2
NCBI Official Full Name	creatine kinase S-type, mitochondrial
NCBI Official Synonym Full Names	creatine kinase, mitochondrial 2
NCBI Official Symbol	CKMT2
NCBI Official Synonym Symbols	SMTCK
UniProt Protein Name	Creatine kinase S-type, mitochondrial
UniProt Synonym Protein Names	Basic-type mitochondrial creatine kinase; Mib-CK; Sarcomeric mitochondrial creatine kinase
Protein Family	Creatine kinase
UniProt Gene Name	CKMT2
UniProt Synonym Gene Names	Mib-CK; S-MtCK
UniProt Entry Name	KCRS_HUMAN
NCBI Protein Information	creatine kinase S-type, mitochondrial
UniProt Comments for CKMT2	CKMT2: Reversibly catalyzes the transfer of phosphate between ATP and various phosphogens (e.g. creatine phosphate). Creatine kinase isoenzymes play a central role in energy transduction in tissues with large, fluctuating energy demands, such as skeletal muscle, heart, brain and spermatozoa. Belongs to the ATP:guanido phosphotransferase family. Protein type: Amino Acid Metabolism - arginine and proline; Mitochondrial; Kinase, other; EC 2.7.3.2 Chromosomal Location of Human Ortholog: 5q13.3 Cellular Component: mitochondrion; mitochondrial inner membrane Molecular Function: creatine kinase activity; ATP binding Biological Process: muscle contraction; creatine metabolic process; phosphorylation
Research Articles on CKMT2	**1.** These findings support increased CK activity as protection against ischaemia-reperfusion injury, in particular, protection via CKMT2 in a cardiac-relevant cell line, which merits further investigation in vivo.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.