
IL-17RC Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	IL-17RC, Polyclonal Antibody
Full Product Name	Rabbit anti-IL-17RC Antibody
Product Gene Name	anti-IL-17RC antibody
Product Synonym Names	Interleukin-17 receptor C; IL-17 receptor C; IL-17RC; Interleukin-17 receptor homolog; IL17Rhom; Interleukin-17 receptor-like protein; IL-17RL; ZcytoR14
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Concentration	1mg/mL (lot specific)
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.
Molecular Weight	86,240 Da
Chromosome Location	Chromosome: 3; NC_000003.11 (9958758..9975305). Location: 3p25.3; 3p25.3-p24.1
OMIM	610925
3D Structure	ModBase 3D Structure for Q8NAC3
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human IL-17RC. The exact sequence is proprietary.
Product Categories/Family for anti-IL-17RC antibody	Primary antibodies
ISO Certification	Manufactured in an ISO 13485:2003 and EN ISO 13485:2012 Certified Laboratory.
Applications Tested/Suitable for anti-IL-17RC antibody	Western Blot (WB), Immunoprecipitation (IP)
Application Notes for anti-IL-17RC antibody	WB: 1:500-1:1000 IP: 1:10-1:100
Related Product Information for anti-IL-17RC antibody	MBS4504679 is an antibody targeting IL-17RC. Also known as Rabbit anti-IL-17RC Antibody. Reactive in Human. Host: Rabbit.
Other Notes	Small volumes of anti-IL-17RC antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Western Blot (WB) of anti-IL-17RC antibody
Western blot analysis of IL-17RC expression in HeLa (A), U251MG (B) whole cell lysates.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for IL-17RC. It may not necessarily be applicable to this product.

NCBI GI #	322812168
NCBI GeneID	84818
NCBI Accession #	NP_001190192.1
UniProt Primary Accession #	Q8NAC3
UniProt Secondary Accession #	Q6UVY3; Q6UWD4; Q8NFS1; Q9BR97
UniProt Related Accession #	Q8NAC3
GenBank Nucleotide #	NM_001203263.1
NCBI Official Full Name	interleukin-17 receptor C isoform 4
NCBI Official Synonym Full Names	interleukin 17 receptor C
NCBI Official Symbol	IL17RC
NCBI Official Synonym Symbols	IL17RL; IL17-RL
UniProt Protein Name	Interleukin-17 receptor C
UniProt Synonym Protein Names	Interleukin-17 receptor homolog; IL17Rhom; Interleukin-17 receptor-like protein; IL-17RL; ZcytoR14
Protein Family	Interleukin-17 receptor
UniProt Gene Name	IL17RC
UniProt Synonym Gene Names	IL-17 receptor C; IL-17RC; IL17Rhom; IL-17RL
UniProt Entry Name	I17RC_HUMAN
NCBI Protein Information	interleukin-17 receptor C; IL-17RL; IL17Rhom; zcytoR14; IL17F receptor; IL-17 receptor C; interleukin-17 receptor homolog; interleukin-17 receptor-like protein
NCBI Summary for IL-17RC	This gene encodes a single-pass type I membrane protein that shares similarity with the interleukin-17 receptor (IL-17RA). Unlike IL-17RA, which is predominantly expressed in hemopoietic cells, and binds with high affinity to only IL-17A, this protein is expressed in nonhemopoietic tissues, and binds both IL-17A and IL-17F with similar affinities. The proinflammatory cytokines, IL-17A and IL-17F, have been implicated in the progression of inflammatory and autoimmune diseases. Multiple alternatively spliced transcript variants encoding different isoforms have been detected for this gene, and it has been proposed that soluble, secreted proteins lacking transmembrane and intracellular domains may function as extracellular antagonists to cytokine signaling. [provided by RefSeq, Feb 2011]

UniProt Comments for IL-17RC	IL17RC: a single-pass type I membrane protein that shares similarity with the interleukin-17 receptor (IL-17RA). Unlike IL-17RA, which is predominantly expressed in hemopoietic cells, and binds with high affinity to only IL-17A, this protein is expressed in nonhemopoietic tissues, and binds both IL-17A and IL-17F with similar affinities. The proinflammatory cytokines, IL-17A and IL-17F, have been implicated in the progression of inflammatory and autoimmune diseases. Multiple alternatively spliced transcript variants encoding different isoforms have been detected for this gene, and it has been proposed that soluble, secreted proteins lacking transmembrane and intracellular domains may function as extracellular antagonists to cytokine signaling. [provided by RefSeq, Feb 2011] Protein type: Membrane protein, integral Chromosomal Location of Human Ortholog: 3p25.3|3p25.3-p24.1 Cellular Component: integral to plasma membrane Molecular Function: interleukin-17 receptor activity Biological Process: cytokine and chemokine mediated signaling pathway Disease: Candidiasis, Familial, 9
Research Articles on IL-17RC	**1.** Data show that IL-17RA, IL-17RC, IL-22R1, ERK1/2 MAPK and NF-kappaB pathways are involved in Th17 cytokine-induced proliferation.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/il-17rc/4504679