

HSF1 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	HSF1, Polyclonal Antibody
Full Product Name	Rabbit anti-HSF1 (pS307) Antibody
Product Gene Name	anti-HSF1 antibody
Product Synonym Names	HSTF1; Heat shock factor protein 1; HSF 1; Heat shock transcription factor 1; HSTF 1
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Concentration	1mg/mL (lot specific)
Preparation and Storage	Store at -20 degree C. Avoid repeated freeze/thaw cycles.
Molecular Weight	57,260 Da
Chromosome Location	Chromosome: 8; NC_000008.10 (145515270..145538385). Location: 8q24.3
OMIM	140580
3D Structure	ModBase 3D Structure for Q00613
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human HSF1. The exact sequence is proprietary.
Product Categories/Family for anti-HSF1 antibody	Primary antibodies
ISO Certification	Manufactured in an ISO 13485:2003 and EN ISO 13485:2012 Certified Laboratory.
Applications Tested/Suitable for anti-HSF1 antibody	Western Blot (WB), Immunofluorescence (IF), Immunochemistry (IC)
Application Notes for anti-HSF1 antibody	WB: 1:500-1:1000 IF:IC: 1:100-1:500
Related Product Information for anti-HSF1 antibody	MBS4504843 is an antibody targeting HSF1. Also known as Rabbit anti-HSF1 (pS307) Antibody. Reactive in Human. Host: Rabbit.
Other Notes	Small volumes of anti-HSF1 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Western Blot (WB) of anti-HSF1 antibody
Western blot analysis of HSF1 (pS307) expression in HepG2 (A), K562 (B) whole cell lysates.



Immunofluorescence (IF) of anti-HSF1 antibody
Immunofluorescent analysis of HSF1 (pS307) staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for HSF1. It may not necessarily be applicable to this product.

NCBI GI #	5031767
NCBI GeneID	3297
NCBI Accession #	NP_005517.1
UniProt Primary Accession #	Q00613
UniProt Secondary Accession #	Q53XT4; A8K4L0; A8MW26
UniProt Related Accession #	Q00613
GenBank Nucleotide #	NM_005526.2
NCBI Official Full Name	heat shock factor protein 1
NCBI Official Synonym Full Names	heat shock transcription factor 1
NCBI Official Symbol	HSF1
NCBI Official Synonym Symbols	HSTF1
UniProt Protein Name	Heat shock factor protein 1
UniProt Synonym Protein Names	Heat shock transcription factor 1
Protein Family	Heat shock factor protein
UniProt Gene Name	HSF1
UniProt Synonym Gene Names	HSTF1; HSF 1; HSTF 1
UniProt Entry Name	HSF1_HUMAN
NCBI Protein Information	heat shock factor protein 1; HSF 1; HSTF 1
NCBI Summary for HSF1	The product of this gene is a heat-shock transcription factor. Transcription of heat-shock genes is rapidly induced after temperature stress. Hsp90, by itself and/or associated with multichaperone complexes, is a major repressor of this gene. [provided by RefSeq, Jul 2008]

UniProt Comments for HSF1	HSF1: a transcription factor that specifically binds heat shock promoter elements (HSE) and activates transcription. Induced in response to heat, heavy metals, and oxidative stress. In higher eukaryotes, HSF is unable to bind to HSEs unless the cells are stressed. Becomes phosphorylated in response to stress, forming homotrimers that bind DNA and activate transcription. Phosphorylation by PLK1 enhances nuclear translocation, and phosphorylation by CaMKII enhances transactivation. Phosphorylation by GSK3 and ERK1 induces binding by 14-3-3 and sequestration in the cytoplasm. In addition, during attenuation from the heat shock response, HSF1 is repressed by direct binding of Hsp70, HSP40, and HSF binding protein 1 (HSBP1). Four alternatively spliced isoforms have been described. Protein type: DNA-binding; Transcription factor Chromosomal Location of Human Ortholog: 8q24.3 Cellular Component: nucleoplasm; protein complex; pronucleus; cytoplasm; cytosol Molecular Function: protein binding; chromatin binding; transcription factor activity Biological Process: negative regulation of cell proliferation; embryonic placenta development; embryonic process involved in female pregnancy; mRNA transcription; female meiosis; defense response; spermatogenesis; response to lipopolysaccharide; positive regulation of transcription from RNA polymerase II promoter; negative regulation of tumor necrosis factor production; positive regulation of multicellular organism growth; negative regulation of transcription from RNA polymerase II promoter; protein amino acid phosphorylation
Research Articles on HSF1	**1.** UVA irradiation could stimulate the activation of HSF1 and increase HSP70 protein expression in HaCaT cells, which inhibited activation of JNK, thus preventing apoptosis.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/hsf1/4504843