
MAP2K7 Antibody – Mouse Monoclonal

PRODUCT OVERVIEW

Product Name	MAP2K7, Monoclonal Antibody
Full Product Name	MAP2K7 (Mitogen-Activated Protein Kinase Kinase 7, Jnkk2, MAPKK7, MKK7, PRKMK7) (HRP)
Product Gene Name	anti-MAP2K7 antibody
Product Synonym Names	Mitogen-Activated Protein Kinase Kinase 7; Jnkk2; MAPKK7; MKK7; PRKMK7
Clonality	Monoclonal
Isotype	IgG1,k
Clone Number	2C12
Host	Mouse
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with horseradish peroxidase (HRP).
Purity/Purification	Purified
Specificity	Recognizes MAP2K7.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Note: Sodium azide is a potent inhibitor of peroxidase and should not be added to HRP conjugates. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
Molecular Weight	48,182 Da
OMIM	603014
3D Structure	ModBase 3D Structure for O14733
Immunogen	MAP2K7 (NP_660186, 1aa-99aa) partial recombinant protein with GST tag. MW of the GST tag alone is 26kD.
Immunogen Sequence	MAASSLEQKLSRLEAKLKQENREARRRIDLNLDISPQRPRPTLQLPLANDGGSRSPSSESSPQHPTPPARPRHMLGLPSTLFTPRSMESIEIDQKLQEI
Conjugate	HRP
Product Categories/Family for anti-MAP2K7 antibody	Antibodies; Protein Kinases
Applications Tested/Suitable for anti-MAP2K7 antibody	ELISA (EIA), Western Blot (WB)
Application Notes for anti-MAP2K7 antibody	Applications are based on unconjugated antibody.

Related Product Information for anti-MAP2K7 antibody	MBS6180518 is an antibody targeting MAP2K7. Also known as MAP2K7 (Mitogen-Activated Protein Kinase Kinase 7, Jnkk2, MAPKK7, MKK7, PRKMK7) (HRP). Host: Mouse.
Other Notes	Small volumes of anti-MAP2K7 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Western Blot (WB) of anti-MAP2K7 antibody
Western Blot analysis of MAP2K7 expression in transfected 293T cell line by MAP2K7 monoclonal antibody (M07), clone 2C12.Lane 1: MAP2K7 transfected lysate (47.485 KDa).Lane 2: Non-transfected lysate.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for MAP2K7. It may not necessarily be applicable to this product.

NCBI GI #	21735544
NCBI GeneID	5609
NCBI Accession #	NP_660186
UniProt Primary Accession #	O14733
UniProt Secondary Accession #	O14648; O14816; O60452; O60453; Q1PG43; Q8IY10; B2R9S5; D6W659
UniProt Related Accession #	O14733
GenBank Nucleotide #	NM_145185
NCBI Official Full Name	dual specificity mitogen-activated protein kinase kinase 7 isoform 3
NCBI Official Synonym Full Names	mitogen-activated protein kinase kinase 7
NCBI Official Symbol	MAP2K7
NCBI Official Synonym Symbols	MEK; MKK7; JNKK2; MEK 7; MAPKK7; PRKMK7; SAPKK4; SAPKK-4
UniProt Protein Name	Dual specificity mitogen-activated protein kinase kinase 7
UniProt Synonym Protein Names	JNK-activating kinase 2; MAPK/ERK kinase 7; MEK 7; Stress-activated protein kinase kinase 4; SAPK kinase 4; SAPKK-4; SAPKK4; c-Jun N-terminal kinase kinase 2
Protein Family	Dual specificity mitogen-activated protein kinase kinase
UniProt Gene Name	MAP2K7
UniProt Synonym Gene Names	JNKK2; MEK7; MKK7; PRKMK7; SKK4; MAP kinase kinase 7; MAPKK 7; MEK 7; SAPK kinase 4; SAPKK-4; SAPKK4; JNK kinase 2; JNKK 2
UniProt Entry Name	MP2K7_HUMAN

NCBI Protein Information	dual specificity mitogen-activated protein kinase kinase 7; JNK-activating kinase 2; MAP kinase kinase 7; MAPK/ERK kinase 7; SAPK kinase 4; c-Jun N-terminal kinase kinase 2; stress-activated protein kinase kinase 4
UniProt Comments for MAP2K7	MKK7: a dual-specificity protein kinase of the STE7 family. Activates JNK1 and -2 by phosphorylating a Thr and a Tyr residue in the activation loop. Is activated by proinflammatory cytokines and environmental stress. Three alternatively spliced isoforms have been reported. Protein type: Protein kinase, STE; Protein kinase, dual-specificity (non-receptor); EC 2.7.12.2; Kinase, protein; STE group; STE7 family Chromosomal Location of Human Ortholog: 19p13.3-p13.2 Cellular Component: cytoplasm; intracellular; cytosol; nucleus Molecular Function: MAP kinase kinase activity; protein C-terminus binding; protein serine/threonine kinase activity; protein binding; enzyme binding; protein-tyrosine kinase activity; magnesium ion binding; mitogen-activated protein kinase kinase kinase binding; JUN kinase kinase activity; protein kinase binding; protein phosphatase binding; ATP binding Biological Process: peptidyl-tyrosine phosphorylation; apoptosis; MyD88-independent toll-like receptor signaling pathway; stress-activated MAPK cascade; pathogenesis; toll-like receptor 3 signaling pathway; response to osmotic stress; signal transduction; activation of JNK activity; toll-like receptor 10 signaling pathway; toll-like receptor 2 signaling pathway; toll-like receptor 5 signaling pathway; MyD88-dependent toll-like receptor signaling pathway; response to heat; positive regulation of neuron apoptosis; toll-like receptor signaling pathway; innate immune response; JNK cascade; toll-like receptor 9 signaling pathway; toll-like receptor 4 signaling pathway; response to UV
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/monoclonal-antibody/map2k7/6180518