
TRIM13 Antibody – Mouse Monoclonal

PRODUCT OVERVIEW

Product Name	TRIM13, Monoclonal Antibody
Full Product Name	TRIM13 (Tripartite Motif-Containing 13, CAR, DLEU5, LEU5, RFP2, RNF77) (HRP)
Product Gene Name	anti-TRIM13 antibody
Product Synonym Names	Tripartite Motif-Containing 13; CAR; DLEU5; LEU5; RFP2; RNF77
Clonality	Monoclonal
Isotype	IgG1,k
Clone Number	100000
Host	Mouse
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with horseradish peroxidase (HRP).
Purity/Purification	Purified
Specificity	Recognizes TRIM13.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Note: Sodium azide is a potent inhibitor of peroxidase and should not be added to HRP conjugates. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
OMIM	605661
3D Structure	ModBase 3D Structure for O60858
Immunogen	TRIM13 (NP_005789, 1aa-100aa) partial recombinant protein with GST tag. MW of the GST tag alone is 26kD.
Immunogen Sequence	MELLEEDLTCPICCSLFDDPRVLPCSHNFCKKCLEGILEGSVRNSLWRPAPFKCPTCRKETSATGINSLQVNYSLKGIVEKYNKIKISPKMPVCKGHLGQ
Conjugate	HRP
Product Categories/Family for anti-TRIM13 antibody	Antibodies; Transcription Factors; TRIM (Tripartite Motif)
Applications Tested/Suitable for anti-TRIM13 antibody	ELISA (EIA)
Application Notes for anti-TRIM13 antibody	Applications are based on unconjugated antibody.
Related Product Information for anti-TRIM13 antibody	MBS6183138 is an antibody targeting TRIM13. Also known as TRIM13 (Tripartite Motif-Containing 13, CAR, DLEU5, LEU5, RFP2, RNF77) (HRP). Host: Mouse.

Other Notes	Small volumes of anti-TRIM13 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Testing Data of anti-TRIM13 antibody
Detection limit for recombinant GST tagged TRIM13 is 1 ng/ml as a capture antibody.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for TRIM13. It may not necessarily be applicable to this product.

NCBI GI #	47132521
NCBI GeneID	10206
NCBI Accession #	NP_005789
UniProt Primary Accession #	O60858
UniProt Related Accession #	O60858
GenBank Nucleotide #	NP_005789.2
NCBI Official Full Name	E3 ubiquitin-protein ligase TRIM13 isoform 1
NCBI Official Synonym Full Names	tripartite motif containing 13
NCBI Official Symbol	TRIM13
NCBI Official Synonym Symbols	CAR; LEU5; RFP2; DLEU5; RNF77
UniProt Protein Name	E3 ubiquitin-protein ligase TRIM13
UniProt Synonym Protein Names	B-cell chronic lymphocytic leukemia tumor suppressor Leu5; Leukemia-associated protein 5; Putative tumor suppressor RFP2; RING finger protein 77; Ret finger protein 2; Tripartite motif-containing protein 13
Protein Family	E3 ubiquitin-protein ligase
UniProt Gene Name	TRIM13
UniProt Synonym Gene Names	LEU5; RFP2; RNF77
UniProt Entry Name	TRI13_HUMAN
NCBI Protein Information	E3 ubiquitin-protein ligase TRIM13
NCBI Summary for TRIM13	This gene encodes a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This gene is located on chromosome 13 within the minimal deletion region for B-cell chronic lymphocytic leukemia. Multiple alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jul 2008]

UniProt Comments for TRIM13	TRIM13: E3 ubiquitin ligase involved in the retrotranslocation and turnover of membrane and secretory proteins from the ER through a set of processes named ER-associated degradation (ERAD). This process acts on misfolded proteins as well as in the regulated degradation of correctly folded proteins. Enhances ionizing radiation-induced p53/TP53 stability and apoptosis via ubiquitinating MDM2 and AKT1 and decreasing AKT1 kinase activity through MDM2 and AKT1 proteasomal degradation. Regulates ER stress-induced autophagy, and may act as a tumor suppressor. Belongs to the TRIM/RBCC family. 3 isoforms of the human protein are produced by alternative splicing. Protein type: Ligase; Membrane protein, integral; EC 6.3.2.-; Ubiquitin ligase; Ubiquitin conjugating system; Tumor suppressor Chromosomal Location of Human Ortholog: 13q14 Cellular Component: endoplasmic reticulum membrane; cytoplasm; integral to membrane Molecular Function: protein binding; signal transducer activity; zinc ion binding; ubiquitin-protein ligase activity; ligase activity Biological Process: proteasomal ubiquitin-dependent protein catabolic process; negative regulation of viral transcription; ER-associated protein catabolic process; anatomical structure morphogenesis; protein autoubiquitination; positive regulation of I-kappaB kinase/NF-kappaB cascade; response to gamma radiation; innate immune response; signal transduction; positive regulation of macroautophagy; activation of NF-kappaB transcription factor
Research Articles on TRIM13	**1.** Results from bioinformatics analysis suggest that Tripartite motif 13 (TRIM13) may be adopted as a promising predictive biomarker for prognosis of breast cancer.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/monoclonal-antibody/trim13/6183138