NR1D1 Antibody – Mouse Monoclonal

PRODUCT OVERVIEW

Product Name	NR1D1, Monoclonal Antibody
Full Product Name	NR1D1 (Nuclear Receptor Subfamily 1, Group D, Member 1, EAR1, THRA1, THRAL, ear-1, hRev) (MaxLight 490)
Product Gene Name	anti-NR1D1 antibody
Product Synonym Names	Nuclear Receptor Subfamily 1; Group D; Member 1; EAR1; THRA1; THRAL; ear-1; hRev
Clonality	Monoclonal
Isotype	IgG2a,k
Clone Number	2A5
Host	Mouse
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with MaxLight490.
Purity/Purification	Purified
Specificity	Recognizes NR1D1.
Preparation and Storage	Store product at 4 degree C in the dark. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: MaxLight490 conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial prior to removing the cap.
Molecular Weight	66,805 Da
OMIM	602408
3D Structure	ModBase 3D Structure for P20393
Immunogen	NR1D1 (NP_068370, 233aa-322aa) full-length recombinant protein with GST tag. MW of the GST tag alone is 26kD.
Immunogen Sequence	SQCPLETSPTQHPTPGPMGPSPPPAPVPSPLVGFSQFPQQLTPPRSPSPEPTVEDVISQVARAHREIFTYAHDKLGSSPGNFNANHASG
Conjugate	MaxLight490
Product Categories/Family for anti-NR1D1 antibody	Antibodies; Receptors
Applications Tested/Suitable for anti-NR1D1 antibody	FLISA, Western Blot (WB)
Application Notes for anti-NR1D1 antibody	Applications are based on unconjugated antibody.
Related Product Information for anti-NR1D1 antibody	MBS6207655 is an antibody targeting NR1D1. Also known as NR1D1 (Nuclear Receptor Subfamily 1, Group D, Member 1, EAR1, THRA1, THRAL, ear-1, hRev) (MaxLight 490). Host: Mouse. Mouse monoclonal antibody raised against a full-length recombinant NR1D1.
Other Notes	Small volumes of anti-NR1D1 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for NR1D1. It may not necessarily be applicable to this product.

NCBI GI #	13430848
NCBI GeneID	9572
NCBI Accession #	NP_068370
UniProt Primary Accession #	P20393
UniProt Secondary Accession #	Q0P5Z4; Q15304
UniProt Related Accession #	P20393
GenBank Nucleotide #	NM_021724
NCBI Official Full Name	nuclear receptor subfamily 1 group D member 1
NCBI Official Synonym Full Names	nuclear receptor subfamily 1, group D, member 1
NCBI Official Symbol	NR1D1
NCBI Official Synonym Symbols	EAR1; hRev; THRA1; THRAL; ear-1
UniProt Protein Name	Nuclear receptor subfamily 1 group D member 1
UniProt Synonym Protein Names	Rev-erbA-alpha; V-erbA-related protein 1; EAR-1
Protein Family	Nuclear receptor subfamily
UniProt Gene Name	NR1D1
UniProt Synonym Gene Names	EAR1; HREV; THRAL; EAR-1
UniProt Entry Name	NR1D1_HUMAN
NCBI Protein Information	nuclear receptor subfamily 1 group D member 1; Rev-ErbAalpha; V-erbA-related protein 1; nuclear receptor Rev-ErbA-alpha; rev-erbA-alpha

UniProt Comments for NR1D1	NR1D1: a widely expressed member of the orphan nuclear receptor family of proteins. Expressed at relatively high levels in adipose tissue, skeletal muscle, brain and liver, and regulates cellular proliferation and differentiation. Expression increases during differentiation in adipocytes and its ectopic expression in 3T3-L1 cells potentiates adipocyte differentiation. A metabolic regulator whose expression is increased in HER2-positive breast cancer cells. Regulates malate dehydrogenase 1 (MDH1) and malic enzyme 1 (ME1), enzymes that link glycolysis and fatty acid synthesis. May contribute to the abnormal cellular energy metabolism observed in HER2-positive breast cancers. Its expression oscillates with circadian rhythm in liver cells, regulating the expression of BMAL1, ApoA1 and ApoC3, all key regulators of circadian rhythm. Represses the basal activity of the mouse Bmal1 gene promoter. Phosphorylation by GSK3b at S55/59 stabilizes NRD1 protein levels. Regulates inflammation by targeting the NF-??B responsive genes IL-6 and COX-2. NR1D1 lacks the activation function 2 domain required for ligand-dependent activation of transcription by other members of the nuclear receptor family; thus it behaves as a constitutive repressor protein, recruiting the nuclear receptor co-repressor N-CoR1/HDAC3 complex to target genes to repress transcription. Protein type: Nuclear receptor; Transcription factor Chromosomal Location of Human Ortholog: 17q11.2 Cellular Component: nucleoplasm; nuclear chromatin; dendrite; cytoplasm; dendritic spine; nucleus Molecular Function: ligand-dependent nuclear receptor activity; protein binding; zinc ion binding; heme binding; steroid hormone receptor activity; transcription corepressor activity Biological Process: proteasomal protein catabolic process; circadian rhythm; circadian thermoregulation; transcription initiation from RNA polymerase II promoter; glycogen biosynthetic process; intracellular receptor-mediated signaling pathway; regulation of lipid metabolic process; regulation of fat cell differentiation; positive regulation of transcription, DNA-dependent; negative regulation of transcription from RNA polymerase II promoter; regulation of circadian rhythm; negative regulation of toll-like receptor 4 signaling pathway; gene expression; steroid hormone mediated signaling; circadian regulation of gene expression; negative regulation of transcription, DNA-dependent; cell differentiation
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/monoclonal-antibody/nr1d1/6207655