E2F4 Transcription Factor (E2F-4) Antibody – Mouse Monoclonal

PRODUCT OVERVIEW

Product Name	E2F4 Transcription Factor (E2F-4), Monoclonal Antibody
Full Product Name	E2F4 Transcription Factor (E2F Transcription Factor 4, E2F4, E2F-4, p107/p130-binding Protein) (MaxLight 750)
Product Gene Name	anti-E2F-4 antibody
Clonality	Monoclonal
Isotype	IgG1,k
Clone Number	5B7
Host	Mouse
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with MaxLight750.
Purity/Purification	Purified by Protein A Affinity Chromatography.
Specificity	Recognizes human E2F4.
Preparation and Storage	Store product at 4 degree C in the dark. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: MaxLight750 conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial prior to removing the cap.
Molecular Weight	44kDa
OMIM	600659
3D Structure	ModBase 3D Structure for Q16254
Immunogen	Partial recombinant corresponding to aa211-301 from human E2F4 (NP_001941) with GST tag. MW of the GST tag alone is 26kD.
Immunogen Sequence	PPEDLLQSPSAVSTPPPLPKPALAQSQEASRPNSPQLTPTAVPGSAEVQGMAGPAAEITVSGGPGTDSKDSGELSSLPLGPTTLDTRPLQ*
Conjugate	MaxLight750
Product Categories/Family for anti-E2F-4 antibody	Antibodies; Transcription Factors
Applications Tested/Suitable for anti-E2F-4 antibody	FLISA, Western Blot (WB)
Application Notes for anti-E2F-4 antibody	Applications are based on unconjugated antibody.
Related Product Information for anti-E2F-4 antibody	The protein encoded by this gene is a member of the E2F family of transcription factors. The E2F family plays a crucial role in the control of cell cycle and action of tumor suppressor proteins and is also a target of the transforming proteins of small DNA tumor viruses. The E2F proteins contain several evolutionally conserved domains found in most members of the family. These domains include a DNA binding domain, a dimerization domain which determines interaction with the differentiation regulated transcription factor proteins (DP), a transactivation domain enriched in acidic amino acids, and a tumor suppressor protein association domain which is embedded within the transactivation domain. This protein binds to all three of the tumor suppressor proteins pRB, p107 and p130, but with higher affinity to the last two. It plays an important role in the suppression of proliferation-associated genes, and its gene mutation and increased expression may be associated with human cancer.

Other Notes	Small volumes of anti-E2F-4 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for E2F-4 purchase	MBS6232602 is an antibody targeting E2F-4. Also known as E2F4 Transcription Factor (E2F Transcription Factor 4, E2F4, E2F-4, p107/p130-binding Protein) (MaxLight 750). Reactive in Human. Host: Mouse.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for E2F-4. It may not necessarily be applicable to this product.

NCBI GI #	12669915
NCBI GeneID	1874
NCBI Accession #	NP_001941
UniProt Primary Accession #	Q16254
UniProt Related Accession #	Q16254
GenBank Nucleotide #	NM_001950
NCBI Official Full Name	transcription factor E2F4
NCBI Official Synonym Full Names	E2F transcription factor 4
NCBI Official Symbol	E2F4
NCBI Official Synonym Symbols	E2F-4
UniProt Protein Name	Transcription factor E2F4
UniProt Gene Name	E2F4
UniProt Synonym Gene Names	E2F-4
UniProt Entry Name	E2F4_HUMAN
NCBI Protein Information	transcription factor E2F4
UniProt Comments for E2F-4	E2F4: Transcription activator that binds DNA cooperatively with DP proteins through the E2 recognition site, 5'-TTTC[CG]CGC- 3' found in the promoter region of a number of genes whose products are involved in cell cycle regulation or in DNA replication. The DRTF1/E2F complex functions in the control of cell-cycle progression from G1 to S phase. E2F4 binds with high affinity to RBL1 and RBL2. In some instances can also bind RB1. Belongs to the E2F/DP family. Protein type: DNA-binding Chromosomal Location of Human Ortholog: 16q22.1 Cellular Component: nucleoplasm; transcription factor complex Molecular Function: protein domain specific binding; protein binding; DNA binding; transcription factor activity; transcription factor binding Biological Process: G1/S-specific transcription in mitotic cell cycle; transcription initiation from RNA polymerase II promoter; organ morphogenesis; transcription, DNA-dependent; blood circulation; transforming growth factor beta receptor signaling pathway; epithelial cell development; gene expression; positive regulation of transcription from RNA polymerase II promoter; mitotic cell cycle; cell volume homeostasis; regulation of cell size; regulation of cell proliferation
Research Articles on E2F-4	**1.** E2f4 forms apical cytoplasmic organizing centres for assembly and nucleation of deuterosomes. Using genetically altered mice and E2F4 mutant proteins we demonstrate that centriole amplification is crucially dependent on these organizing centres and that, without cytoplasmic E2f4, deuterosomes are not assembled, halting multiciliogenesis

Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/monoclonal-e2f-4-human-antibody/e2f4-transcription-factor/6232602