CDC2 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	CDC2, Polyclonal Antibody
Full Product Name	CDC2 (CDK1), CT (CDK1, CDC2, CDC28A, CDKN1, P34CDC2, Cyclin-dependent kinase 1, Cell division control protein 2 homolog, Cell division protein kinase 1, p34 protein kinase) (MaxLight 550)
Product Gene Name	anti-CDC2 antibody
Product Synonym Gene Name	CDK1
Product Synonym Names	CDK1; CDC2; CDC28A; CDKN1; P34CDC2; Cyclin-dependent kinase 1; Cell division control protein 2 homolog; Cell division protein kinase 1; p34 protein kinase
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with MaxLight550.
Purity/Purification	Purified by Protein G Affinity Chromatography.
Preparation and Storage	Store product at 4 degree C in the dark. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: MaxLight550 conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial prior to removing the cap.
Molecular Weight	34,095 Da
Chromosome Location	Chromosome: 10; NC_000010.10 (62538089..62554610). Location: 10q21.1
OMIM	116940
3D Structure	ModBase 3D Structure for P06493
Immunogen	CDC2 (CDK1) antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 238~267 amino acids from the C-terminal region of human CDK1.
Conjugate	MaxLight550
Note	Preservative Free
Product Categories/Family for anti-CDC2 antibody	Antibodies; Protein Kinases
Applications Tested/Suitable for anti-CDC2 antibody	Western Blot (WB), FLISA
Application Notes for anti-CDC2 antibody	WB: 1:100-500 FLISA: 1:1,000 Applications are based on unconjugated antibody.
Related Product Information for anti-CDC2 antibody	CDK1 is a member of the Ser/Thr protein kinase family. This protein is a catalytic subunit of the highly conserved protein kinase complex known as M-phase promoting factor (MPF), which is essential for G1/S and G2/M phase transitions of eukaryotic cell cycle. Mitotic cyclins stably associate with this protein and function as regulatory subunits. The kinase activity of this protein is controlled by cyclin accumulation and destruction through the cell cycle. The phosphorylation and dephosphorylation of this protein also play important regulatory roles in cell cycle control.

Product References and Citations for anti-CDC2 antibody	Chow, J.P., et al., J. Biol. Chem. 278(42):40815-40828 (2003). Nozoe, T., et al., J. Cancer Res. Clin. Oncol. 129(9):498-502 (2003). Margottin-Goguet, F., et al., Dev. Cell 4(6):813-826 (2003). Yuan, H., et al., J. Virol. 77(3):2063-2070 (2003). Manes, T., et al., J. Cell Biol. 161(4):817-826 (2003).
Other Notes	Small volumes of anti-CDC2 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for CDC2 purchase	MBS6283705 is an antibody targeting CDC2. Also known as CDC2 (CDK1), CT (CDK1, CDC2, CDC28A, CDKN1, P34CDC2, Cyclin-dependent kinase 1, Cell division control protein 2 homolog, Cell division protein kinase 1, p34 protein kinase) (MaxLight 550). Reactive in Human. Host: Rabbit.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for CDC2. It may not necessarily be applicable to this product.

NCBI GI #	4502709
NCBI GeneID	983
NCBI Accession #	NP_001777.1
UniProt Primary Accession #	P06493
UniProt Secondary Accession #	O60764; A8K7C4; C9J497
UniProt Related Accession #	P06493
GenBank Nucleotide #	NM_001786.4
NCBI Official Full Name	cyclin-dependent kinase 1 isoform 1
NCBI Official Synonym Full Names	cyclin-dependent kinase 1
NCBI Official Symbol	CDK1
NCBI Official Synonym Symbols	CDC2; CDC28A; P34CDC2
UniProt Protein Name	Cyclin-dependent kinase 1
UniProt Synonym Protein Names	Cell division control protein 2 homolog; Cell division protein kinase 1; p34 protein kinase
Protein Family	Cell division protein kinase
UniProt Gene Name	CDK1
UniProt Synonym Gene Names	CDC2; CDC28A; CDKN1; P34CDC2; CDK1
UniProt Entry Name	CDK1_HUMAN
NCBI Protein Information	cyclin-dependent kinase 1; p34 protein kinase; cell cycle controller CDC2; cell division protein kinase 1; cell division control protein 2 homolog; cell division cycle 2, G1 to S and G2 to M
NCBI Summary for CDC2	The protein encoded by this gene is a member of the Ser/Thr protein kinase family. This protein is a catalytic subunit of the highly conserved protein kinase complex known as M-phase promoting factor (MPF), which is essential for G1/S and G2/M phase transitions of eukaryotic cell cycle. Mitotic cyclins stably associate with this protein and function as regulatory subunits. The kinase activity of this protein is controlled by cyclin accumulation and destruction through the cell cycle. The phosphorylation and dephosphorylation of this protein also play important regulatory roles in cell cycle control. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2009]

UniProt Comments for CDC2	CDK1: a protein kinase of the CDK family. Catalytic subunit of the conserved protein complex known as M-phase promoting factor (MPF), which is essential for G1/S and G2/M phase transitions. Mitotic cyclins stably associate with this protein and function as regulatory subunits. Its activity is controlled by cyclin availability and phosphorylation through the cell cycle. Activated in many cancers including colon, liver and breast. The T isoform, which lacks a regulatory region, is expressed in breast cancer. Inhibition in cancer cells may drive cells into apoptosis. May also drive cell migration. Inhibitors: BMS-265246, BMS-265246-01. 2 isoforms of the human protein are produced by alternative splicing. Protein type: EC 2.7.11.22; Protein kinase, Ser/Thr (non-receptor); Kinase, protein; Motility/polarity/chemotaxis; Protein kinase, CMGC; EC 2.7.11.23; Cell cycle regulation; CMGC group; CDK family; CDK1 subfamily; CDK/CDK1 subfamily Chromosomal Location of Human Ortholog: 10q21.1 Cellular Component: nucleoplasm; centrosome; membrane; mitochondrion; spindle microtubule; cytoplasm; midbody; cytosol; nucleus Molecular Function: RNA polymerase subunit kinase activity; protein serine/threonine kinase activity; protein binding; cyclin binding; cyclin-dependent protein kinase activity; histone kinase activity; Hsp70 protein binding; ATP binding; protein kinase activity Biological Process: regulation of Schwann cell differentiation; activation of MAPKK activity; nerve growth factor receptor signaling pathway; activation of MAPK activity; response to toxin; histone phosphorylation; ventricular cardiac muscle cell development; regulation of embryonic development; stress-activated MAPK cascade; centrosome cycle; toll-like receptor 3 signaling pathway; response to organic cyclic substance; toll-like receptor 5 signaling pathway; small GTPase mediated signal transduction; protein complex assembly; G2/M transition of mitotic cell cycle; toll-like receptor 4 signaling pathway; positive regulation of cardiac muscle cell proliferation; response to drug; mitosis; organ regeneration; fibroblast growth factor receptor signaling pathway; positive regulation of protein import into nucleus, translocation; cell aging; pronuclear fusion; toll-like receptor 2 signaling pathway; chromosome condensation; response to ethanol; cell division; toll-like receptor 9 signaling pathway; response to activity; G1/S transition of mitotic cell cycle; response to amine stimulus; negative regulation of apoptosis; positive regulation of ubiquitin-protein ligase activity during mitotic cell cycle; axon guidance; apoptosis; mitotic nuclear envelope disassembly; positive regulation of mitotic cell cycle; toll-like receptor 10 signaling pathway; epithelial cell differentiation; anaphase-promoting complex-dependent proteasomal ubiquitin-dependent protein catabolic process; response to axon injury; DNA replication; epidermal growth factor receptor signaling pathway; cell migration; MyD88-independent toll-like receptor signaling pathway; organelle organization and biogenesis; MAPKKK cascade; peptidyl-threonine phosphorylation; microtubule cytoskeleton organization and biogenesis; DNA repair; MyD88-dependent toll-like receptor signaling pathway; G1/S-specific transcription in mitotic cell cycle; peptidyl-serine phosphorylation; response to cadmium ion; response to copper ion; regulation of ubiquitin-protein ligase activity during mitotic cell cycle; mitotic cell cycle G2/M transition DNA damage checkpoint; Ras protein signal transduction; insulin receptor signaling pathway; toll-like receptor signaling pathway; innate immune response; mitotic cell cycle; vascular endothelial growth factor receptor signaling pathway; positive regulation of DNA replication
Research Articles on CDC2	**1.** dual Rock and Cdk phosphorylation of Tppp1 inhibits its regulation of the cell cycle to increase cell proliferation
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.

Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/cdc2/6283705