
CDK4 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	Cdk4, Polyclonal Antibody
Full Product Name	Cdk4, CT (Cdk4, Crk3, Cyclin-dependent kinase 4, CRK3, Cell division protein kinase 4, PSK-J3) (MaxLight 650)
Product Gene Name	anti-Cdk4 antibody
Product Synonym Names	Cdk4; Crk3; Cyclin-dependent kinase 4; CRK3; Cell division protein kinase 4; PSK-J3
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Mouse
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with MaxLight650.
Purity/Purification	Purified by Protein A and Peptide Affinity Chromatography.
Specificity	Recognizes mouse Cdk4.
Preparation and Storage	Store product at 4 degree C in the dark. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: MaxLight650 conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial prior to removing the cap.
Molecular Weight	33,751 Da
3D Structure	ModBase 3D Structure for P30285
Immunogen	KLH-conjugated synthetic peptide mapping to a fragment of residues within amino acids 219-246 in the C-terminal region of mouse Cdk4, UniProt Accession #P30285. Species sequence homology: rat
Conjugate	MaxLight650
Note	Preservative Free
Product Categories/Family for anti-Cdk4 antibody	Antibodies; Protein Kinases
Applications Tested/Suitable for anti-Cdk4 antibody	Western Blot (WB), FLISA
Application Notes for anti-Cdk4 antibody	Applications are based on unconjugated antibody.
Related Product Information for anti-Cdk4 antibody	MaxLight650 is a new Far-IR stable dye conjugate comparable to Alexa Fluor647, DyLight649, Cy5 and offers better labeling efficiency, brighter imaging and increased immunodetection. Absorbance (655nm); Emission (676nm); Extinction Coefficient 250,000.
Product References and Citations for anti-Cdk4 antibody	1. Trivedi, C.M., et al. Dev. Cell 19(3):450-459(2010). 2. Beilke, S., et al. Oncogene 29(28):4058-4067(2010). 3. Puyol, M., et al. Cancer Cell 18(1):63-73(2010). 4. Wiedemeyer, W.R., et al. Proc. Natl. Acad. Sci. U.S.A. 107(25):11501-11506(2010). 5. Michaud, K., et al. Cancer Res. 70(8):3228-3238(2010).
Other Notes	Small volumes of anti-Cdk4 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for Cdk4 purchase	MBS6284399 is an antibody targeting Cdk4. Also known as Cdk4, CT (Cdk4, Crk3, Cyclin-dependent kinase 4, CRK3, Cell division protein kinase 4, PSK-J3) (MaxLight 650). Reactive in Mouse. Host: Rabbit.



Western Blot (WB) of anti-Cdk4 antibody
Western Blot analysis in mouse NIH-3T3 cell line lysates (35ug/lane) using 033662. This demonstrates that 033662 detected the Cdk4 protein (arrow).

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for Cdk4. It may not necessarily be applicable to this product.

NCBI GI #	6753380
NCBI GeneID	12567
NCBI Accession #	NP_034000.1
UniProt Primary Accession #	P30285
UniProt Related Accession #	P30285
GenBank Nucleotide #	NM_009870.3
NCBI Official Full Name	cyclin-dependent kinase 4
NCBI Official Synonym Full Names	cyclin-dependent kinase 4
NCBI Official Symbol	Cdk4
NCBI Official Synonym Symbols	Crk3
UniProt Protein Name	Cyclin-dependent kinase 4
UniProt Synonym Protein Names	CRK3; Cell division protein kinase 4; PSK-J3
Protein Family	Cyclin-dependent kinase
UniProt Gene Name	Cdk4
UniProt Synonym Gene Names	Crk3
UniProt Entry Name	CDK4_MOUSE
NCBI Protein Information	cyclin-dependent kinase 4; PSK-J3; p34<PSK-J3>/cdk4; serine/threonine kinase; cyclin dependent kinase 4; cell division protein kinase 4

UniProt Comments for Cdk4	CDK4: a protein kinase of the CDK family that is important for cell cycle G1 phase progression. Its activity is restricted to the G1-S phase. Controlled by the regulatory subunits D-type cyclins and CDK inhibitor p16(INK4a). Phosphorylates the retinoblastoma gene product (Rb). Point mutations found in somatic and familial melanoma. Amplified in sarcomas, glioma and lymphoma. Amplified, methylated or deleted in head and neck squamous cell carcinoma. Overexpression drives epithelial tumors in mice. Disruption makes mice resistant to cancer. Inhibitor: PD332991. Protein type: Cell cycle regulation; EC 2.7.11.22; Kinase, protein; Protein kinase, Ser/Thr (non-receptor); Protein kinase, CMGC; CMGC group; CDK family; CDK/CDK4 subfamily; CDK4 subfamily Cellular Component: transcription factor complex; nuclear membrane; tight junction; membrane; perinuclear region of cytoplasm; cytoplasm; cyclin-dependent protein kinase holoenzyme complex; nucleolus; chromatin; nucleus; cytosol Molecular Function: transferase activity; protein serine/threonine kinase activity; cyclin binding; protein binding; cyclin-dependent protein kinase activity; transferase activity, transferring phosphorus-containing groups; nucleotide binding; protein complex binding; kinase activity; ATP binding; protein kinase activity Biological Process: response to drug; positive regulation of cell size; positive regulation of translation; regulation of cell cycle; positive regulation of apoptosis; response to testosterone stimulus; signal transduction; cell cycle; protein amino acid phosphorylation; regulation of cell proliferation; response to organic substance; positive regulation of fibroblast proliferation; regulation of gene expression; cell division; positive regulation of cell proliferation; response to lead ion; phosphorylation; G1/S transition of mitotic cell cycle
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-mouse-antibody/cdk4/6284399