
CMIP Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	CMIP, Polyclonal Antibody
Full Product Name	CMIP, CT (CMIP, KIAA1694, TCMIP, C-Maf-inducing protein, Truncated c-Maf-inducing protein) (Biotin)
Product Gene Name	anti-CMIP antibody
Product Synonym Names	CMIP; KIAA1694; TCMIP; C-Maf-inducing protein; Truncated c-Maf-inducing protein
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Biotin.
Purity/Purification	Purified by Protein A Affinity Chromatography.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
Molecular Weight	69,288 Da
OMIM	610112
3D Structure	ModBase 3D Structure for Q8IY22
Immunogen	CMIP antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 701-780 amino acids from the C-terminal region of human CMIP.
Conjugate	Biotin
Note	Preservative Free
Product Categories/Family for anti-CMIP antibody	Antibodies; KIAA; orf
Applications Tested/Suitable for anti-CMIP antibody	Western Blot (WB), ELISA (EIA)
Application Notes for anti-CMIP antibody	WB: 1:100-500 ELISA: 1:1,000 Applications are based on unconjugated antibody.
Related Product Information for anti-CMIP antibody	CMIP plays a role in T-cell signaling pathway. Isoform 2 may play a role in T-helper 2 (Th2) signaling pathway and seems to represent the first proximal signaling protein that links T-cell receptor-mediated signal to the activation of c-Maf Th2 specific factor.
Product References and Citations for anti-CMIP antibody	Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010): Audard, V., et al. Blood 115(18):3756-3762(2010). Kamal, M., et al. FEBS Lett. 584(3):500-506(2010). Zhang, S.Y., et al. Sci Signal 3 (122), RA39 (2010): Newbury, D.F., et al. Am. J. Hum. Genet. 85(2):264-272(2009).
Other Notes	Small volumes of anti-CMIP antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.

Searchable Terms for CMIP purchase	MBS6287022 is an antibody targeting CMIP. Also known as CMIP, CT (CMIP, KIAA1694, TCMIP, C-Maf-inducing protein, Truncated c-Maf-inducing protein) (Biotin). Reactive in Human. Host: Rabbit.



Western Blot (WB) of anti-CMIP antibody
CMIP Antibody (C-term) western blot analysis in HepG2 cell line lysates (35ug/lane).This demonstrates the CMIP antibody detected the CMIP protein (arrow).

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for CMIP. It may not necessarily be applicable to this product.

NCBI GI #	29789255
NCBI GeneID	80790
NCBI Accession #	NP_085132.1
UniProt Primary Accession #	Q8IY22
UniProt Secondary Accession #	Q9C0G9
UniProt Related Accession #	Q8IY22
GenBank Nucleotide #	NM_030629.2
NCBI Official Full Name	C-Maf-inducing protein isoform Tc-Mip
NCBI Official Synonym Full Names	c-Maf inducing protein
NCBI Official Symbol	CMIP
NCBI Official Synonym Symbols	TCMIP
UniProt Protein Name	C-Maf-inducing protein
UniProt Synonym Protein Names	Truncated c-Maf-inducing protein; Tc-Mip
Protein Family	C-Maf-inducing protein
UniProt Gene Name	CMIP
UniProt Synonym Gene Names	KIAA1694; TCMIP; c-Mip; Tc-Mip
NCBI Protein Information	C-Maf-inducing protein
NCBI Summary for CMIP	This gene encodes a c-Maf inducing protein that plays a role in T-cell signaling pathway. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Aug 2011]
UniProt Comments for CMIP	Plays a role in T-cell signaling pathway. Isoform 2 may play a role in T-helper 2 (Th2) signaling pathway and seems to represent the first proximal signaling protein that links T-cell receptor-mediated signal to the activation of c-Maf Th2 specific factor.
Research Articles on CMIP	**1.** These findings suggest that CMIP haploinsufficiency is the likely cause of syndromic Autism spectrum disorder in our patients.

Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/cmip/6287022