
GMNN Antibody – Rabbit Polyclonal


PRODUCT OVERVIEW

Product Name	GMNN, Polyclonal Antibody
Full Product Name	GMNN, ID (Y111) (GMNN, Geminin) (Azide free) (HRP)
Product Gene Name	anti-GMNN antibody
Product Synonym Names	GMNN; Geminin
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Horseradish Peroxidase (HRP).
Purity/Purification	Purified by Protein A Affinity Chromatography.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Note: Sodium azide is a potent inhibitor of peroxidase and should not be added to HRP conjugates. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
Molecular Weight	209
OMIM	602842
3D Structure	ModBase 3D Structure for O75496
Immunogen	GMNN antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 104-134 amino acids from the Central region of human GMNN.
Conjugate	HRP
Note	Preservative Free
Product Categories/Family for anti-GMNN antibody	Antibodies; Proteins
Applications Tested/Suitable for anti-GMNN antibody	Immunohistochemistry (IHC), ELISA (EIA), Western Blot (WB)
Application Notes for anti-GMNN antibody	IHC: 1:50-100 ELISA: 1:1,000 WB: 1:100-500 Applications are based on unconjugated antibody.
Related Product Information for anti-GMNN antibody	GMNN inhibits DNA replication by preventing the incorporation of MCM complex into prereplication complex (pre-RC). It is degraded during the mitotic phase of the cell cycle. Its destruction at the metaphase-anaphase transition permits replication in the succeeding cell cycle.
Product References and Citations for anti-GMNN antibody	De Marco, V., et al. Proc. Natl. Acad. Sci. U.S.A. 106(47):19807-19812(2009). Zhu, W., et al. Cancer Res. 69(11):4870-4877(2009). Lu, F., et al. Biol. Cell 101(5):273-285(2009).
Other Notes	Small volumes of anti-GMNN antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.

Searchable Terms for GMNN purchase	MBS6302835 is an antibody targeting GMNN. Also known as GMNN, ID (Y111) (GMNN, Geminin) (Azide free) (HRP). Reactive in Human. Host: Rabbit.



Western Blot (WB) of anti-GMNN antibody
Western blot analysis of GMNN Antibody (Center Y111) in HepG2 cell line lysates (35ug/lane).GMNN (arrow) was detected using the purified Pab.



Immunohistochemistry (IHC) of anti-GMNN antibody
GMNN Antibody (Center Y111) IHC analysis in formalin fixed and paraffin embedded lung tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the GMNN Antibody (Center Y111) for immunohistochemistry. Clinical relevance has not been evaluated.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for GMNN. It may not necessarily be applicable to this product.

NCBI GI #	20454908
NCBI GeneID	51053
NCBI Accession #	O75496.1
UniProt Primary Accession #	O75496
UniProt Secondary Accession #	Q9H1Z1; B3KMM8
UniProt Related Accession #	O75496
NCBI Official Full Name	Geminin
NCBI Official Synonym Full Names	geminin, DNA replication inhibitor
NCBI Official Symbol	GMNN
NCBI Official Synonym Symbols	Gem
UniProt Protein Name	Geminin
Protein Family	Geminin
UniProt Gene Name	GMNN
UniProt Entry Name	GEMI_HUMAN
NCBI Protein Information	geminin
NCBI Summary for GMNN	This gene encodes a protein that plays a critical role in cell cycle regulation. The encoded protein inhibits DNA replication by binding to DNA replication factor Cdt1, preventing the incorporation of minichromosome maintenance proteins into the pre-replication complex. The encoded protein is expressed during the S and G2 phases of the cell cycle and is degraded by the anaphase-promoting complex during the metaphase-anaphase transition. Increased expression of this gene may play a role in several malignancies including colon, rectal and breast cancer. Alternatively spliced transcript variants have been observed for this gene, and two pseudogenes of this gene are located on the short arm of chromosome 16. [provided by RefSeq, Oct 2011]

UniProt Comments for GMNN	Geminin: Inhibits DNA replication by preventing the incorporation of MCM complex into pre-replication complex (pre-RC). It is degraded during the mitotic phase of the cell cycle. Its destruction at the metaphase-anaphase transition permits replication in the succeeding cell cycle. Homotetramer. Interacts with CDT1; inhibits binding of the MCM complex to origins of replication. Interacts with IDAS; targets GMNN to the nucleus, prevents GMNN interaction with CDT1 and competes with IDAS homodimerization. Belongs to the geminin family. Protein type: Cell cycle regulation; Motility/polarity/chemotaxis Chromosomal Location of Human Ortholog: 6p22.3 Cellular Component: nucleoplasm; cytoplasm; cytosol; nucleus Molecular Function: protein binding; histone deacetylase binding; transcription corepressor activity Biological Process: organ morphogenesis; negative regulation of DNA replication; protein complex assembly; mitotic cell cycle; negative regulation of transcription, DNA-dependent; negative regulation of cell cycle
Research Articles on GMNN	**1.** Bound Geminin prevents transition of the pre-replicative complexes to a state that is competent for initiation of DNA replication.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/gmnn/6302835