
HMGB1 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	HMGB1, Polyclonal Antibody
Full Product Name	HMGB1, CT (HMGB1, HMG1, High mobility group protein B1, High mobility group protein 1) (Biotin)
Product Gene Name	anti-HMGB1 antibody
Product Synonym Names	HMGB1; HMG1; High mobility group protein B1; High mobility group protein 1
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Biotin.
Purity/Purification	Purified by Protein A Affinity Chromatography.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
Molecular Weight	24,894 Da
Chromosome Location	Chromosome: 13; NC_000013.10 (31032877..31040081, complement). Location: 13q12
OMIM	163905
3D Structure	ModBase 3D Structure for P09429
Immunogen	HMGB1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 151-180 amino acids from the C-terminal region of human HMGB1.
Conjugate	Biotin
Note	Preservative Free
Product Categories/Family for anti-HMGB1 antibody	Antibodies; Proteins
Applications Tested/Suitable for anti-HMGB1 antibody	Western Blot (WB), ELISA (EIA)
Application Notes for anti-HMGB1 antibody	WB: 1:100-500 ELISA: 1:1,000 Applications are based on unconjugated antibody.
Related Product Information for anti-HMGB1 antibody	DNA binding proteins that associates with chromatin and has the ability to bend DNA. Binds preferentially single-stranded DNA. Involved in V(D)J recombination by acting as a cofactor of the RAG complex. Acts by stimulating cleavage and RAG protein binding at the 23 bp spacer of conserved recombination signal sequences (RSS). Heparin-binding protein that has a role in the extension of neurite-type cytoplasmic processes in developing cells (By similarity).
Product References and Citations for anti-HMGB1 antibody	Yujiri, T., et al. Eur. J. Haematol. 85(4):366-367(2010). Tang, D., et al. Oncogene 29(38):5299-5310(2010). He, X.C., et al. Zhonghua Gan Zang Bing Za Zhi 18(5):361-365(2010). Bao, G., et al. World J Surg Oncol 8 (1), 52 (2010): Naumnik, W., et al. Folia Histochem. Cytobiol. 47(4):703-709(2009).

Other Notes	Small volumes of anti-HMGB1 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for HMGB1 purchase	MBS6307255 is an antibody targeting HMGB1. Also known as HMGB1, CT (HMGB1, HMG1, High mobility group protein B1, High mobility group protein 1) (Biotin). Reactive in Human. Host: Rabbit.



Western Blot (WB) of anti-HMGB1 antibody
HMGB1 Antibody (C-term) western blot analysis in Hela cell line lysates (35ug/lane).This demonstrates the HMGB1 antibody detected the HMGB1 protein (arrow).

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for HMGB1. It may not necessarily be applicable to this product.

NCBI GI #	4504425
NCBI GeneID	3146
NCBI Accession #	NP_002119.1
UniProt Primary Accession #	P09429
UniProt Secondary Accession #	Q14321; Q5T7C3; Q6IBE1; A5D8W9
UniProt Related Accession #	P09429
GenBank Nucleotide #	NM_002128.4
NCBI Official Full Name	high mobility group protein B1
NCBI Official Synonym Full Names	high mobility group box 1
NCBI Official Symbol	HMGB1
NCBI Official Synonym Symbols	HMG1; HMG3; SBP-1
UniProt Protein Name	High mobility group protein B1
UniProt Synonym Protein Names	High mobility group protein 1
Protein Family	High mobility group B protein
UniProt Gene Name	HMGB1
UniProt Synonym Gene Names	HMG1; HMG-1
UniProt Entry Name	HMGB1_HUMAN
NCBI Protein Information	high mobility group protein B1; HMG-1; Amphoterin; high-mobility group box 1; high mobility group protein 1; Sulfoglucuronyl carbohydrate binding protein; high-mobility group (nonhistone chromosomal) protein 1

UniProt Comments for HMGB1	HMGB1: DNA binding proteins that associates with chromatin and has the ability to bend DNA. Binds preferentially single-stranded DNA. Involved in V(D)J recombination by acting as a cofactor of the RAG complex. Acts by stimulating cleavage and RAG protein binding at the 23 bp spacer of conserved recombination signal sequences (RSS). Heparin-binding protein that has a role in the extension of neurite-type cytoplasmic processes in developing cells. Component of the RAG complex composed of core components RAG1 and RAG2, and associated component HMGB1 or HMGB2. Belongs to the HMGB family. Protein type: DNA repair, damage; Nuclear receptor co-regulator Chromosomal Location of Human Ortholog: 13q12 Cellular Component: nucleoplasm; extracellular space; cell surface; transcriptional repressor complex; extracellular region; condensed chromosome; nucleus Molecular Function: protein binding; RAGE receptor binding; double-stranded DNA binding; damaged DNA binding; cytokine activity; chromatin binding; transcription factor activity; DNA bending activity; transcription factor binding; single-stranded DNA binding; chemoattractant activity Biological Process: negative regulation of transcriptional preinitiation complex assembly; DNA topological change; V(D)J recombination; apoptosis; positive regulation of apoptosis; positive regulation of caspase activity; base-excision repair, DNA ligation; negative regulation of transcription from RNA polymerase II promoter; DNA recombination; chromatin remodeling; regulation of transcription from RNA polymerase II promoter; myeloid dendritic cell activation; inflammatory response to antigenic stimulus; positive chemotaxis; dendritic cell chemotaxis; innate immune response; DNA ligation during DNA repair; positive regulation of transcription from RNA polymerase II promoter; DNA fragmentation during apoptosis; neurite development; cell structure disassembly during apoptosis; positive regulation of DNA binding
Research Articles on HMGB1	**1.** HMGB1 level is an independent predictor of poor functional outcome following aneurysmal subarachnoid hemmorrhage.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/hmgb1/6307255