
KNG1 Antibody – Rabbit Polyclonal


PRODUCT OVERVIEW

Product Name	KNG1, Polyclonal Antibody
Full Product Name	KNG1, NT (KNG1, BDK, KNG, Kininogen-1, Alpha-2-thiol proteinase inhibitor, Fitzgerald factor, High molecular weight kininogen, Williams-Fitzgerald-Flaujeac factor, Kininogen-1 heavy chain, T-kinin, Ile-Ser-Bradykinin, Bradykinin, Kallidin I, Lysyl-bradyki
Product Gene Name	anti-KNG1 antibody
Product Synonym Names	KNG1; BDK; KNG; Kininogen-1; Alpha-2-thiol proteinase inhibitor; Fitzgerald factor; High molecular weight kininogen; Williams-Fitzgerald-Flaujeac factor; Kininogen-1 heavy chain; T-kinin; Ile-Ser-Bradykinin; Bradykinin; Kallidin I; Lysyl-bradykinin; Kallidin II; Kininogen-1 light chain; Low molecular weight growth-promoting factor
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with R-Phycoerythrin (PE).
Purity/Purification	Purified by Protein A and Peptide Affinity Chromatography.
Specificity	Recognizes human KNG1.
Preparation and Storage	Store product at 4 degree C in the dark. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: PE conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial prior to removing the cap.
Molecular Weight	47,883 Da
OMIM	228960
3D Structure	ModBase 3D Structure for P01042
Immunogen	KLH-conjugated synthetic peptide mapping to a fragment of residues within amino acids 138-166 in the N-terminal region of human KNG1, Swiss/UniProt Accession: P01042.
Conjugate	PE
Note	Preservative Free
Special Handling	Light sensitive
Product Categories/Family for anti-KNG1 antibody	Antibodies; Growth Factors; Cytokines
Applications Tested/Suitable for anti-KNG1 antibody	Immunohistochemistry (IHC) Paraffin, Western Blot (WB), Flow Cytometry (FC/FACS), FLISA
Application Notes for anti-KNG1 antibody	Applications are based on unconjugated antibody.
Related Product Information for anti-KNG1 antibody	MBS6314413 is an antibody targeting KNG1. Also known as KNG1, NT (KNG1, BDK, KNG, Kininogen-1, Alpha-2-thiol proteinase inhibitor, Fitzgerald factor, High molecular weight kininogen, Williams-Fitzgerald-Flaujeac factor, Kininogen-1 heavy chain, T-kinin, Ile-Ser-Bradykinin, Bradykinin, Kallidin I, Lysyl-bradyki. Reactive in Human. Host: Rabbit.


Product References and Citations for anti-KNG1 antibody	1. Bailey, S.D., et al. Diabetes Care 33(10):2250-2253 (2010). 2. Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010). 3. Houlihan, L.M., et al. Am. J. Hum. Genet. 86(4):626-631(2010). 4. Khan, M.M., et al. Am. J. Physiol. Heart Circ. Physiol. 298 (2), H652-H658 (2010). 5. Bellucci, F., et al. Br. J. Pharmacol. 158(8):1996-2004 (2009).
Other Notes	Small volumes of anti-KNG1 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.




Western Blot (WB) of anti-KNG1 antibody
Western Blot analysis of KNG1 (arrow) of 293 cell lysates (2ug/lane) using MBS6008176 Lane 1: nontransfected Lane 2: transiently transfected with the KNG1 gene.



Western Blot (WB) of anti-KNG1 antibody
Western Blot analysis of Ramos cell line lysates (35ug/lane) usingMBS6008176. This demonstrates that MBS6008176 detected the KNG1 protein (arrow).



Immunohistochemistry (IHC) of anti-KNG1 antibody
Immunohistochemistry analysis of formalin fixed and paraffin embedded human breast carcinoma using MBS6008176 followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of MBS6008176 for immunohistochemistry.



Flow Cytometry (FC/FACS) of anti-KNG1 antibody
Flow Cytometric analysis of Ramos cells (right histogram) using MBS6008176 compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for KNG1. It may not necessarily be applicable to this product.

NCBI GI #	156231037
NCBI GeneID	3827
NCBI Accession #	NP_001095886.1
NCBI Related Accession #	NP_000884.1
UniProt Primary Accession #	P01042
UniProt Secondary Accession #	P01043; Q53EQ0; Q6PAU9; Q7M4P1; A8K474; B2RCR2; C9JEX1
UniProt Related Accession #	P01042
GenBank Nucleotide #	NM_001102416.3

NCBI Official Full Name	kininogen-1 isoform 1
NCBI Official Synonym Full Names	kininogen 1
NCBI Official Symbol	KNG1
NCBI Official Synonym Symbols	BK; BDK; KNG; HMWK
UniProt Protein Name	Kininogen-1
UniProt Synonym Protein Names	Alpha-2-thiol proteinase inhibitor; Fitzgerald factor; High molecular weight kininogen; HMWK; Williams-Fitzgerald-Flaujeac factorCleaved into the following 6 chains:Kininogen-1 heavy chainT-kinin; Alternative name(s):; Ile-Ser-BradykininBradykinin; Alternative name(s):; Kallidin ILysyl-bradykinin; Alternative name(s):; Kallidin II
Protein Family	Kininogen
UniProt Gene Name	KNG1
UniProt Synonym Gene Names	BDK; KNG; HMWK
UniProt Entry Name	KNG1_HUMAN
NCBI Protein Information	kininogen-1
NCBI Summary for KNG1	This gene uses alternative splicing to generate two different proteins- high molecular weight kininogen (HMWK) and low molecular weight kininogen (LMWK). HMWK is essential for blood coagulation and assembly of the kallikrein-kinin system. Also, bradykinin, a peptide causing numerous physiological effects, is released from HMWK. Bradykinin also functions as an antimicrobial peptide with antibacterial and antifungal activity. In contrast to HMWK, LMWK is not involved in blood coagulation. Three transcript variants encoding different isoforms have been found for this gene.[provided by RefSeq, Nov 2014]
UniProt Comments for KNG1	KNG1: (1) Kininogens are inhibitors of thiol proteases; (2) HMW-kininogen plays an important role in blood coagulation by helping to position optimally prekallikrein and factor XI next to factor XII; (3) HMW-kininogen inhibits the thrombin- and plasmin- induced aggregation of thrombocytes; (4) the active peptide bradykinin that is released from HMW-kininogen shows a variety of physiological effects: (4A) influence in smooth muscle contraction, (4B) induction of hypotension, (4C) natriuresis and diuresis, (4D) decrease in blood glucose level, (4E) it is a mediator of inflammation and causes (4E1) increase in vascular permeability, (4E2) stimulation of nociceptors (4E3) release of other mediators of inflammation (e.g. prostaglandins), (4F) it has a cardioprotective effect (directly via bradykinin action, indirectly via endothelium-derived relaxing factor action); (5) LMW-kininogen inhibits the aggregation of thrombocytes; (6) LMW- kininogen is in contrast to HMW-kininogen not involved in blood clotting. Defects in KNG1 are the cause of high molecular weight kininogen deficiency (HMWK deficiency). HMWK deficiency is an autosomal recessive coagulation defect. Patients with HWMK deficiency do not have a hemorrhagic tendency, but they exhibit abnormal surface-mediated activation of fibrinolysis. 2 isoforms of the human protein are produced by alternative splicing. Protein type: Cell adhesion; Secreted; Inhibitor; Secreted, signal peptide; Contractile; Motility/polarity/chemotaxis Chromosomal Location of Human Ortholog: 3q27 Cellular Component: extracellular space; plasma membrane; extracellular region Molecular Function: heparin binding; protein binding; zinc ion binding; cysteine protease inhibitor activity; receptor binding Biological Process: negative regulation of proteolysis; platelet activation; elevation of cytosolic calcium ion concentration; smooth muscle contraction; platelet degranulation; positive regulation of apoptosis; negative regulation of blood coagulation; negative regulation of cell adhesion; blood coagulation; inflammatory response; vasodilation; blood coagulation, intrinsic pathway Disease: High Molecular Weight Kininogen Deficiency
Research Articles on KNG1	**1.** Kininogen binds to the cell surface-exposed proteins of Candida parapsilosis.

Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/kng1/6314413