
MBL2 Antibody – Rabbit Polyclonal


PRODUCT OVERVIEW

Product Name	MBL2, Polyclonal Antibody
Full Product Name	MBL2, CT (MBL2, COLEC1, MBL, Mannose-binding protein C, Collectin-1, MBP1, Mannan-binding protein, Mannose-binding lectin) (FITC)
Product Gene Name	anti-MBL2 antibody
Product Synonym Names	MBL2; COLEC1; MBL; Mannose-binding protein C; Collectin-1; MBP1; Mannan-binding protein; Mannose-binding lectin
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Fluorescein Isothiocyanate (FITC).
Purity/Purification	Purified by Protein A Affinity Chromatography.
Specificity	Recognizes human MBL2.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: FITC conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
Molecular Weight	26,144 Da
Chromosome Location	Chromosome: 10; NC_000010.10 (54525140..54531460, complement). Location: 10q11.2
OMIM	154545
3D Structure	ModBase 3D Structure for P11226
Immunogen	KLH-conjugated synthetic peptide mapping to a fragment of residues within amino acids 173-202 in the C-terminal region of human MBL2, UniProt Accession #P11226.
Conjugate	FITC
Note	Preservative Free
Special Handling	Light sensitive
Product Categories/Family for anti-MBL2 antibody	Antibodies; Lectins
Applications Tested/Suitable for anti-MBL2 antibody	Western Blot (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), FLISA
Application Notes for anti-MBL2 antibody	Applications are based on unconjugated antibody.
Related Product Information for anti-MBL2 antibody	This gene encodes the soluble mannose-binding lectin or mannose-binding protein found in serum. The protein encoded belongs to the collectin family and is an important element in the innate immune system. The protein recognizes mannose and N-acetylglucosamine on many microorganisms, and is capable of activating the classical complement pathway. Deficiencies of this gene have been associated with susceptibility to autoimmune and infectious diseases.


Product References and Citations for anti-MBL2 antibody	1. Auriti, C., et al. Hum. Immunol. 71(11):1084-1088(2010). 2. Fraser, D.A., et al. J. Immunol. 185(7):3932-3939(2010). 3. de Wit, E., et al. Mamm. Genome (2010). 4. Filho, R.M., et al. Viral Immunol. 23(4):449-453(2010). 5. Hu, Y., et al. Viral Immunol. 23(4):443-447(2010).
Other Notes	Small volumes of anti-MBL2 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for MBL2 purchase	MBS6319367 is an antibody targeting MBL2. Also known as MBL2, CT (MBL2, COLEC1, MBL, Mannose-binding protein C, Collectin-1, MBP1, Mannan-binding protein, Mannose-binding lectin) (FITC). Reactive in Human. Host: Rabbit.




Western Blot (WB) of anti-MBL2 antibody
Western Blot analysis of MBS6000174 in A549 cell line lysates (35ug/lane). This demonstrates the MBL2 antibody detected the MBL2 protein (arrow).



Western Blot (WB) of anti-MBL2 antibody
Western Blot analysis of MBL2 (arrow) usingMBS6000174. 293 cell lysates (2ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the MBL2 gene.



Immunofluorescence (IF) of anti-MBL2 antibody
Confocal immunofluorescent analysis of MBS6000174 with A549 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).



Immunohistochemistry (IHC) of anti-MBL2 antibody
Immunohistochemistry analysis of MBS6000174 in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for MBL2. It may not necessarily be applicable to this product.

NCBI GI #	4557739
NCBI GeneID	4153
NCBI Accession #	NP_000233.1
UniProt Primary Accession #	P11226
UniProt Secondary Accession #	Q4VB12; Q4VB13; Q86SI4; Q96KE4; Q96TF7; Q96TF8; Q96TF9
UniProt Related Accession #	P11226
GenBank Nucleotide #	NM_000242.2
NCBI Official Full Name	mannose-binding protein C
NCBI Official Synonym Full Names	mannose-binding lectin (protein C) 2, soluble
NCBI Official Symbol	MBL2
NCBI Official Synonym Symbols	MBL; MBP; MBP1; MBPD; MBL2D; MBP-C; COLEC1; HSMBPC
UniProt Protein Name	Mannose-binding protein C

UniProt Synonym Protein Names	Collectin-1; MBP1; Mannan-binding protein; Mannose-binding lectin
Protein Family	Mannose-binding protein
UniProt Gene Name	MBL2
UniProt Synonym Gene Names	COLEC1; MBL; MBP-C
UniProt Entry Name	MBL2_HUMAN
NCBI Protein Information	mannose-binding protein C; collectin-1; mannan-binding lectin; mannose-binding lectin 2, soluble (opsonic defect); mannose-binding lectin (protein C) 2, soluble (opsonic defect)
UniProt Comments for MBL2	MBL2: Calcium-dependent lectin involved in innate immune defense. Binds mannose, fucose and N-acetylglucosamine on different microorganisms and activates the lectin complement pathway. Binds to late apoptotic cells, as well as to apoptotic blebs and to necrotic cells, but not to early apoptotic cells, facilitating their uptake by macrophages. May bind DNA. Protein type: Secreted, signal peptide; Secreted Chromosomal Location of Human Ortholog: 10q11.2 Cellular Component: extracellular space; cell surface; collagen; extracellular region Molecular Function: mannose binding; protein binding; calcium ion binding; calcium-dependent protein binding; receptor binding Biological Process: defense response to Gram-positive bacterium; killing by host of symbiont cells; positive regulation of phagocytosis; defense response to bacterium; acute-phase response; innate immune response; response to oxidative stress; opsonization; complement activation, lectin pathway; complement activation, classical pathway; negative regulation of viral reproduction; complement activation Disease: Mannose-binding Protein Deficiency
Research Articles on MBL2	**1.** The data do not support a role of MBL deficiency on susceptibility to pneumococcal community-acquired pneumonia or to invasive pneumococcal disease
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/mbl2/6319367