MBP Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	MBP, Polyclonal Antibody
Full Product Name	MBP (Y203) (MBP, Myelin basic protein, Myelin A1 protein, Myelin membrane encephalitogenic protein) (MaxLight 405)
Product Gene Name	anti-MBP antibody
Product Synonym Names	MBP; Myelin basic protein; Myelin A1 protein; Myelin membrane encephalitogenic protein
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with MaxLight405.
Purity/Purification	Purified by Protein A Affinity Chromatography.
Preparation and Storage	Store product at 4 degree C in the dark. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: MaxLight405 conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial prior to removing the cap.
Molecular Weight	33,117 Da
Chromosome Location	Chromosome: 18; NC_000018.9 (74690789..74844774, complement). Location: 18q23
OMIM	159430
3D Structure	ModBase 3D Structure for P02686
Immunogen	MBP antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide corresponding to amino acid residues surrounding Y203 of human MBP.
Conjugate	MaxLight405
Note	Preservative Free
Product Categories/Family for anti-MBP antibody	Antibodies; Infectious Disease Encephalitis
Applications Tested/Suitable for anti-MBP antibody	Western Blot (WB), FLISA
Application Notes for anti-MBP antibody	WB: 1:50-100 FLISA: 1:1,000 Applications are based on unconjugated antibody.

Related Product Information for anti-MBP antibody	MBP is a major constituent of the myelin sheath of oligodendrocytes and Schwann cells in the nervous system. However, MBP-related transcripts are also present in the bone marrow and the immune system. These mRNAs arise from the long MBP gene (otherwise called Golli-MBP) that contains 3 additional exons located upstream of the classic MBP exons. Alternative splicing from the Golli and the MBP transcription start sites gives rise to 2 sets of MBP-related transcripts and gene products. The Golli mRNAs contain 3 exons unique to Golli-MBP, spliced in-frame to 1 or more MBP exons. They encode hybrid proteins that have N-terminal Golli aa sequence linked to MBP aa sequence. The second family of transcripts contain only MBP exons and produce the well characterized myelin basic proteins. This complex gene structure is conserved among species suggesting that the MBP transcription unit is an integral part of the Golli transcription unit and that this arrangement is important for the function and/or regulation of these genes.
Product References and Citations for anti-MBP antibody	Kawamura, K., J. Immunol. 181 (5), 3202-3211 (2008). Majava, V., BMC Struct. Biol. 8, 10 (2008). Boylan, K.B., Genomics 6 (1), 16-22 (1990).
Other Notes	Small volumes of anti-MBP antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for MBP purchase	MBS6319446 is an antibody targeting MBP. Also known as MBP (Y203) (MBP, Myelin basic protein, Myelin A1 protein, Myelin membrane encephalitogenic protein) (MaxLight 405). Reactive in Human. Host: Rabbit.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for MBP. It may not necessarily be applicable to this product.

NCBI GI #	1162922
NCBI GeneID	4155
NCBI Accession #	AAC41944.1
UniProt Primary Accession #	P02686
UniProt Secondary Accession #	Q15337; Q15338; Q15339; Q15340; A4FU54; A6NI84; A8MY86; A8MYL4; B3KY66; B7ZKS2; B7ZKS4
UniProt Related Accession #	P02686
NCBI Official Full Name	myelin basic protein
NCBI Official Synonym Full Names	myelin basic protein
NCBI Official Symbol	MBP
UniProt Protein Name	Myelin basic protein
UniProt Synonym Protein Names	Myelin A1 protein; Myelin membrane encephalitogenic protein
Protein Family	Myelin basic protein
UniProt Gene Name	MBP
UniProt Synonym Gene Names	MBP
UniProt Entry Name	MBP_HUMAN
NCBI Protein Information	Golli-MBP; myelin basic protein; myelin A1 protein; myelin membrane encephalitogenic protein
NCBI Summary for MBP	The protein encoded by the classic MBP gene is a major constituent of the myelin sheath of oligodendrocytes and Schwann cells in the nervous system. However, MBP-related transcripts are also present in the bone marrow and the immune system. These mRNAs arise from the long MBP gene (otherwise called "Golli-MBP") that contains 3 additional exons located upstream of the classic MBP exons. Alternative splicing from the Golli and the MBP transcription start sites gives rise to 2 sets of MBP-related transcripts and gene products. The Golli mRNAs contain 3 exons unique to Golli-MBP, spliced in-frame to 1 or more MBP exons. They encode hybrid proteins that have N-terminal Golli aa sequence linked to MBP aa sequence. The second family of transcripts contain only MBP exons and produce the well characterized myelin basic proteins. This complex gene structure is conserved among species suggesting that the MBP transcription unit is an integral part of the Golli transcription unit and that this arrangement is important for the function and/or regulation of these genes. [provided by RefSeq, Jul 2008]

UniProt Comments for MBP	MBP: The classic group of MBP isoforms (isoform 4-isoform 14) are with PLP the most abundant protein components of the myelin membrane in the CNS. They have a role in both its formation and stabilization. The smaller isoforms might have an important role in remyelination of denuded axons in multiple sclerosis. The non-classic group of MBP isoforms (isoform 1-isoform 3/Golli-MBPs) may preferentially have a role in the early developing brain long before myelination, maybe as components of transcriptional complexes, and may also be involved in signaling pathways in T- cells and neural cells. Differential splicing events combined with optional post-translational modifications give a wide spectrum of isomers, with each of them potentially having a specialized function. Induces T-cell proliferation. Homodimer. Isoform 3 exists as a homodimer. MBP isoforms are found in both the central and the peripheral nervous system, whereas Golli-MBP isoforms are expressed in fetal thymus, spleen and spinal cord, as well as in cell lines derived from the immune system. Belongs to the myelin basic protein family. 6 isoforms of the human protein are produced by alternative splicing. Protein type: Cytoskeletal Chromosomal Location of Human Ortholog: 18q23 Cellular Component: internode region of axon; compact myelin; cell soma; plasma membrane; nucleus Molecular Function: protein binding; protease binding; structural constituent of myelin sheath Biological Process: myelination; response to mercury ion; synaptic transmission; central nervous system development; substantia nigra development; response to toxin; negative regulation of axonogenesis; immune response; axon ensheathment; response to progesterone stimulus; aging
Research Articles on MBP	**1.** Residues K54, R55, G56, and K59 mediate binding of MBP to amyloid beta-protein and inhibition of fibril assembly.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/mbp/6319446