
PRDM8 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	PRDM8, Polyclonal Antibody
Full Product Name	PRDM8, NT (PRDM8, PFM5, PR domain zinc finger protein 8, PR domain-containing protein 8) (Biotin)
Product Gene Name	anti-PRDM8 antibody
Product Synonym Names	PRDM8; PFM5; PR domain zinc finger protein 8; PR domain-containing protein 8
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Biotin.
Purity/Purification	Purified by Protein A Affinity Chromatography.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
Molecular Weight	35,470 Da
3D Structure	ModBase 3D Structure for Q9NQV8
Immunogen	PRDM8 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 74-102 amino acids from the N-terminal region of human PRDM8.
Conjugate	Biotin
Note	Preservative Free
Product Categories/Family for anti-PRDM8 antibody	Antibodies; Transcription Factors; Zinc (Ring) Finger
Applications Tested/Suitable for anti-PRDM8 antibody	Western Blot (WB), ELISA (EIA)
Application Notes for anti-PRDM8 antibody	WB: 1:100-500 ELISA: 1:1,000 Applications are based on unconjugated antibody.
Related Product Information for anti-PRDM8 antibody	MBS6337096 is an antibody targeting PRDM8. Also known as PRDM8, NT (PRDM8, PFM5, PR domain zinc finger protein 8, PR domain-containing protein 8) (Biotin). Reactive in Human. Host: Rabbit. PRDM8 may be involved in transcriptional regulation.
Product References and Citations for anti-PRDM8 antibody	Newton-Cheh, C., et al. Nat. Genet. (2009). In press: Xiao, B., et al. Curr. Opin. Struct. Biol. 13(6):699-705(2003). Jiang, G.L., et al. Histol. Histopathol. 15(1):109-117(2000).
Other Notes	Small volumes of anti-PRDM8 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Western Blot (WB) of anti-PRDM8 antibody
PRDM8 Antibody (N-term) western blot analysis in CEM cell line lysates (35ug/lane).This demonstrates the PRDM8 antibody detected the PRDM8 protein (arrow).

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for PRDM8. It may not necessarily be applicable to this product.

NCBI GI #	150378478
NCBI GeneID	56978
NCBI Accession #	NP_001092873.1
NCBI Related Accession #	NP_064611.3
UniProt Primary Accession #	Q9NQV8
UniProt Secondary Accession #	Q6IQ36; A8K7X2
UniProt Related Accession #	Q9NQV8
GenBank Nucleotide #	NM_001099403.1
NCBI Official Full Name	PR domain zinc finger protein 8
NCBI Official Synonym Full Names	PR/SET domain 8
NCBI Official Symbol	PRDM8
NCBI Official Synonym Symbols	PFM5; EPM10; KMT8D
UniProt Protein Name	PR domain zinc finger protein 8
UniProt Synonym Protein Names	PR domain-containing protein 8
Protein Family	PR domain zinc finger protein
UniProt Gene Name	PRDM8
UniProt Synonym Gene Names	PFM5
UniProt Entry Name	PRDM8_HUMAN
NCBI Protein Information	PR domain zinc finger protein 8
NCBI Summary for PRDM8	This gene encodes a protein that belongs to a conserved family of histone methyltransferases that predominantly act as negative regulators of transcription. The encoded protein contains an N-terminal Su(var)3-9, Enhancer-of-zeste, and Trithorax (SET) domain and a double zinc-finger domain. Knockout of this gene in mouse results in mistargeting by neurons of the dorsal telencephalon, abnormal itch-like behavior, and impaired differentiation of rod bipolar cells. In humans, the protein has been shown to interact with the phosphatase laforin and the ubiquitin ligase malin, which regulate glycogen construction in the cytoplasm. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2016]

Research Articles on PRDM8	**1.** Aberrant hypermethylation is particularly observed in PRDM8 and this may support identification and classification of bone marrow failure syndromes
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/prdm8/6337096