SQSTM1 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	SQSTM1, Polyclonal Antibody
Full Product Name	SQSTM1, Phosphorylated (S403) (SQSTM1, ORCA, OSIL, Sequestosome-1, EBI3-associated protein of 60kD, Phosphotyrosine-independent ligand for the Lck SH2 domain of 62kD, Ubiquitin-binding protein p62) (Biotin)
Product Gene Name	anti-SQSTM1 antibody
Product Synonym Names	SQSTM1; ORCA; OSIL; Sequestosome-1; EBI3-associated protein of 60kD; Phosphotyrosine-independent ligand for the Lck SH2 domain of 62kD; Ubiquitin-binding protein p62
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Biotin.
Purity/Purification	Purified by Protein A Affinity Chromatography.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
OMIM	gene 602080
3D Structure	ModBase 3D Structure for Q13501
Immunogen	SQSTM1 Antibody is generated from rabbits immunized with a KLH conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding S403 of human SQSTM1.
Conjugate	Biotin
Antigen Modification	Phosphorylated
Note	Preservative Free
Product Categories/Family for anti-SQSTM1 antibody	Antibodies; Ubiquitin
Applications Tested/Suitable for anti-SQSTM1 antibody	ELISA (EIA), Dot Blot (DB)
Application Notes for anti-SQSTM1 antibody	ELISA: 1:1,000 Applications are based on unconjugated antibody.
Related Product Information for anti-SQSTM1 antibody	This gene encodes a multifunctional protein that binds ubiquitin and regulates activation of the nuclear factor kappa-B (NF-kB) signaling pathway. The protein functions as a scaffolding/adaptor protein in concert with TNF receptor-associated factor 6 to mediate activation of NF-kB in response to upstream signals. Alternatively spliced transcript variants encoding either the same or different isoforms have been identified for this gene. Mutations in this gene result in sporadic and familial Paget disease of bone.
Product References and Citations for anti-SQSTM1 antibody	Visconti, M.R., et al. J. Bone Miner. Res. 25(11):2368-2373(2010). Ding, W.X., et al. J. Biol. Chem. 285(36):27879-27890(2010). Gao, C., et al. Nat. Cell Biol. 12(8):781-790(2010). Jain, A., et al. J. Biol. Chem. 285(29):22576-22591(2010). Lau, A., et al. Mol. Cell. Biol. 30(13):3275-3285(2010).

Other Notes	Small volumes of anti-SQSTM1 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for SQSTM1 purchase	MBS6350995 is an antibody targeting SQSTM1. Also known as SQSTM1, Phosphorylated (S403) (SQSTM1, ORCA, OSIL, Sequestosome-1, EBI3-associated protein of 60kD, Phosphotyrosine-independent ligand for the Lck SH2 domain of 62kD, Ubiquitin-binding protein p62) (Biotin). Reactive in Human. Host: Rabbit.



Dot Blot (DB) of anti-SQSTM1 antibody
Dot blot analysis of SQSTM1 Antibody (Phospho S403) Phospho-specific Pab on nitrocellulose membrane. 50ng of Phospho-peptide or Non Phospho-peptide per dot were adsorbed. Antibody working concentrations are 0.6ug per ml.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for SQSTM1. It may not necessarily be applicable to this product.

NCBI GI #	214830438
NCBI GeneID	8878
NCBI Accession #	NP_001135770.1
UniProt Primary Accession #	Q13501
UniProt Secondary Accession #	Q13446; Q9BUV7; Q9BVS6; Q9UEU1; A6NFN7; B2R661; B3KUW5
UniProt Related Accession #	Q13501
GenBank Nucleotide #	NM_001142298.1
NCBI Official Full Name	sequestosome-1 isoform 2
NCBI Official Synonym Full Names	sequestosome 1
NCBI Official Symbol	SQSTM1
NCBI Official Synonym Symbols	p60; p62; A170; OSIL; PDB3; ZIP3; p62B
UniProt Protein Name	Sequestosome-1
UniProt Synonym Protein Names	EBI3-associated protein of 60 kDa; EBIAP; p60; Phosphotyrosine-independent ligand for the Lck SH2 domain of 62 kDa; Ubiquitin-binding protein p62
Protein Family	Sequestosome
UniProt Gene Name	SQSTM1
UniProt Synonym Gene Names	ORCA; OSIL; EBIAP; p60
UniProt Entry Name	SQSTM_HUMAN
NCBI Protein Information	sequestosome-1; EBI3-associated protein of 60 kDa; EBI3-associated protein p60; EBIAP; oxidative stress induced like; phosphotyrosine independent ligand for the Lck SH2 domain p62; phosphotyrosine-independent ligand for the Lck SH2 domain of 62 kDa; ubiqu

UniProt Comments for SQSTM1	SQSTM1: an adapter protein which binds ubiquitin, shuttling proteins to the proteasome. Co-localizes along with the E3 ubiquitin ligase, TRAF6, to aggregates from Alzheimer's disease brains but not in control brain. May regulate the activation of NFKB1 by TNF-alpha, nerve growth factor (NGF) and interleukin-1. May play a role in titin downstream signaling in muscle cells. May regulate signaling cascades through ubiquitination. May be involved in cell differentiation, apoptosis, immune response and regulation of K(+) channels. Forms ternary complexes with PKCZ and Kv-beta2 or PKCZ and GABBR3. Also interacts with KCNAB1, GABRR1, GABRR2 and GABRR3. Interacts with EBI3, LCK, RASA1, PKCZ , PKCI, NR2F2, NTRK1, NTRK2, NTRK3, NBR1, MEK5, TRIM55 and MAPKAPK5. Interacts with the proteasome subunits PSMD4 and PSMC2. Interacts with K63- polyubiquitinated MAPT/TAU. Interacts with IKBKB through PRKCZ and PRKCI. Interacts with NGFR through TRAF6 and bridges that complex to NTRK1. Forms a complex with MEK5 and PRKCZ or PRKCI. Component of a ternary complex with PAWR and PRKCZ. Upon TNF-alpha stimulation, interacts with RIPK1 problably bridging IKBKB to the TNF-R1 complex composed of TNF-R1/TNFRSF1A, TRADD and RIPK1. Forms a complex with JUB/Ajuba, PRKCZ and TRAF6. 2 isoforms of the human protein are produced by alternative splicing. Protein type: Nuclear receptor co-regulator; Autophagy; Ubiquitin conjugating system Chromosomal Location of Human Ortholog: 5q35 Cellular Component: nucleoplasm; PML body; endoplasmic reticulum; lysosome; cytoplasm; late endosome; autophagic vacuole; cytoplasmic vesicle; inclusion body; cytosol Molecular Function: identical protein binding; protein serine/threonine kinase activity; protein binding; ubiquitin binding; protein homodimerization activity; protein kinase C binding; zinc ion binding; SH2 domain binding; receptor tyrosine kinase binding; protein kinase binding Biological Process: regulation of Ras protein signal transduction; ubiquitin-dependent protein catabolic process; nerve growth factor receptor signaling pathway; immune system process; positive regulation of apoptosis; protein heterooligomerization; macroautophagy; endosome transport; protein amino acid phosphorylation; protein localization; response to stress; autophagy; positive regulation of transcription from RNA polymerase II promoter; positive regulation of protein amino acid phosphorylation; cell differentiation; regulation of I-kappaB kinase/NF-kappaB cascade; positive regulation of macroautophagy; negative regulation of apoptosis Disease: Frontotemporal Dementia And/or Amyotrophic Lateral Sclerosis 3; Paget Disease Of Bone
Research Articles on SQSTM1	**1.** The constitutive p62 and Nrf2 expression of transformed cells results in a decrease in ROS generation, apoptosis resistance, and tumorigenesis.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/sqstm1/6350995