
TFCP2L1 Antibody – Rabbit Polyclonal


PRODUCT OVERVIEW

Product Name	TFCP2L1, Polyclonal Antibody
Full Product Name	TFCP2L1, ID (TFCP2L1, CRTR1, LBP9, Transcription factor CP2-like protein 1, CP2-related transcriptional repressor 1, Transcription factor LBP-9) (FITC)
Product Gene Name	anti-TFCP2L1 antibody
Product Synonym Names	TFCP2L1; CRTR1; LBP9; Transcription factor CP2-like protein 1; CP2-related transcriptional repressor 1; Transcription factor LBP-9
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human, Mouse
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Fluorescein Isothiocyanate (FITC).
Purity/Purification	Purified by Protein A Affinity Chromatography.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: FITC conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
Molecular Weight	54,627 Da
OMIM	609785
3D Structure	ModBase 3D Structure for Q9NZI6
Immunogen	TFCP2L1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 221-251 amino acids from the Central region of human TFCP2L1.
Conjugate	FITC
Note	Preservative Free
Special Handling	Light sensitive
Product Categories/Family for anti-TFCP2L1 antibody	Antibodies; Transcription Factors
Applications Tested/Suitable for anti-TFCP2L1 antibody	Flow Cytometry (FC/FACS), FLISA, Immunohistochemistry (IHC), Western Blot (WB)
Application Notes for anti-TFCP2L1 antibody	FC/FACS: 1:10-50 FLISA: 1:1,000 IHC: 1:10-50 WB: 1:100-500 Applications are based on unconjugated antibody.
Related Product Information for anti-TFCP2L1 antibody	TFCP2L1is a transcriptional suppressor. It may suppress UBP1-mediated transcriptional activation. Modulates the placental expression of CYP11A1.
Product References and Citations for anti-TFCP2L1 antibody	To, S., et al. PLoS ONE 5 (7), E11702 (2010): Henderson, Y.C., et al. DNA Cell Biol. 27(2):71-79(2008). Hillier, L.W., et al. Nature 434(7034):724-731(2005). Huang, N., et al. Mol. Endocrinol. 19(2):409-420(2005). Rodda, S., et al. J. Biol. Chem. 276(5):3324-3332(2001).


Other Notes	Small volumes of anti-TFCP2L1 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for TFCP2L1 purchase	MBS6355022 is an antibody targeting TFCP2L1. Also known as TFCP2L1, ID (TFCP2L1, CRTR1, LBP9, Transcription factor CP2-like protein 1, CP2-related transcriptional repressor 1, Transcription factor LBP-9) (FITC). Reactive in Human, Mouse. Host: Rabbit.




Western Blot (WB) of anti-TFCP2L1 antibody
TFCP2L1 Antibody (Center) western blot analysis in WiDr cell line lysates (35ug/lane).This demonstrates the TFCP2L1 antibody detected the TFCP2L1 protein (arrow).



Western Blot (WB) of anti-TFCP2L1 antibody
TFCP2L1 Antibody (Center) western blot analysis in mouse stomach tissue lysates (35ug/lane).This demonstrates the TFCP2L1 antibody detected the TFCP2L1 protein (arrow).



Immunohistochemistry (IHC) of anti-TFCP2L1 antibody
TFCP2L1 Antibody (Center) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of TFCP2L1 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.



Flow Cytometry (FC/FACS) of anti-TFCP2L1 antibody
TFCP2L1 Antibody (Center) flow cytometric analysis of WiDr cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for TFCP2L1. It may not necessarily be applicable to this product.

NCBI GI #	7657299
NCBI GeneID	29842
NCBI Accession #	NP_055368.1
UniProt Primary Accession #	Q9NZI6
UniProt Secondary Accession #	Q4ZG43
UniProt Related Accession #	Q9NZI6
GenBank Nucleotide #	NM_014553.2
NCBI Official Full Name	transcription factor CP2-like protein 1

NCBI Official Synonym Full Names	transcription factor CP2-like 1
NCBI Official Symbol	TFCP2L1
NCBI Official Synonym Symbols	LBP9; CRTR1; LBP-9
UniProt Protein Name	Transcription factor CP2-like protein 1
UniProt Synonym Protein Names	CP2-related transcriptional repressor 1; CRTR-1; Transcription factor LBP-9
Protein Family	Transcription factor CP2-like protein
UniProt Gene Name	TFCP2L1
UniProt Synonym Gene Names	CRTR1; LBP9; CRTR-1
UniProt Entry Name	TF2L1_HUMAN
NCBI Protein Information	transcription factor CP2-like protein 1; CRTR-1; transcription factor LBP-9; CP2-related transcriptional repressor 1
UniProt Comments for TFCP2L1	TFCP2L1: Transcriptional suppressor. May suppress UBP1-mediated transcriptional activation. Required for normal duct development in the salivary gland and kidney. Modulates the placental expression of CYP11A1. Belongs to the grh/CP2 family. CP2 subfamily. Protein type: DNA-binding Chromosomal Location of Human Ortholog: 2q14 Cellular Component: membrane; cytoplasm; nucleus Molecular Function: sequence-specific DNA binding; transcription corepressor activity; transcription factor activity Biological Process: regulation of transcription from RNA polymerase II promoter; transcription, DNA-dependent; salivary gland development; epithelial cell maturation; cell morphogenesis; cytoplasm organization and biogenesis; female pregnancy; determination of adult life span; negative regulation of transcription from RNA polymerase II promoter; steroid biosynthetic process; positive regulation of growth
Research Articles on TFCP2L1	**1.** Study show that CRTR-1 is generally an activator of transcription and that it modulates the activity of other family members, CP2, NF2d9 and altNF2d9, in a cell specific manner.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-mouse-antibody/tfcp2l1/6355022