
KLK2 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	KLK2, Polyclonal Antibody
Full Product Name	KLK2 (Kallikrein-2, Glandular Kallikrein-1, hGK-1, Tissue Kallikrein-2) (AP)
Product Gene Name	anti-KLK2 antibody
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Alkaline Phosphatase (AP).
Purity/Purification	Purified by Protein A Affinity Chromatography.
Specificity	Recognizes human KLK2.
Preparation and Storage	Store product at 4 degree C. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only pri
Molecular Weight	17,301 Da
OMIM	147960
3D Structure	ModBase 3D Structure for P20151
Immunogen	Full length human KLK2, aa1-223 (NP_001002231.1).
Immunogen Sequence	MWDLVLSIALSVGCTGAVPLIQSRIVGGWECEKHSQPWQVAVYSHGWAHCGGVLVHPQWVLTAAHCLKKNSQVWLGRHNLFEPEDTGQRVPVSHSFP
Conjugate	AP
Note	Preservative Free
Product Categories/Family for anti-KLK2 antibody	Antibodies; Kallikrein
Applications Tested/Suitable for anti-KLK2 antibody	Western Blot (WB)
Application Notes for anti-KLK2 antibody	Applications are based on unconjugated antibody.
Related Product Information for anti-KLK2 antibody	Glandular kallikreins cleave Met-Lys and Arg-Ser bonds in kininogen to release Lys-bradykinin.
Other Notes	Small volumes of anti-KLK2 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessa

Searchable Terms for KLK2 purchase	MBS6383718 is an antibody targeting KLK2. Also known as KLK2 (Kallikrein-2, Glandular Kallikrein-1, hGK-1, Tissue Kallikrein-2) (AP). Reactive in Hu



Western Blot (WB) of anti-KLK2 antibody
Western Blot analysis of KLK2 expression in transfected 293T cell line by KLK2 polyclonal antibody. Lane 1: KLK2 transfected lysate (24.7kD). Lane 2: Non-transfected lysate.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for KLK2. It may not necessarily be applicable to this product.

NCBI GI #	50363237
NCBI GeneID	3817
NCBI Accession #	NP_001002231.1
UniProt Primary Accession #	P20151
UniProt Secondary Accession #	Q15946; Q9UJZ9; B4DU93; B4DUB0; F5H8L3
UniProt Related Accession #	P20151
GenBank Nucleotide #	NM_001002231.1
NCBI Official Full Name	kallikrein-2 isoform 2 preproprotein
NCBI Official Synonym Full Names	kallikrein-related peptidase 2
NCBI Official Symbol	KLK2
NCBI Official Synonym Symbols	hK2; hGK-1; KLK2A2
UniProt Protein Name	Kallikrein-2
UniProt Synonym Protein Names	Glandular kallikrein-1; hGK-1; Tissue kallikrein-2
Protein Family	Blarinasin
UniProt Gene Name	KLK2
UniProt Synonym Gene Names	hGK-1
UniProt Entry Name	KLK2_HUMAN
NCBI Protein Information	kallikrein-2; glandular kallikrein 2; glandular kallikrein-1; kallikrein 2, prostatic; tissue kallikrein-2

NCBI Summary for KLK2	This gene encodes a member of the grandular kallikrein protein family. Kallikreins are a subgroup of serine proteases that are clustered on chromosome 19. Members of this family are involved in a diverse array of biological functions. The protein encoded by this gene is a highly active trypsin-like serine protease that selectively cleaves at arginine residues. This protein is primarily expressed in prostatic tissue and is responsible for cleaving pro-prostate-specific antigen into its enzymatically active form. This gene is highly expressed in prostate tumor cells and may be a prognostic maker for prostate cancer risk. Alternate splicing results in both coding and non-coding transcript variants. [provided by RefSeq, Jan 2012]
UniProt Comments for KLK2	KLK2: Glandular kallikreins cleave Met-Lys and Arg-Ser bonds in kininogen to release Lys-bradykinin. Belongs to the peptidase S1 family. Kallikrein subfamily. 3 isoforms of the human protein are produced by alternative splicing. Protein type: Protease; EC 3.4.21.35 Chromosomal Location of Human Ortholog: 19q13.41 Cellular Component: extracellular region Molecular Function: serine-type endopeptidase activity Biological Process: extracellular matrix disassembly; extracellular matrix organization and biogenesis; proteolysis
Research Articles on KLK2	**1.** Predictions based on levels of four kallikrein markers, including KLK2, in blood distinguish between pathologically insignificant and aggressive disease after radical prostatectomy with good accuracy.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/klk2/6383718