
LTK Antibody – Rabbit Polyclonal


PRODUCT OVERVIEW

Product Name	LTK, Polyclonal Antibody
Full Product Name	LTK, NT (Leukocyte Receptor Tyrosine Kinase, Leukocyte Tyrosine Kinase Receptor, Protein Tyrosine Kinase 1, TYK1) (Azide free) (HRP)
Product Gene Name	anti-LTK antibody
Product Synonym Names	EC=2.7.10.1
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Horseradish Peroxidase (HRP).
Purity/Purification	Purified by Protein A/G Affinity Chromatography.
Specificity	Recognizes human LTK.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Note: Sodium azide is a potent inhibitor of peroxidase and should not be added to HRP conjugates. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
Molecular Weight	91,681 Da
Chromosome Location	Chromosome: 15; NC_000015.9 (41795840..41806085, complement). Location: 15q15.1-q21.1
OMIM	151520
3D Structure	ModBase 3D Structure for P29376
Immunogen	KLH-conjugated synthetic peptide mapping to a fragment of residues within amino acids 42-72 in the N-terminal region of human LTK, Swiss/UniProt Accession: P29376.
Conjugate	HRP
Note	Preservative Free
Product Categories/Family for anti-LTK antibody	Antibodies; Receptors; Tyrosine Kinase
Applications Tested/Suitable for anti-LTK antibody	ELISA (EIA), Western Blot (WB)
Application Notes for anti-LTK antibody	Applications are based on unconjugated antibody.

Related Product Information for anti-LTK antibody	Protein kinases are enzymes that transfer a phosphate group from a phosphate donor, generally the g phosphate of ATP, onto an acceptor amino acid in a substrate protein. By this basic mechanism, protein kinases mediate most of the signal transduction in eukaryotic cells, regulating cellular metabolism, transcription, cell cycle progression, cytoskeletal rearrangement and cell movement, apoptosis, and differentiation. With more than 500 gene products, the protein kinase family is one of the largest families of proteins in eukaryotes. The family has been classified in 8 major groups based on sequence comparison of their tyrosine (PTK) or serine/threonine (STK) kinase catalytic domains. The tyrosine kinase (TK) group is mainly involved in the regulation of cell-cell interactions such as differentiation, adhesion, motility and death. There are currently about 90 TK genes sequenced, 58 are of receptor protein TK (e.g. EGFR, EPH, FGFR, PDGFR, TRK, and VEGFR families), and 32 of cytosolic TK (e.g. ABL, FAK, JAK, and SRC families).
Product References and Citations for anti-LTK antibody	1. Toyoshima, H., et al., Proc. Natl. Acad. Sci. USA 90(12):5404-5408 (1993). 2. Krolewski, J.J., et al., EMBO J. 10(10):2911-2919 (1991). 3. Maru, Y., et al., Oncogene Res. 5(3):199-204 (1990).
Other Notes	Small volumes of anti-LTK antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for LTK purchase	MBS6485521 is an antibody targeting LTK. Also known as LTK, NT (Leukocyte Receptor Tyrosine Kinase, Leukocyte Tyrosine Kinase Receptor, Protein Tyrosine Kinase 1, TYK1) (Azide free) (HRP). Reactive in Human. Host: Rabbit.



Western Blot (WB) of anti-LTK antibody
Western Blot to detect LTK in placenta cell lysate usingMBS627671.



Western Blot (WB) of anti-LTK antibody
Western Blot human skeletal muscle lysate (20ug) using MBS627671 (1:2000). Secondary IgG (HRP) Goat Anti-Rabbit at 1:10,000. Predicted band size: 92kD. Blocking/Dilution buffer: 5%. NFDM/TBST.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for LTK. It may not necessarily be applicable to this product.

NCBI GI #	208879423
NCBI GeneID	4058
NCBI Accession #	NP_001129157.1
UniProt Primary Accession #	P29376
UniProt Secondary Accession #	A6NNJ8; B4DL89; E9PFX4
UniProt Related Accession #	P29376
GenBank Nucleotide #	NM_001135685.1
NCBI Official Full Name	leukocyte tyrosine kinase receptor isoform 3
NCBI Official Synonym Full Names	leukocyte receptor tyrosine kinase
NCBI Official Symbol	LTK
NCBI Official Synonym Symbols	TYK1

UniProt Protein Name	Leukocyte tyrosine kinase receptor
UniProt Synonym Protein Names	Protein tyrosine kinase 1
Protein Family	Leukocyte tyrosine kinase receptor
UniProt Gene Name	LTK
UniProt Synonym Gene Names	TYK1
UniProt Entry Name	LTK_HUMAN
NCBI Protein Information	leukocyte tyrosine kinase receptor; protein tyrosine kinase 1
NCBI Summary for LTK	The protein encoded by this gene is a member of the ros/insulin receptor family of tyrosine kinases. Tyrosine-specific phosphorylation of proteins is a key to the control of diverse pathways leading to cell growth and differentiation. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2008]
UniProt Comments for LTK	LTK: Orphan receptor with a tyrosine-protein kinase activity. The exact function of this protein is not known. Studies with chimeric proteins (replacing its extracellular region with that of several known growth factor receptors, such as EGFR and CSFIR) demonstrate its ability to promote growth and specifically neurite outgrowth, and cell survival. Signaling appears to involve the PI3 kinase pathway. Involved in regulation of the secretory pathway involving endoplasmic reticulum (ER) export sites (ERESs) and ER to Golgi transport. Homodimer when bound to ligand (Probable). Part a complex including LTK, TNK2 and GRB2, in which GRB2 promotes LTK recruitment by TNK2. Expressed in non-hematopoietic cell lines and T- and B-cell lines. Belongs to the protein kinase superfamily. Tyr protein kinase family. Insulin receptor subfamily. 4 isoforms of the human protein are produced by alternative splicing. Protein type: Membrane protein, integral; Protein kinase, tyrosine (receptor); Protein kinase, TK; Kinase, protein; EC 2.7.10.1; TK group; Alk family Chromosomal Location of Human Ortholog: 15q15.1-q21.1 Cellular Component: membrane; integral to plasma membrane; plasma membrane Molecular Function: protein-tyrosine kinase activity; transmembrane receptor protein tyrosine kinase activity; ATP binding; protein kinase activity Biological Process: cell proliferation; phosphoinositide 3-kinase cascade; peptidyl-tyrosine phosphorylation; signal transduction; protein amino acid phosphorylation; transmembrane receptor protein tyrosine kinase signaling pathway; negative regulation of apoptosis
Research Articles on LTK	**1.** aberrant activation of LTK may contribute to neoplastic cell growth.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/ltk/6485521