PDGFB Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	PDGFB, Polyclonal Antibody
Full Product Name	PDGFB, CT (Platelet-derived Growth Factor Subunit B, PDGF Subunit B, Platelet-derived Growth Factor B Chain, Platelet-derived Growth Factor beta Polypeptide, PDGF-2, Proto-oncogene c-Sis, Becaplermin, PDGF2, SIS) (MaxLight 750)
Product Gene Name	anti-PDGFB antibody
Product Synonym Gene Name	PDGB
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with MaxLight750.
Purity/Purification	Purified by Ammonium Sulfate Precipitation.
Specificity	Recognizes human PDGFB.
Preparation and Storage	Store product at 4 degree C in the dark. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: MaxLight750 conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial prior to removing the cap.
Molecular Weight	14.7kDa (130aa) confirmed by MALDI-TOF
OMIM	190040
3D Structure	ModBase 3D Structure for P01127
Immunogen	KLH-conjugated synthetic peptide mapping to a fragment of residues within amino acids 212-241 in the C-terminal region of human PDGFB, UniProt Accession #P01127.
Conjugate	MaxLight750
Note	Preservative Free
Product Categories/Family for anti-PDGFB antibody	Antibodies; Growth Factors; Cytokines
Applications Tested/Suitable for anti-PDGFB antibody	Western Blot (WB), Immunofluorescence (IF), FLISA
Application Notes for anti-PDGFB antibody	WB: 1:1000 IF: 1:10-1:50 Applications are based on unconjugated antibody.
Related Product Information for anti-PDGFB antibody	MBS6493809 is an antibody targeting PDGFB. Also known as PDGFB, CT (Platelet-derived Growth Factor Subunit B, PDGF Subunit B, Platelet-derived Growth Factor B Chain, Platelet-derived Growth Factor beta Polypeptide, PDGF-2, Proto-oncogene c-Sis, Becaplermin, PDGF2, SIS) (MaxLight 750). Reactive in Human. Host: Rabbit.
Product References and Citations for anti-PDGFB antibody	1. Muller, C., et al., J. Biol. Chem. 278(20):18330-18335 (2003). 2. Laprise, M.H., et al., Blood 100(10):3578-3587 (2002). 3. Maire, G., et al., Cancer Genet. Cytogenet. 134(2):156-161 (2002). 4. Andrae, J., et al., Biochem. Biophys. Res. Commun. 296(3):604-611 (2002). 5. Ehrlich, H.P., et al., Cytokines Cell Mol Ther 7(3):85-90 (2002).

Other Notes	Small volumes of anti-PDGFB antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for PDGFB. It may not necessarily be applicable to this product.

NCBI GI #	15451786
NCBI GeneID	5155
NCBI Accession #	NP_148937
UniProt Primary Accession #	P01127
UniProt Secondary Accession #	P78431; Q15354; Q6FHE7; Q9UF23; G3XAG8
UniProt Related Accession #	P01127
GenBank Nucleotide #	NM_033016.3
NCBI Official Full Name	platelet-derived growth factor subunit B isoform 2
NCBI Official Synonym Full Names	platelet derived growth factor subunit B
NCBI Official Symbol	PDGFB
NCBI Official Synonym Symbols	SIS; SSV; IBGC5; PDGF2; c-sis; PDGF-2
UniProt Protein Name	Platelet-derived growth factor subunit B
UniProt Synonym Protein Names	PDGF-2; Platelet-derived growth factor B chain; Platelet-derived growth factor beta polypeptide; Proto-oncogene c-Sis
Protein Family	Platelet-derived growth factor
UniProt Gene Name	PDGFB
UniProt Synonym Gene Names	PDGF2; SIS; PDGF subunit B
UniProt Entry Name	PDGFB_HUMAN
NCBI Protein Information	platelet-derived growth factor subunit B
NCBI Summary for PDGFB	This gene encodes a member of the protein family comprised of both platelet-derived growth factors (PDGF) and vascular endothelial growth factors (VEGF). The encoded preproprotein is proteolytically processed to generate platelet-derived growth factor subunit B, which can homodimerize, or alternatively, heterodimerize with the related platelet-derived growth factor subunit A. These proteins bind and activate PDGF receptor tyrosine kinases, which play a role in a wide range of developmental processes. Mutations in this gene are associated with meningioma. Reciprocal translocations between chromosomes 22 and 17, at sites where this gene and that for collagen type 1, alpha 1 are located, are associated with dermatofibrosarcoma protuberans, a rare skin tumor. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct 2015]

UniProt Comments for PDGFB	PDGFB: Growth factor that plays an essential role in the regulation of embryonic development, cell proliferation, cell migration, survival and chemotaxis. Potent mitogen for cells of mesenchymal origin. Required for normal proliferation and recruitment of pericytes and vascular smooth muscle cells in the central nervous system, skin, lung, heart and placenta. Required for normal blood vessel development, and for normal development of kidney glomeruli. Plays an important role in wound healing. Signaling is modulated by the formation of heterodimers with PDGFA. A chromosomal aberration involving PDGFB is found in dermatofibrosarcoma protuberans. Translocation t(17;22)(q22;q13) with PDGFB. Belongs to the PDGF/VEGF growth factor family. Protein type: Secreted; Oncoprotein; Secreted, signal peptide; Motility/polarity/chemotaxis Chromosomal Location of Human Ortholog: 22q13.1 Cellular Component: Golgi membrane; extracellular space; cell surface; basolateral plasma membrane; endoplasmic reticulum lumen; cytoplasm; extracellular region Molecular Function: collagen binding; identical protein binding; protein binding; protein homodimerization activity; growth factor activity; protein heterodimerization activity; platelet-derived growth factor binding; platelet-derived growth factor receptor binding; superoxide-generating NADPH oxidase activator activity; chemoattractant activity Biological Process: extracellular matrix organization and biogenesis; positive regulation of cyclin-dependent protein kinase activity; nerve growth factor receptor signaling pathway; heart development; positive regulation of transcription, DNA-dependent; positive regulation of fibroblast growth factor receptor signaling pathway; cell projection biogenesis; protein amino acid phosphorylation; positive regulation of MAP kinase activity; monocyte chemotaxis; positive regulation of fibroblast proliferation; positive chemotaxis; transforming growth factor beta receptor signaling pathway; cell growth; positive regulation of mitotic cell cycle, embryonic; response to drug; substrate-bound cell migration; platelet activation; fibroblast growth factor receptor signaling pathway; positive regulation of mitosis; positive regulation of chemotaxis; activation of protein kinase B; positive regulation of blood vessel endothelial cell migration; positive regulation of protein amino acid autophosphorylation; positive regulation of phosphoinositide 3-kinase cascade; positive regulation of peptidyl-tyrosine phosphorylation; activation of protein kinase activity; blood vessel morphogenesis; positive regulation of endothelial cell proliferation; actin cytoskeleton organization and biogenesis; negative regulation of transcription, DNA-dependent; embryonic placenta development; peptidyl-tyrosine phosphorylation; positive regulation of smooth muscle cell proliferation; platelet-derived growth factor receptor signaling pathway; positive regulation of smooth muscle cell migration; response to estradiol stimulus; response to insulin stimulus; platelet degranulation; positive regulation of MAPKKK cascade; positive regulation of glomerular filtration; positive regulation of cell proliferation; response to wounding; hemopoiesis; DNA replication; negative regulation of cell migration; epidermal growth factor receptor signaling pathway; phosphoinositide-mediated signaling; negative regulation of phosphatidylinositol biosynthetic process; positive regulation of phosphoinositide 3-kinase activity; peptidyl-serine phosphorylation; response to hypoxia; innate immune response; blood coagulation; positive regulation of DNA replication; positive regulation of cell migration Disease: Meningioma, Familial, Susceptibility To; Dermatofibrosarcoma Protuberans; Basal Ganglia Calcification, Idiopathic, 5; Basal Ganglia Calcification, Idiopathic, 1
Research Articles on PDGFB	**1.** Rare Skin Tumor Dermatofibrosarcoma Protuberans (DFSP) is characterized by the translocation of the PDGFB gene to the collagen 1A1 gene.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.

Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/pdgfb/6493809