
TAL1 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	TAL1, Polyclonal Antibody
Full Product Name	TAL1 (T90) (T-cell Acute Lymphocytic Leukemia Protein 1, TAL-1, Stem Cell Protein, T-cell Leukemia/Lymphoma Protein 5, Class A Basic Helix-loop-helix Protein 17, bHLHa17, SCL, TCL5) (Biotin)
Product Gene Name	anti-TAL1 antibody
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with Biotin.
Purity/Purification	Purified by Immunoaffinity chromatography.
Specificity	Recognizes human TAL1.
Preparation and Storage	Store product at 4 degree C if to be used immediately within two weeks. For long-term storage, aliquot to avoid repeated freezing and thawing and store at -20 degree C. Aliquots are stable at -20 degree C for 12 months after receipt. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap.
Molecular Weight	16,548 Da
OMIM	187040
3D Structure	ModBase 3D Structure for P17542
Immunogen	Synthetic peptide corresponding to amino acid residues surrounding T90 of human TAL1 (KLH).
Conjugate	Biotin
Note	Preservative Free
Product Categories/Family for anti-TAL1 antibody	Antibodies; Proteins
Applications Tested/Suitable for anti-TAL1 antibody	Western Blot (WB), ELISA (EIA)
Application Notes for anti-TAL1 antibody	WB: 1:50-1:100 ELISA: 1:1,000 Applications are based on unconjugated antibody.
Related Product Information for anti-TAL1 antibody	MBS6502065 is an antibody targeting TAL1. Also known as TAL1 (T90) (T-cell Acute Lymphocytic Leukemia Protein 1, TAL-1, Stem Cell Protein, T-cell Leukemia/Lymphoma Protein 5, Class A Basic Helix-loop-helix Protein 17, bHLHa17, SCL, TCL5) (Biotin). Reactive in Human. Host: Rabbit.
Product References and Citations for anti-TAL1 antibody	1. Kassouf, M.T., Blood 112(4), 1056-1067 (2008). 2. Terme, J.M., J. Virol. 82(16), 7913-7922 (2008). 3. Brunet de la Grange, P., Stem Cells 26(6), 1658-1662 (2008).
Other Notes	Small volumes of anti-TAL1 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Western Blot (WB) of anti-TAL1 antibody
Western blot analysis of anti-TAL1 Antibody (T90) in Jurkat cell line lysates (35ug/lane).
TAL1 (arrow) was detected using the purified Pab.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for TAL1. It may not necessarily be applicable to this product.

NCBI GI #	4507363
NCBI GeneID	6886
NCBI Accession #	NP_003180
UniProt Primary Accession #	P17542
UniProt Secondary Accession #	D3DQ24
UniProt Related Accession #	P17542
GenBank Nucleotide #	NM_003189
NCBI Official Full Name	T-cell acute lymphocytic leukemia protein 1 isoform 1
NCBI Official Synonym Full Names	T-cell acute lymphocytic leukemia 1
NCBI Official Symbol	TAL1
NCBI Official Synonym Symbols	SCL; TCL5; tal-1; bHLHa17
UniProt Protein Name	T-cell acute lymphocytic leukemia protein 1
UniProt Synonym Protein Names	Class A basic helix-loop-helix protein 17; bHLHa17; Stem cell protein; T-cell leukemia/lymphoma protein 5
Protein Family	Probable transaldolase
UniProt Gene Name	TAL1
UniProt Synonym Gene Names	BHLHA17; SCL; TCL5; TAL-1; bHLHa17
UniProt Entry Name	TAL1_HUMAN
NCBI Protein Information	T-cell acute lymphocytic leukemia protein 1; T-cell leukemia/lymphoma protein 5; class A basic helix-loop-helix protein 17; stem cell protein; tal-1 product

UniProt Comments for TAL1	TAL1: a basic helix-loop-helix transcription. Regulates differentiation and survival during hemopoiesis. Implicated in the genesis of hemopoietic malignancies. It may play an important role in hemopoietic differentiation. Serves as a positive regulator of eryhtroid differentiation. Mutations are associated with T-cell leukemia and melanoma. Binds to the LIM domain containing protein Rhombotin-2. Protein type: DNA-binding; Oncoprotein; Transcription factor Chromosomal Location of Human Ortholog: 1p32 Cellular Component: transcription factor complex; histone deacetylase complex; nuclear chromatin; nucleus Molecular Function: protein binding; enzyme binding; protein heterodimerization activity; histone deacetylase binding; chromatin binding; transcription factor activity Biological Process: transcription from RNA polymerase II promoter; erythrocyte maturation; cell fate commitment; positive regulation of chromatin assembly or disassembly; embryonic hemopoiesis; megakaryocyte differentiation; positive regulation of transcription, DNA-dependent; positive regulation of erythrocyte differentiation; astrocyte fate commitment; locomotory behavior; negative regulation of transcription from RNA polymerase II promoter; positive regulation of mitotic cell cycle; regulation of cell proliferation; regulation of transcription from RNA polymerase II promoter; positive regulation of protein complex assembly; positive regulation of cell division; erythrocyte differentiation; spinal cord association neuron differentiation; hemopoiesis; positive regulation of transcription from RNA polymerase II promoter; angiogenesis; platelet formation; basophil differentiation Disease: Leukemia, Acute Lymphoblastic
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/tal1/6502065