
TERT Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	TERT, Polyclonal Antibody
Full Product Name	TERT, Phosphorylated (Ser1125) (Telomerase Reverse Transcriptase, Telomerase Catalytic Subunit, HEST2, Telomerase-associated Protein 2, TP2, EST2, TCS1, TRT) (PE)
Product Gene Name	anti-TERT antibody
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with R-Phycoerythrin (PE).
Purity/Purification	Purified by Protein A Affinity Chromatography.
Specificity	Recognizes human TERT phosphorylated at Ser1125.
Preparation and Storage	Store product at 4 degree C in the dark. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: PE conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial prior to removing the cap.
Molecular Weight	88,965 Da
OMIM	178500
3D Structure	ModBase 3D Structure for O14746
Immunogen	Synthetic phosphopeptide corresponding to amino acid residues surrounding Ser1125 of human TERT (KLH).
Conjugate	PE
Antigen Modification	Phosphorylated
Note	Preservative Free
Special Handling	Light sensitive
Product Categories/Family for anti-TERT antibody	Antibodies; Telomere/Telomerase
Applications Tested/Suitable for anti-TERT antibody	FLISA, Dot Blot (DB)
Application Notes for anti-TERT antibody	FLISA: 1:1,000 Dot Blot: 1:500 Applications are based on unconjugated antibody.
Related Product Information for anti-TERT antibody	MBS6502315 is an antibody targeting TERT. Also known as TERT, Phosphorylated (Ser1125) (Telomerase Reverse Transcriptase, Telomerase Catalytic Subunit, HEST2, Telomerase-associated Protein 2, TP2, EST2, TCS1, TRT) (PE). Reactive in Human. Host: Rabbit.
Product References and Citations for anti-TERT antibody	1. Sekaric, P., J. Virol. 82 (1), 71-76 (2008). 2. Okawa, T., Genes Dev. 21 (21), 2788-2803 (2007).

Other Notes	Small volumes of anti-TERT antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Dot Blot (DB) of anti-TERT antibody
Dot blot analysis of anti-Phospho-TERT-pS1125 Antibody on nitrocellulose membrane. 50ng of Phospho-peptide or Non Phospho-peptide per dot were adsorbed. Antibody working concentrations are 0.5ug per ml.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for TERT. It may not necessarily be applicable to this product.

NCBI GI #	109633031
NCBI GeneID	7015
NCBI Accession #	NP_937983
UniProt Primary Accession #	O14746
UniProt Secondary Accession #	O14783; Q2XS35; Q8N6C3; Q8NG38; Q8NG46
UniProt Related Accession #	O14746
GenBank Nucleotide #	NM_198253
NCBI Official Full Name	telomerase reverse transcriptase isoform 1
NCBI Official Synonym Full Names	telomerase reverse transcriptase
NCBI Official Symbol	TERT
NCBI Official Synonym Symbols	TP2; TRT; CMM9; EST2; TCS1; hTRT; DKCA2; DKCB4; hEST2; PFBMFT1
UniProt Protein Name	Telomerase reverse transcriptase
UniProt Synonym Protein Names	HEST2; Telomerase catalytic subunit; Telomerase-associated protein 2
Protein Family	Telomerase reverse transcriptase
UniProt Gene Name	TERT
UniProt Synonym Gene Names	EST2; TCS1; TRT; TP2
UniProt Entry Name	TERT_HUMAN
NCBI Protein Information	telomerase reverse transcriptase; telomerase catalytic subunit; telomerase-associated protein 2

UniProt Comments for TERT	TERT: telomerase reverse transcriptase is a ribonucleoprotein polymerase that maintains telomere ends by addition of the telomere repeat TTAGGG. The holoenzyme consists of TERT and an RNA component which serves as a template for the telomere repeat. Telomerase expression plays a role in cellular senescence, as it is normally repressed in postnatal somatic cells resulting in progressive shortening of telomeres. Deregulation of telomerase expression in somatic cells may be involved in oncogenesis. Studies in mouse suggest that telomerase also participates in chromosomal repair, since de novo synthesis of telomere repeats may occur at double-stranded breaks. Alternatively spliced isoforms have been identified, although the full-length sequence of some variants has not been determined. Protein type: Transferase; EC 2.7.7.49; DNA-binding; Nucleolus Chromosomal Location of Human Ortholog: 5p15.33 Cellular Component: nucleoplasm; chromosome, telomeric region; PML body; nuclear telomere cap complex; telomerase holoenzyme complex; nucleolus Molecular Function: telomerase activity; protein binding; RNA-directed RNA polymerase activity; protein homodimerization activity; DNA binding; metal ion binding; telomeric DNA binding; RNA-directed DNA polymerase activity; telomeric template RNA reverse transcriptase activity; nucleotidyltransferase activity; tRNA binding Biological Process: mitochondrion organization and biogenesis; DNA strand elongation; RNA-dependent DNA replication; positive regulation of nitric-oxide synthase activity; telomere maintenance via telomerase; age-dependent telomere shortening; telomere maintenance; positive regulation of Wnt receptor signaling pathway; RNA interference, production of siRNA Disease: Pulmonary Fibrosis, Idiopathic; Aplastic Anemia; Dyskeratosis Congenita, Autosomal Dominant, 1
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/tert/6502315