UBE1C Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	UBE1C, Polyclonal Antibody
Full Product Name	UBE1C, CT (Ubiquitin-activating Enzyme E1C, NEDD8-activating Enzyme E1 Catalytic Subunit, Ubiquitin-like Modifier-activating Enzyme 3, Ubiquitin-activating Enzyme 3, NEDD8-activating Enzyme E1C, UBA3) (MaxLight 750)
Product Gene Name	anti-UBE1C antibody
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human, Mouse
Form/Format	Supplied as a liquid in PBS, pH 7.2. No preservative added. Labeled with MaxLight750.
Purity/Purification	Purified by Protein G Affinity Chromatography.
Specificity	Recognizes human UBE1C. Species Crossreactivity: mouse.
Preparation and Storage	Store product at 4 degree C in the dark. DO NOT FREEZE! Stable at 4 degree C for 12 months after receipt as an undiluted liquid. Dilute required amount only prior to immediate use. Further dilutions can be made in assay buffer. Caution: MaxLight750 conjugates are sensitive to light. For maximum recovery of product, centrifuge the original vial prior to removing the cap.
Molecular Weight	50,072 Da
OMIM	603172
3D Structure	ModBase 3D Structure for Q8TBC4
Immunogen	Synthetic peptide selected from the C-terminal region of human UBE1C (KLH).
Conjugate	MaxLight750
Note	Preservative Free
Product Categories/Family for anti-UBE1C antibody	Antibodies; Ubiquitin
Applications Tested/Suitable for anti-UBE1C antibody	Immunohistochemistry (IHC), FLISA, Western Blot (WB)
Application Notes for anti-UBE1C antibody	IHC: 1:50-1:100 FLISA: 1:1,000 WB: 1:100-1:500 Applications are based on unconjugated antibody.
Related Product Information for anti-UBE1C antibody	MBS6504450 is an antibody targeting UBE1C. Also known as UBE1C, CT (Ubiquitin-activating Enzyme E1C, NEDD8-activating Enzyme E1 Catalytic Subunit, Ubiquitin-like Modifier-activating Enzyme 3, Ubiquitin-activating Enzyme 3, NEDD8-activating Enzyme E1C, UBA3) (MaxLight 750). Reactive in Human, Mouse. Host: Rabbit.
Product References and Citations for anti-UBE1C antibody	1. Bohnsack, R.N., et al., J. Biol. Chem. 278(29):26823-26830 (2003). 2. Walden, H., et al., Nature 422(6929):330-334 (2003). 3. Gong, L., et al., J. Biol. Chem. 274(17):12036-12042 (1999). 4. Gubin, A.N., et al., Genomics 59(2):168-177 (1999). 5. Osaka, F., et al., Genes Dev. 12(15):2263-2268 (1998).

Other Notes	Small volumes of anti-UBE1C antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for UBE1C. It may not necessarily be applicable to this product.

NCBI GI #	38045942
NCBI GeneID	9039
NCBI Accession #	NP_003959
UniProt Primary Accession #	Q8TBC4
UniProt Secondary Accession #	O76088; Q9NTU3; A6NLB5; A8K027
UniProt Related Accession #	Q8TBC4
GenBank Nucleotide #	NM_003968
NCBI Official Full Name	NEDD8-activating enzyme E1 catalytic subunit isoform 1
NCBI Official Synonym Full Names	ubiquitin-like modifier activating enzyme 3
NCBI Official Symbol	UBA3
NCBI Official Synonym Symbols	NAE2; UBE1C; hUBA3
UniProt Protein Name	NEDD8-activating enzyme E1 catalytic subunit
UniProt Synonym Protein Names	NEDD8-activating enzyme E1C; Ubiquitin-activating enzyme E1C; Ubiquitin-like modifier-activating enzyme 3; Ubiquitin-activating enzyme 3
UniProt Gene Name	UBA3
UniProt Synonym Gene Names	UBE1C; Ubiquitin-activating enzyme 3
UniProt Entry Name	UBA3_HUMAN
NCBI Protein Information	NEDD8-activating enzyme E1 catalytic subunit; NEDD8-activating enzyme E1 subunit 2; NEDD8-activating enzyme E1C; Nedd8-activating enzyme hUba3; UBA3, ubiquitin-activating enzyme E1 homolog; ubiquitin-activating enzyme 3; ubiquitin-activating enzyme E1C (U
UniProt Comments for UBE1C	UBA3: Catalytic subunit of the dimeric UBA3-NAE1 E1 enzyme. E1 activates NEDD8 by first adenylating its C-terminal glycine residue with ATP, thereafter linking this residue to the side chain of the catalytic cysteine, yielding a NEDD8-UBA3 thioester and free AMP. E1 finally transfers NEDD8 to the catalytic cysteine of UBE2M. Down-regulates steroid receptor activity. Necessary for cell cycle progression. Belongs to the ubiquitin-activating E1 family. UBA3 subfamily. 2 isoforms of the human protein are produced by alternative splicing. Protein type: Nuclear receptor co-regulator; EC 6.3.2.19; Ubiquitin ligase; Ligase; Ubiquitin conjugating system; Cell cycle regulation; EC 6.3.2.- Chromosomal Location of Human Ortholog: 3p14.1 Cellular Component: nucleus; cytosol Molecular Function: NEDD8 activating enzyme activity; protein binding; acid-amino acid ligase activity; protein heterodimerization activity; ATP binding Biological Process: protein neddylation; regulation of cell cycle; protein modification process; endomitotic cell cycle; proteolysis

Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-mouse-antibody/ube1c/6504450