
BCL2L11 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	BCL2L11, Polyclonal Antibody
Full Product Name	BCL2L11 Antibody
Product Gene Name	anti-BCL2L11 antibody
Product Synonym Names	BCL2L11; BIM; Bcl-2-like protein 11; Bcl2-L-11; Bcl2-interacting mediator of cell death
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human, Mouse, Rat, Monkey
Form/Format	Liquid; In Phosphate Buffered Saline, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
Purity/Purification	Affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.
Molecular Weight	22,171 Da
Chromosome Location	Chromosome: 2; NC_000002.11 (111878491..111926022). Location: 2q13
OMIM	603827
3D Structure	ModBase 3D Structure for O43521
Immunogen	Synthesized peptide derived from the N-terminal region of human Bim.
Immunogen Species	Human
Conjugate	Non-conjugated
Product Categories/Family for anti-BCL2L11 antibody	Cell Biology
ISO Certification	Manufactured in an ISO 9001:2015 Certified Laboratory.
Applications Tested/Suitable for anti-BCL2L11 antibody	Western Blot (WB), Immunohistochemistry (IHC), ELISA (EIA)
Application Notes for anti-BCL2L11 antibody	WB: 1:500-1:2000 IHC: 1:100-1:300 ELISA: 1:20000
Related Product Information for anti-BCL2L11 antibody	MBS7115999 is an antibody targeting BCL2L11. Also known as BCL2L11 Antibody. Reactive in Human, Mouse, Rat, Monkey. Host: Rabbit.
Other Notes	Small volumes of anti-BCL2L11 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Western Blot (WB) of anti-BCL2L11 antibody
Western Blot analysis of HeLa cells using Bim Polyclonal Antibody

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for BCL2L11. It may not necessarily be applicable to this product.

NCBI GI #	323362959
NCBI GeneID	10018
NCBI Accession #	NP_001191035.1
UniProt Primary Accession #	O43521
UniProt Secondary Accession #	O43522; Q0MSE7; Q0MSE8; Q0MSE9; Q53R28; Q6JTU6; Q6T851; Q6TE14; Q6TE15; Q6TE16; A8K2W2
UniProt Related Accession #	O43521
GenBank Nucleotide #	NM_001204106.1
NCBI Official Full Name	bcl-2-like protein 11 isoform 11
NCBI Official Synonym Full Names	BCL2-like 11 (apoptosis facilitator)
NCBI Official Symbol	BCL2L11
NCBI Official Synonym Symbols	BAM; BIM; BOD
UniProt Protein Name	Bcl-2-like protein 11
UniProt Synonym Protein Names	Bcl2-interacting mediator of cell death
Protein Family	Bcl-2-like protein
UniProt Gene Name	BCL2L11
UniProt Synonym Gene Names	BIM; Bcl2-L-11
UniProt Entry Name	B2L11_HUMAN
NCBI Protein Information	bcl-2-like protein 11; bcl-2 interacting protein Bim; bcl-2-related ovarian death agonist; bcl-2 interacting mediator of cell death
NCBI Summary for BCL2L11	The protein encoded by this gene belongs to the BCL-2 protein family. BCL-2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. The protein encoded by this gene contains a Bcl-2 homology domain 3 (BH3). It has been shown to interact with other members of the BCL-2 protein family and to act as an apoptotic activator. The expression of this gene can be induced by nerve growth factor (NGF), as well as by the forkhead transcription factor FKHR-L1, which suggests a role of this gene in neuronal and lymphocyte apoptosis. Transgenic studies of the mouse counterpart suggested that this gene functions as an essential initiator of apoptosis in thymocyte-negative selection. Several alternatively spliced transcript variants of this gene have been identified. [provided by RefSeq, Jun 2013]

UniProt Comments for BCL2L11	BIM: a pro-apoptotic member of the BCL-2 protein family. Interacts with other members of the BCL-2 protein family, including BCL2, BCL2L1/BCL-X(L), and MCL1, and act as an apoptotic activator. Its expression can be induced by nerve growth factor (NGF), as well as by the forkhead transcription factor FKHR-L1, which suggests a role in neuronal and lymphocyte apoptosis. Transgenic studies in the mouse suggested that this protein functions as an essential initiator of the apoptosis in thymocyte-negative selection. Nineteen alternatively spliced transcript variants of this gene have been reported. Protein type: Apoptosis Chromosomal Location of Human Ortholog: 2q13 Cellular Component: microtubule; mitochondrial outer membrane; extrinsic to membrane; endomembrane system; cytosol Molecular Function: protein binding; microtubule binding Biological Process: nerve growth factor receptor signaling pathway; positive regulation of apoptosis; apoptosis; cell-matrix adhesion; pigmentation during development; myeloid cell homeostasis; ear development; positive regulation of caspase activity; B cell apoptosis; cellular process regulating host cell cycle in response to virus; positive regulation of apoptosis by virus; mammary gland development; B cell homeostasis; positive regulation of neuron apoptosis; T cell homeostasis; kidney development; post-embryonic organ morphogenesis; caspase activation; spleen development; thymus development; in utero embryonic development; positive regulation of protein homooligomerization; male gonad development; positive regulation of cell cycle; regulation of organ growth; lumen formation; odontogenesis of dentine-containing teeth; DNA damage response, signal transduction resulting in induction of apoptosis; regulation of pigmentation during development; spermatogenesis; brain development
Research Articles on BCL2L11	**1.** A significant increase in Bim mRNA in Primary Biliary Cirrhosis was observed, with the most pro-apoptotic isoform dominating in livers of PBC patients.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-monkey-mouse-rat-antibody/bcl2l11/7115999