

ATG4A Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW


Product Name	ATG4A, Polyclonal Antibody
Full Product Name	ATG4A Antibody
Product Gene Name	anti-ATG4A antibody
Product Synonym Names	autophagy related 4A; cysteine peptidase
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Liquid; In Phosphate Buffered Saline, pH 7.4, 0.05% NaN3, and 40% Glycerol
Purity/Purification	Antigen Affinity Purification
Preparation and Storage	Upon receipt, store at -20 degree C or -80 degree C. Avoid repeated freeze.
Molecular Weight	45,378 Da
Chromosome Location	Chromosome: X; NC_000023.10 (107334899..107397901). Location: Xq22.1-q22.3
OMIM	300663
3D Structure	ModBase 3D Structure for Q8WYN0
Immunogen	Synthetic peptide of human ATG4A
Immunogen Species	Human
Conjugate	Non-conjugated
Product Categories/Family for anti-ATG4A antibody	Cancer
ISO Certification	Manufactured in an ISO 9001:2015 Certified Laboratory.
Applications Tested/Suitable for anti-ATG4A antibody	ELISA (EIA), Western Blot (WB), Immunohistochemistry (IHC)
Application Notes for anti-ATG4A antibody	ELISA: 1:2000-1:5000 WB: 1:200-1:1000 IHC: 1:25-1:100
Related Product Information for anti-ATG4A antibody	MBS7128441 is an antibody targeting ATG4A. Also known as ATG4A Antibody. Reactive in Human. Host: Rabbit.
Other Notes	Small volumes of anti-ATG4A antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Immunohistochemistry (IHC)-Paraffin of anti-ATG4A antibody
The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using MBS7128441(ATG4A Antibody) at dilution 1/30, on the right is treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry (IHC)-Paraffin of anti-ATG4A antibody
The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using MBS7128441(ATG4A Antibody) at dilution 1/30, on the right is treated with synthetic peptide. (Original magnification: ×200)



SDS-Page of anti-ATG4A antibody
Gel: 10%SDS-PAGE, Lysate: 40 ug, Lane 1-2: 231 cells, human liver cancer tissue, Primary antibody: MBS7128441(ATG4A Antibody) at dilution 1/300, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 10 minutes

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for ATG4A. It may not necessarily be applicable to this product.

NCBI GI #	30795252
NCBI GeneID	115201
NCBI Accession #	NP_443168.2
UniProt Primary Accession #	Q8WYN0
UniProt Secondary Accession #	O95534; Q5JYY9; Q5JYZ0; Q86VE5; Q96KQ0; Q96KQ1; A6NCH2; B2RAZ7; D3DUY0
UniProt Related Accession #	Q8WYN0
GenBank Nucleotide #	NM_052936.3
NCBI Official Full Name	cysteine protease ATG4A isoform a
NCBI Official Synonym Full Names	autophagy related 4A, cysteine peptidase
NCBI Official Symbol	ATG4A
NCBI Official Synonym Symbols	APG4A; AUTL2
UniProt Protein Name	Cysteine protease ATG4A
UniProt Synonym Protein Names	AUT-like 2 cysteine endopeptidase; Autophagin-2; Autophagy-related cysteine endopeptidase 2; Autophagy-related protein 4 homolog A
Protein Family	Cysteine protease

UniProt Gene Name	ATG4A
UniProt Synonym Gene Names	APG4A; AUTL2; hAPG4A
UniProt Entry Name	ATG4A_HUMAN
NCBI Protein Information	cysteine protease ATG4A; hAPG4A; autophagin 2; autophagin-2; APG4 autophagy 4 homolog A; AUT-like 2 cysteine endopeptidase; ATG4 autophagy related 4 homolog A; AUT-like 2, cysteine endopeptidase; autophagy-related protein 4 homolog A; autophagy-related cy
NCBI Summary for ATG4A	Autophagy is the process by which endogenous proteins and damaged organelles are destroyed intracellularly. Autophagy is postulated to be essential for cell homeostasis and cell remodeling during differentiation, metamorphosis, non-apoptotic cell death, and aging. Reduced levels of autophagy have been described in some malignant tumors, and a role for autophagy in controlling the unregulated cell growth linked to cancer has been proposed. This gene encodes a member of the autophagin protein family. The encoded protein is also designated as a member of the C-54 family of cysteine proteases. Transcript variants that encode distinct isoforms have been identified. [provided by RefSeq, Jul 2008]
UniProt Comments for ATG4A	ATG4A: Cysteine protease required for autophagy, which cleaves the C-terminal part of either MAP1LC3, GABARAPL2 or GABARAP, allowing the liberation of form I. A subpopulation of form I is subsequently converted to a smaller form (form II). Form II, with a revealed C-terminal glycine, is considered to be the phosphatidylethanolamine (PE)-conjugated form, and has the capacity for the binding to autophagosomes. Preferred substrate is GABARAPL2 followed by MAP1LC3A and GABARAP. Widely expressed, at a low level, and the highest expression is observed in skeletal muscle and brain. Also detected in fetal liver. Inhibited by N-ethylmaleimide. Belongs to the peptidase C54 family. 4 isoforms of the human protein are produced by alternative splicing. Protein type: EC 3.4.22.-; Microtubule-binding; Autophagy; Protease Chromosomal Location of Human Ortholog: Xq22.3 Cellular Component: cytoplasm; cytosol Molecular Function: cysteine-type endopeptidase activity; cysteine-type peptidase activity Biological Process: protein delipidation; mitochondrion degradation; C-terminal protein lipidation; protein processing; protein targeting to membrane; proteolysis; autophagic vacuole formation; cellular response to nitrogen starvation
Research Articles on ATG4A	**1.** no association between SNP rs807185 and the presence of granulomas in Crohn's disease
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.