CD86 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	CD86, Polyclonal Antibody
Full Product Name	Anti-CD86 Antibody, Rabbit Polyclonal
Product Gene Name	anti-CD86 antibody
Product Synonym Names	CD86/B7-2/B70 Antibody, Rabbit PAb, Antigen Affinity Purified; CD86 antigen; Anti-B7-2 Antibody; Anti-B7.2 Antibody; Anti-B70 Antibody; Anti-CD28LG2 Antibody; Anti-LAB72 Antibody
Clonality	Polyclonal
Isotype	Rabbit IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Liquid; 0.2um filtered solution in PBS
Purity/Purification	Protein A & Antigen Affinity
Specificity	Human CD86/B7-2/B70
Preparation and Storage	This antibody can be stored at 2-8 degree C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20 degree C to -80 degree C. Preservative-Free. Avoid repeated freeze-thaw cycles.
Molecular Weight	28,420 Da
Immunogen	Recombinant Human CD86 protein
Conjugation	Unconjugated
Preparation	Produced in rabbits immunized with purified, recombinant Human CD86/B7-2 (rh CD86). CD86 specific IgG was purified by human CD86 affinity chromatography .
Product Categories/Family for anti-CD86 antibody	Cancer Drug Targets
Applications Tested/Suitable for anti-CD86 antibody	ELISA (EIA)
Application Notes for anti-CD86 antibody	ELISA: 1:1000-1:2000
Related Product Information for anti-CD86 antibody	CD86, also known as B-lymphocyte activation antigen B7-2 (referred to as B70), is a member of the cell surface immunoglobulin superfamily. B7-2 exists predominantly as a monomer on cell surfaces and interacts with two co-stimulatory receptors CD28 and cytotoxic T lymphocyte-associated antigen 4 (CTLA-4) expressed on T cells, and thus induces the signal pathways which regulate T cell activation and tolerance, cytokine production, and the generation of CTL. It is indicated that contacts between B and T helper cells mediated by CD86 encourage signals for the proliferation and IgG secretion of normal B cells and B cell lymphomas. A recent study has revealed that CD86 also promotes the generation of a mature APC repertoire and promotes APC function and survival. CD86 has an important role in chronic hemodialysis, allergic pulmonary inflammation, arthritis, and antiviral responses, and thus is regarded as a promising candidate for immune therapy.
Product References and Citations for anti-CD86 antibody	Chen YQ, et al. (2006) CD28/CTLA-4--CD80/CD86 and ICOS--B7RP-1 costimulatory pathway in bronchial asthma. Allergy. 61(1): 15-26.Rau FC, et al. (2009) B7-1/2 (CD80/CD86) direct signaling to B cells enhances IgG secretion. J Immunol. 183(12): 7661-71.Dai ZS, et al. (2009) Defective expression and modulation of B7-2/CD86 on B cells in B cell chronic lymphocytic leukemia. Int J Hematol. 89(5): 656-63.

Other Notes	Small volumes of anti-CD86 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for CD86 purchase	MBS8103606 is an antibody targeting CD86. Also known as Anti-CD86 Antibody, Rabbit Polyclonal. Reactive in Human. Host: Rabbit.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for CD86. It may not necessarily be applicable to this product.

NCBI GI #	91208433
NCBI GeneID	942
NCBI Accession #	NP_008820.2
UniProt Secondary Accession #	Q13655; Q6FHB1; Q6GTS4; Q7M4L5; A0N0P0; B7Z2F3; B7Z702; E7ETN5; E9PC27
UniProt Related Accession #	P42081
GenBank Nucleotide #	NM_006889.3
NCBI Official Full Name	T-lymphocyte activation antigen CD86 isoform 2
NCBI Official Synonym Full Names	CD86 molecule
NCBI Official Symbol	CD86
NCBI Official Synonym Symbols	B70; B7-2; B7.2; LAB72; CD28LG2
Protein Family	T-lymphocyte activation antigen
NCBI Protein Information	T-lymphocyte activation antigen CD86
NCBI Summary for CD86	This gene encodes a type I membrane protein that is a member of the immunoglobulin superfamily. This protein is expressed by antigen-presenting cells, and it is the ligand for two proteins at the cell surface of T cells, CD28 antigen and cytotoxic T-lymphocyte-associated protein 4. Binding of this protein with CD28 antigen is a costimulatory signal for activation of the T-cell. Binding of this protein with cytotoxic T-lymphocyte-associated protein 4 negatively regulates T-cell activation and diminishes the immune response. Alternative splicing results in several transcript variants encoding different isoforms.[provided by RefSeq, May 2011]
Research Articles on CD86	**1.** B-cells from patients tolerant to the graft maintained higher IL-10 production after CD40 ligation, which correlates with lower CD86 expression compared to patients with chronic rejection.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/cd86/8103606