

MSH3 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	MSH3, Polyclonal Antibody
Full Product Name	Anti-MSH3 Antibody
Product Gene Name	anti-MSH3 antibody
Product Synonym Names	DUC1; DUG; DNA mismatch repair protein Msh3; hMSH3; Divergent upstream protein; DUP; Mismatch repair protein 1; MRP1
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Specificity	Recognizes endogenous levels of MSH3 protein.
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.
Antibody/Peptide Pairs	MSH3 peptide (MBS8240341) is used for blocking the activity of MSH3 antibody (MBS8237727)
Molecular Weight	127,412 Da
OMIM	600887
3D Structure	ModBase 3D Structure for P20585
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human MSH3. The exact sequence is proprietary.
Applications Tested/Suitable for anti-MSH3 antibody	Western Blot (WB), Immunohistochemistry (IHC)
Application Notes for anti-MSH3 antibody	WB (1/500 - 1/1000), IHC (1/100 - 1/200)
Related Product Information for anti-MSH3 antibody	MBS8237727 is an antibody targeting MSH3. Reactive in Human. Host: Rabbit. Rabbit polyclonal antibody to MSH3
Other Notes	Small volumes of anti-MSH3 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Western Blot (WB) of anti-MSH3 antibody
Western blot analysis of MSH3 expression in A549 (A), HeLa (B) whole cell lysates.



Immunohistochemistry (IHC) of anti-MSH3 antibody
Immunohistochemical analysis of MSH3 staining in human colon cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for MSH3. It may not necessarily be applicable to this product.

NCBI GI #	284813531
NCBI GeneID	4437
NCBI Accession #	NP_002430.3
UniProt Primary Accession #	P20585
UniProt Secondary Accession #	Q6PJT5; Q86UQ6; Q92867; A1L480; A1L482; A6NMM6
UniProt Related Accession #	P20585
GenBank Nucleotide #	NM_002439.4
NCBI Official Full Name	DNA mismatch repair protein Msh3
NCBI Official Synonym Full Names	mutS homolog 3
NCBI Official Symbol	MSH3
NCBI Official Synonym Symbols	DUP; MRP1
UniProt Protein Name	DNA mismatch repair protein Msh3
UniProt Synonym Protein Names	Divergent upstream protein; DUP; Mismatch repair protein 1; MRP1
Protein Family	DNA mismatch repair protein
UniProt Gene Name	MSH3
UniProt Synonym Gene Names	DUC1; DUG; hMSH3; DUP; MRP1
UniProt Entry Name	MSH3_HUMAN
NCBI Protein Information	DNA mismatch repair protein Msh3
NCBI Summary for MSH3	The protein encoded by this gene forms a heterodimer with MSH2 to form MutS beta, part of the post-replicative DNA mismatch repair system. MutS beta initiates mismatch repair by binding to a mismatch and then forming a complex with MutL alpha heterodimer. This gene contains a polymorphic 9 bp tandem repeat sequence in the first exon. The repeat is present 6 times in the reference genome sequence and 3-7 repeats have been reported. Defects in this gene are a cause of susceptibility to endometrial cancer. [provided by RefSeq, Mar 2011]

UniProt Comments for MSH3	MSH3: Component of the post-replicative DNA mismatch repair system (MMR). Heterodimerizes with MSH2 to form MutS beta which binds to DNA mismatches thereby initiating DNA repair. When bound, the MutS beta heterodimer bends the DNA helix and shields approximately 20 base pairs. MutS beta recognizes large insertion- deletion loops (IDL) up to 13 nucleotides long. After mismatch binding, forms a ternary complex with the MutL alpha heterodimer, which is thought to be responsible for directing the downstream MMR events, including strand discrimination, excision, and resynthesis. Defects in MSH3 are a cause of susceptibility to endometrial cancer (ENDMC). Belongs to the DNA mismatch repair MutS family. MSH3 subfamily. Protein type: DNA repair, damage Chromosomal Location of Human Ortholog: 5q11-q12 Cellular Component: nucleoplasm; nuclear chromosome; membrane; nucleus; MutSbeta complex Molecular Function: DNA-dependent ATPase activity; double-strand/single-strand DNA junction binding; protein homodimerization activity; dinucleotide repeat insertion binding; oxidized purine DNA binding; loop DNA binding; mismatched DNA binding; centromeric DNA binding; Y-form DNA binding; protein binding; enzyme binding; single guanine insertion binding; guanine/thymine mispair binding; dinucleotide insertion or deletion binding; ATP binding; single-stranded DNA binding Biological Process: positive regulation of helicase activity; negative regulation of DNA recombination; mismatch repair; meiotic recombination; somatic recombination of immunoglobulin gene segments; DNA repair; maintenance of DNA repeat elements; meiotic mismatch repair Disease: Endometrial Cancer
Research Articles on MSH3	**1.** IL6 signaling disrupts the nuclear localization of hMSH3 and DNA repair, leading to elevated microsatellite alterations at selected tetranucleotide repeats in cancer cell lines.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/msh3/8237727