
CD24 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	CD24, Polyclonal Antibody
Full Product Name	Anti-CD24 Antibody
Product Gene Name	anti-CD24 antibody
Product Synonym Names	CD24A; Signal transducer CD24; Small cell lung carcinoma cluster 4 antigen; CD24
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human, Mouse
Form/Format	Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH7.3, 30% glycerol, and 0.01% sodium azide.
Purity/Purification	The antibody was purified by immunogen affinity chromatography.
Specificity	Recognizes endogenous levels of CD24 protein
Preparation and Storage	Shipped at 4 degree C. Upon delivery aliquot and store at -20 degree C for one year. Avoid freeze/thaw cycles.
Molecular Weight	80
OMIM	phenotype 600074
3D Structure	ModBase 3D Structure for P25063
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human CD24. The exact sequence is proprietary.
Product Categories/Family for anti-CD24 antibody	Primary Antibody
Applications Tested/Suitable for anti-CD24 antibody	Western Blot (WB)
Application Notes for anti-CD24 antibody	WB: 1:500-1:1000
Related Product Information for anti-CD24 antibody	MBS8327170 is an antibody targeting CD24. Reactive in Human, Mouse. Host: Rabbit. Rabbit polyclonal antibody to CD24
Other Notes	Small volumes of anti-CD24 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.



Western Blot (WB) of anti-CD24 antibody
Western blot analysis of CD24 expression in MCF7 (A), mouse kidney (B) whole cell lysates.
(Predicted band size: 8 kD; Observed band size: 43 kD)

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for CD24. It may not necessarily be applicable to this product.

NCBI GI #	143811372
NCBI GeneID	100133941
NCBI Accession #	P25063.2
UniProt Primary Accession #	P25063
UniProt Secondary Accession #	P24807
UniProt Related Accession #	P25063
NCBI Official Full Name	Signal transducer CD24
NCBI Official Synonym Full Names	CD24 molecule
NCBI Official Symbol	CD24
NCBI Official Synonym Symbols	CD24A
UniProt Protein Name	Signal transducer CD24
UniProt Synonym Protein Names	Small cell lung carcinoma cluster 4 antigen; CD_antigen: CD24
Protein Family	Signal transducer
UniProt Gene Name	CD24
UniProt Synonym Gene Names	CD24A
UniProt Entry Name	CD24_HUMAN
NCBI Protein Information	signal transducer CD24; CD24 antigen (small cell lung carcinoma cluster 4 antigen)
NCBI Summary for CD24	This gene encodes a sialoglycoprotein that is expressed on mature granulocytes and B cells and modulates growth and differentiation signals to these cells. The precursor protein is cleaved to a short 32 amino acid mature peptide which is anchored via a glycosyl phosphatidylinositol (GPI) link to the cell surface. This gene was missing from previous genome assemblies, but is properly located on chromosome 6. Non-transcribed pseudogenes have been designated on chromosomes 1, 15, 20, and Y. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2014]

UniProt Comments for CD24	CD24: Modulates B-cell activation responses. Signaling could be triggered by the binding of a lectin-like ligand to the CD24 carbohydrates, and transduced by the release of second messengers derived from the GPI-anchor. Promotes AG-dependent proliferation of B-cells, and prevents their terminal differentiation into antibody-forming cells. Genetic variations in CD24 are associated with susceptibility to multiple sclerosis (MS). A multifactorial, inflammatory, demyelinating disease of the central nervous system. Sclerotic lesions are characterized by perivascular infiltration of monocytes and lymphocytes and appear as indurated areas in pathologic specimens (sclerosis in plaques). The pathological mechanism is regarded as an autoimmune attack of the myelin sheat, mediated by both cellular and humoral immunity. Clinical manifestations include visual loss, extra-ocular movement disorders, paresthesias, loss of sensation, weakness, dysarthria, spasticity, ataxia and bladder dysfunction. Genetic and environmental factors influence susceptibility to the disease. Polymorphisms in CD24 may act as a genetic modifier for susceptibility and progression of MS in some populations, perhaps by affecting the efficiency of CD24 expression on the cell surface. Belongs to the CD24 family. Protein type: Membrane protein, GPI anchor; Cell surface; Cell development/differentiation; Motility/polarity/chemotaxis Chromosomal Location of Human Ortholog: 6q21 Cellular Component: cell surface; membrane; plasma membrane; lipid raft Molecular Function: protein binding; signal transducer activity; protein tyrosine kinase activator activity; protein kinase binding Biological Process: respiratory burst; axon guidance; cell migration; Wnt receptor signaling pathway; regulation of phosphorylation; B cell receptor transport into lipid raft; immune response-regulating cell surface receptor signaling pathway; chemokine receptor transport out of lipid raft; positive regulation of activated T cell proliferation; positive regulation of MAP kinase activity; cell activation; cholesterol homeostasis; cell-cell adhesion; elevation of cytosolic calcium ion concentration; response to estrogen stimulus; response to molecule of bacterial origin; regulation of MAPKKK cascade; negative regulation of transforming growth factor-beta3 production; T cell costimulation; regulation of epithelial cell differentiation; response to hypoxia; regulation of cytokine and chemokine mediated signaling pathway Disease: Multiple Sclerosis, Susceptibility To
Research Articles on CD24	**1.** CD133+ renal stem cells always co-express CD24 in adult human kidney.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-mouse-antibody/cd24/8327170