PCGF1 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	PCGF1, Polyclonal Antibody
Full Product Name	PCGF1 (Center) Rabbit pAb
Product Gene Name	anti-PCGF1 antibody
Product Synonym Names	NSPC1; RNF68; RNF3A-2; 2010002K04Rik
Clonality	Polyclonal
Isotype	Ig
Host	Rabbit
Species Reactivity	Human, Mouse, Rat
Form/Format	PBS with 0.09% (W/V) Sodium Azide, pH 7.3.
Purity/Purification	Affinity Purified
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.
Molecular Weight	30; 21; 30; 29kDa
OMIM	AF087884 mRNA
3D Structure	ModBase 3D Structure for Q9BSM1
Immunogen	This PCGF1 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 117-151 amino acids from the central region of human PCGF1.
Cellular Localization	Nucleus
ISO Certification	Manufactured in an ISO 9001:2015 Certified Laboratory.
Applications Tested/Suitable for anti-PCGF1 antibody	Western Blot (WB)
Application Notes for anti-PCGF1 antibody	WB: 1:1000
Related Product Information for anti-PCGF1 antibody	Component of the Polycomb group (PcG) multiprotein BCOR complex, a complex required to maintain the transcriptionally repressive state of some genes, such as BCL6 and the cyclin-dependent kinase inhibitor, CDKN1A. Transcriptional repressor that may be targeted to the DNA by BCL6; this transcription repressor activity may be related to PKC signaling pathway. Represses CDKN1A expression by binding to its promoter, and this repression is dependent on the retinoic acid response element (RARE element). Promotes cell cycle progression and enhances cell proliferation as well. May have a positive role in tumor cell growth by down-regulating CDKN1A. Component of a Polycomb group (PcG) multiprotein PRC1-like complex, a complex class required to maintain the transcriptionally repressive state of many genes, including Hox genes, throughout development. PcG PRC1 complex acts via chromatin remodeling and modification of histones; it mediates monoubiquitination of histone H2A 'Lys-119', rendering chromatin heritably changed in its expressibility.
Other Notes	Small volumes of anti-PCGF1 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for PCGF1 purchase	MBS8558931 is an antibody targeting PCGF1. Also known as PCGF1 (Center) Rabbit pAb. Reactive in Human, Mouse, Rat. Host: Rabbit.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for PCGF1. It may not necessarily be applicable to this product.

NCBI GI #	109240538
NCBI GeneID	84759
NCBI Accession #	NP_116062.2
UniProt Primary Accession #	Q9BSM1
UniProt Related Accession #	Q9BSM1
GenBank Nucleotide #	NP_116062.2
NCBI Official Full Name	polycomb group RING finger protein 1
NCBI Official Synonym Full Names	polycomb group ring finger 1
NCBI Official Symbol	PCGF1
NCBI Official Synonym Symbols	NSPC1; RNF68; RNF3A-2; 2010002K04Rik
UniProt Protein Name	Polycomb group RING finger protein 1
UniProt Synonym Protein Names	Nervous system Polycomb-1; NSPc1; RING finger protein 68
Protein Family	Polycomb group RING finger protein
UniProt Gene Name	PCGF1
UniProt Synonym Gene Names	NSPC1; RNF68; NSPc1
NCBI Protein Information	polycomb group RING finger protein 1
NCBI Summary for PCGF1	PCGF1 is a mammalian homolog of the Drosophila polycomb group genes, which act as transcriptional repressors to regulate anterior-posterior patterning in early embryonic development (Nunes et al., 2001 [PubMed 11287196]). See also PCGF2 (MIM 600346).[supplied by OMIM, Aug 2008]
UniProt Comments for PCGF1	PCGF1: Component of the Polycomb group (PcG) multiprotein BCOR complex, a complex required to maintain the transcriptionally repressive state of some genes, such as BCL6 and the cyclin- dependent kinase inhibitor, CDKN1A. Transcriptional repressor that may be targeted to the DNA by BCL6; this transcription repressor activity may be related to PKC signaling pathway. Represses CDKN1A expression by binding to its promoter, and this repression is dependent on the retinoic acid response element (RARE element). Promotes cell cycle progression and enhances cell proliferation as well. May have a positive role in tumor cell growth by down- regulating CDKN1A. Component of a Polycomb group (PcG) multiprotein PRC1-like complex, a complex class required to maintain the transcriptionally repressive state of many genes, including Hox genes, throughout development. PcG PRC1 complex acts via chromatin remodeling and modification of histones; it mediates monoubiquitination of histone H2A 'Lys-119', rendering chromatin heritably changed in its expressibility. 2 isoforms of the human protein are produced by alternative splicing. Protein type: EC 6.3.2.-; Ligase; Ubiquitin conjugating system; Ubiquitin ligase Chromosomal Location of Human Ortholog: 2p13.1 Cellular Component: nucleoplasm; nucleus; PcG protein complex Molecular Function: metal ion binding; protein binding; protein C-terminus binding Biological Process: regulation of transcription, DNA-templated; transcription, DNA-dependent
Research Articles on PCGF1	**1.** The results of the present study demonstrated that miR320a inhibition decreased insulininduced KGN cell proliferation and apoptosis by targeting PCGF1.

Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-mouse-rat-antibody/pcgf1/8558931