IRGM Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	IRGM, Polyclonal Antibody
Full Product Name	IRGM Antibody
Product Gene Name	anti-IRGM antibody
Product Synonym Names	IFI1; IRGM1; LRG47; LRG-47
Clonality	Polyclonal
Isotype	Rabbit IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.
Purity/Purification	Antigen affinity purification.
Specificity	The antibody detects endogenous levels of total IRGM protein.
Preparation and Storage	Store at 4 degree C short term. Aliquot and store at -20 degree C long term. Avoid freeze/thaw cycles.
Molecular Weight	20,142 Da
OMIM	608212
3D Structure	ModBase 3D Structure for A1A4Y4
Immunogen	Full length fusion protein
Product Categories/Family for anti-IRGM antibody	Primary Antibody
ISO Certification	Manufactured in an ISO 9001:2015 Certified Laboratory.
Applications Tested/Suitable for anti-IRGM antibody	Western Blot (WB), Immunohistochemistry (IHC)
Application Notes for anti-IRGM antibody	WB: 1:200-1:1000 IHC: 1:50-1:200
Related Product Information for anti-IRGM antibody	This gene encodes a member of the p47 immunity-related GTPase family. The encoded protein may play a role in the innate immune response by regulating autophagy formation in response to intracellular pathogens. Polymorphisms that affect the normal expression of this gene are associated with a susceptibility to Crohn's disease and tuberculosis
Other Notes	Small volumes of anti-IRGM antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for IRGM purchase	MBS8589908 is an antibody targeting IRGM. Also known as IRGM Antibody. Reactive in Human. Host: Rabbit.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for IRGM. It may not necessarily be applicable to this product.

NCBI GI #	224809576

NCBI GeneID	345611
NCBI Accession #	NP_001139277.1
UniProt Primary Accession #	A1A4Y4
UniProt Secondary Accession #	B3VEX0
UniProt Related Accession #	A1A4Y4
GenBank Nucleotide #	NM_001145805.1
NCBI Official Full Name	immunity-related GTPase family M protein
NCBI Official Synonym Full Names	immunity-related GTPase family, M
NCBI Official Symbol	IRGM
NCBI Official Synonym Symbols	IFI1; IRGM1; LRG47; LRG-47
UniProt Protein Name	Immunity-related GTPase family M protein
UniProt Synonym Protein Names	Immunity-related GTPase family M protein 1; Interferon-inducible protein 1; LPS-stimulated RAW 264.7 macrophage protein 47 homolog; LRG-47
Protein Family	Immunity-related GTPase family M protein
UniProt Gene Name	IRGM
UniProt Synonym Gene Names	IFI1; IRGM1; LRG47; LRG-47
UniProt Entry Name	IRGM_HUMAN
NCBI Protein Information	immunity-related GTPase family M protein; LPS-stimulated RAW 264.7 macrophage protein 47 homolog; LRG-47-like protein; immunity-related GTPase family, M1; interferon-inducible protein 1
NCBI Summary for IRGM	This gene encodes a member of the p47 immunity-related GTPase family. The encoded protein may play a role in the innate immune response by regulating autophagy formation in response to intracellular pathogens. Polymorphisms that affect the normal expression of this gene are associated with a susceptibility to Crohn's disease and tuberculosis.[provided by RefSeq, Oct 2010]
UniProt Comments for IRGM	IRGM: Putative GTPase which is required for clearance of acute protozoan and bacterial infections. Functions in innate immune response probably through regulation of autophagy. May regulate proinflammatory cytokine production and prevent endotoxemia upon infection. May also play a role in macrophages adhesion and motility. Defects in IRGM are the cause of susceptibility to inflammatory bowel disease type 19 (IBD19). A chronic, relapsing inflammation of the gastrointestinal tract with a complex etiology. It is subdivided into Crohn disease and ulcerative colitis phenotypes. Crohn disease may affect any part of the gastrointestinal tract from the mouth to the anus, but most frequently it involves the terminal ileum and colon. Bowel inflammation is transmural and discontinuous; it may contain granulomas or be associated with intestinal or perianal fistulas. In contrast, in ulcerative colitis, the inflammation is continuous and limited to rectal and colonic mucosal layers; fistulas and granulomas are not observed. Both diseases include extraintestinal inflammation of the skin, eyes, or joints. Belongs to the interferon-inducible GTPase family. Protein type: Hydrolase; Endoplasmic reticulum; EC 3.6.5.- Chromosomal Location of Human Ortholog: 5q33.1 Cellular Component: Golgi membrane; phagocytic vesicle membrane; cell projection; phagocytic cup Molecular Function: GTP binding; hydrolase activity Biological Process: autophagy; innate immune response; inflammatory response Disease: Mycobacterium Tuberculosis, Susceptibility To; Inflammatory Bowel Disease 19
Research Articles on IRGM	**1.** the presence of the IRGM1 rs13361189 variant allele was associated with a lower use of immunosuppressant therapy, high-lighting a possible role in the development of a milder phenotype.

Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/irgm/8589908