
KDR Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	KDR, Polyclonal Antibody
Full Product Name	KDR Polyclonal Antibody
Product Gene Name	anti-KDR antibody
Product Synonym Names	CD309; FLK1; VEGFR; VEGFR2
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Mouse
Purity/Purification	Affinity Purification
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.
Molecular Weight	152kDa
OMIM	EU826563 mRNA
3D Structure	ModBase 3D Structure for P35968
Immunogen	Recombinant protein of human KDR
Storage Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Product Categories/Family for anti-KDR antibody	Primary antibody
ISO Certification	Manufactured in an ISO 9001:2015 Certified Laboratory.
Applications Tested/Suitable for anti-KDR antibody	Western Blot (WB)
Application Notes for anti-KDR antibody	WB: 1:500 - 1:2000
Related Product Information for anti-KDR antibody	Vascular endothelial growth factor (VEGF) is a major growth factor for endothelial cells. This gene encodes one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main mediator of VEGF-induced endothelial proliferation, survival, migration, tubular morphogenesis and sprouting. The signalling and trafficking of this receptor are regulated by multiple factors, including Rab GTPase, P2Y purine nucleotide receptor, integrin alphaVbeta3, T-cell protein tyrosine phosphatase, etc.. Mutations of this gene are implicated in infantile capillary hemangiomas.
Other Notes	Small volumes of anti-KDR antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for KDR purchase	MBS9131332 is an antibody targeting KDR. Also known as KDR Polyclonal Antibody. Reactive in Mouse. Host: Rabbit.



Western Blot (WB) of anti-KDR antibody
Western blot analysis of extracts of various cell lines, using KDR antibody at 1:1000 dilution.Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (MBS128200) at 1:10000 dilution.Lysates/proteins: 25ug per lane.Blocking buffer: 3% nonfat dry milk in TBST.Detection: ECL Basic Kit.Exposure time: 90s.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for KDR. It may not necessarily be applicable to this product.

NCBI GI #	9087218
NCBI GeneID	3791
NCBI Accession #	P35968.2
UniProt Primary Accession #	P35968
UniProt Secondary Accession #	O60723; Q14178; A2RRS0; B5A925; C5IFA0
UniProt Related Accession #	P35968
NCBI Official Full Name	Vascular endothelial growth factor receptor 2
NCBI Official Synonym Full Names	kinase insert domain receptor
NCBI Official Symbol	KDR
NCBI Official Synonym Symbols	FLK1; CD309; VEGFR; VEGFR2
UniProt Protein Name	Vascular endothelial growth factor receptor 2
UniProt Synonym Protein Names	Fetal liver kinase 1; FLK-1; Kinase insert domain receptor; KDR; Protein-tyrosine kinase receptor flk-1; CD_antigen: CD309
Protein Family	Vascular endothelial growth factor receptor
UniProt Gene Name	KDR
UniProt Synonym Gene Names	FLK1; VEGFR2; VEGFR-2; FLK-1; KDR
NCBI Protein Information	vascular endothelial growth factor receptor 2

UniProt Comments for KDR	Tyrosine-protein kinase that acts as a cell-surface receptor for VEGFA, VEGFC and VEGFD. Plays an essential role in the regulation of angiogenesis, vascular development, vascular permeability, and embryonic hematopoiesis. Promotes proliferation, survival, migration and differentiation of endothelial cells. Promotes reorganization of the actin cytoskeleton. Isoforms lacking a transmembrane domain, such as isoform 2 and isoform 3, may function as decoy receptors for VEGFA, VEGFC and/or VEGFD. Isoform 2 plays an important role as negative regulator of VEGFA- and VEGFC-mediated lymphangiogenesis by limiting the amount of free VEGFA and/or VEGFC and preventing their binding to FLT4. Modulates FLT1 and FLT4 signaling by forming heterodimers. Binding of vascular growth factors to isoform 1 leads to the activation of several signaling cascades. Activation of PLCG1 leads to the production of the cellular signaling molecules diacylglycerol and inositol 1,4,5-trisphosphate and the activation of protein kinase C. Mediates activation of MAPK1/ERK2, MAPK3/ERK1 and the MAP kinase signaling pathway, as well as of the AKT1 signaling pathway. Mediates phosphorylation of PIK3R1, the regulatory subunit of phosphatidylinositol 3-kinase, reorganization of the actin cytoskeleton and activation of PTK2/FAK1. Required for VEGFA-mediated induction of NOS2 and NOS3, leading to the production of the signaling molecule nitric oxide (NO) by endothelial cells. Phosphorylates PLCG1. Promotes phosphorylation of FYN, NCK1, NOS3, PIK3R1, PTK2/FAK1 and SRC.
Research Articles on KDR	**1.** miR-410-3p, miR-497-5p, and miR-2355-5p are up-regulated in endothelial progenitor cells from coronary artery disease patients and VEGFR2 was common target gene.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-mouse-antibody/kdr/9131332