

CTIP Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	CTIP, Polyclonal Antibody
Full Product Name	Anti-CTIP (pS327) Antibody
Product Gene Name	anti-CTIP antibody
Product Synonym Gene Name	RBBP8
Product Synonym Names	CTIP; DNA endonuclease RBBP8; CtBP-interacting protein; CtIP; Retinoblastoma-binding protein 8; RBBP-8; Retinoblastoma-interacting protein and myosin-like; RIM; Sporulation in the absence of SPO11 protein 2 homolog; SAE2
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human, Mouse, Monkey
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.
Molecular Weight	101,942 Da
Chromosome Location	Chromosome: 18; NC_000018.9 (20513295..20606449). Location: 18q11.2
OMIM	251255
3D Structure	ModBase 3D Structure for Q99708
Applications Tested/Suitable for anti-CTIP antibody	Western Blot (WB)
Related Product Information for anti-CTIP antibody	Rabbit polyclonal antibody to CTIP (pS327) KLH-conjugated synthetic peptide encompassing a sequence within the center region of human CTIP (pS327). The exact sequence is proprietary.
Other Notes	Small volumes of anti-CTIP antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for CTIP purchase	MBS9239505 is an antibody targeting CTIP. Also known as Anti-CTIP (pS327) Antibody. Reactive in Human, Mouse, Monkey. Host: Rabbit.



Wester Blot (WB) of anti-CTIP antibody
Dilution: WB (1/500 - 1/1000)Western blot analysis of CTIP (pS327) expression in U87 (A), PC3 (B), MCF7 (C) whole cell lysates.



ELISA (EIA) of anti-CTIP antibody
Dilution: E WB (1/500 - 1/1000)Direct ELISA antibody dose-response curve using Anti-CTIP (pS327) Antibody. Antigen (phosphopeptide and non-phosphopeptide) concentration is 5 ug/ml. Goat Anti-Rabbit IgG (H&L) - HRP was used as the secondary antibody, and signal was developed by TMB substrate.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for CTIP. It may not necessarily be applicable to this product.

NCBI GI #	4506441
NCBI GeneID	5932
NCBI Accession #	NP_002885.1
UniProt Primary Accession #	Q99708
UniProt Secondary Accession #	O75371; Q8NHQ3; A6NKN2; A8K8W6; E7ETY1
UniProt Related Accession #	Q99708
GenBank Nucleotide #	NM_002894.2
NCBI Official Full Name	DNA endonuclease RBBP8 isoform a
NCBI Official Synonym Full Names	retinoblastoma binding protein 8
NCBI Official Symbol	RBBP8
NCBI Official Synonym Symbols	RIM; COM1; CTIP; JWDS; SAE2; SCKL2
UniProt Protein Name	DNA endonuclease RBBP8
UniProt Synonym Protein Names	CtBP-interacting protein; CtIP; Retinoblastoma-binding protein 8; RBBP-8; Retinoblastoma-interacting protein and myosin-like; RIM; Sporulation in the absence of SPO11 protein 2 homolog
UniProt Gene Name	RBBP8
UniProt Synonym Gene Names	CTIP; CtIP; RBBP-8; RIM; SAE2
UniProt Entry Name	COM1_HUMAN
NCBI Protein Information	DNA endonuclease RBBP8; RBBP-8; CTBP-interacting protein; sporulation in the absence of SPO11 protein 2 homolog
NCBI Summary for CTIP	The protein encoded by this gene is a ubiquitously expressed nuclear protein. It is found among several proteins that bind directly to retinoblastoma protein, which regulates cell proliferation. This protein complexes with transcriptional co-repressor CTBP. It is also associated with BRCA1 and is thought to modulate the functions of BRCA1 in transcriptional regulation, DNA repair, and/or cell cycle checkpoint control. It is suggested that this gene may itself be a tumor suppressor acting in the same pathway as BRCA1. Three transcript variants encoding two different isoforms have been found for this gene. More transcript variants exist, but their full-length natures have not been determined. [provided by RefSeq, Jul 2008]

UniProt Comments for CTIP	CtIP: a transcription factor containing C2H2 zinc fingers. May modulate the functions ascribed to BRCA1 in transcriptional regulation, DNA repair, and/or cell cycle checkpoint control. Interacts with CTBP, with the C-terminal (BRCT) domains of BRCA1, and with the retinoblastoma protein. Abundantly expressed in brain and the immune system and associated with immune system malignancies. Ionizing radiation induces its hyperphosphorylation and dissociation from BRCA1 in an ATM-dependent manner. Protein type: Transcription, coactivator/corepressor; EC 3.1.-.- Chromosomal Location of Human Ortholog: 18q11.2 Cellular Component: nucleoplasm; transcriptional repressor complex; nucleolus; nucleus Molecular Function: protein binding; single-stranded DNA specific endodeoxyribonuclease activity; damaged DNA binding Biological Process: regulation of transcription from RNA polymerase II promoter; mitosis; meiotic cell cycle; cell division; blastocyst hatching; negative regulation of transcription from RNA polymerase II promoter; DNA repair; G2/M transition DNA damage checkpoint; cell cycle checkpoint; DNA catabolic process, endonucleolytic; double-strand break repair via homologous recombination; G1/S transition of mitotic cell cycle Disease: Jawad Syndrome; Seckel Syndrome 2
Research Articles on CTIP	**1.** These studies reveal one important mechanism to regulate cell-cycle-dependent activation of HR upon DNA damage by coupling CDK- and ATM-mediated phosphorylation of CtIP through modulating the interaction of CtIP with Nbs1
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-monkey-mouse-antibody/ctip/9239505