

MSH3 Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	MSH3, Polyclonal Antibody
Full Product Name	MSH3 Polyclonal Antibody
Product Gene Name	anti-MSH3 antibody
Product Synonym Names	MSH3; DUC1; DUG; DNA mismatch repair protein Msh3; hMSH3; Divergent upstream protein; DUP; Mismatch repair protein 1; MRP1
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human
Preparation and Storage	Maintain refrigerated at 2-8 degree C for up to 2 weeks. For long term storage store at -20 degree C in small aliquots to prevent freeze-thaw cycles.
Molecular Weight	127,412 Da
Chromosome Location	Chromosome: 5; NC_000005.9 (79950467..80172634). Location: 5q11-q12
OMIM	600887
3D Structure	ModBase 3D Structure for P20585
Applications Tested/Suitable for anti-MSH3 antibody	Western Blot (WB), Immunohistochemistry-Paraffin (IHC-P)
Related Product Information for anti-MSH3 antibody	Component of the post-replicative DNA mismatch repair system (MMR). Heterodimerizes with MSH2 to form MutS beta which binds to DNA mismatches thereby initiating DNA repair. When bound, the MutS beta heterodimer bends the DNA helix and shields approximately 20 base pairs. MutS beta recognizes large insertion- deletion loops (IDL) up to 13 nucleotides long. After mismatch binding, forms a ternary complex with the MutL alpha heterodimer, which is thought to be responsible for directing the downstream MMR events, including strand discrimination, excision, and resynthesis.
Other Notes	Small volumes of anti-MSH3 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for MSH3 purchase	MBS9244381 is an antibody targeting MSH3. Also known as MSH3 Polyclonal Antibody. Reactive in Human. Host: Rabbit.



Wester Blot (WB) of anti-MSH3 antibody
Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.



Western Blot (WB) of anti-MSH3 antibody
Dilution: Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for MSH3. It may not necessarily be applicable to this product.

NCBI GI #	284813531
NCBI GeneID	4437
NCBI Accession #	NP_002430.3
UniProt Primary Accession #	P20585
UniProt Secondary Accession #	Q6PJT5; Q86UQ6; Q92867; A1L482; A6NMM6
UniProt Related Accession #	P20585
GenBank Nucleotide #	NM_002439.4
NCBI Official Full Name	DNA mismatch repair protein Msh3
NCBI Official Synonym Full Names	mutS homolog 3 (E. coli)
NCBI Official Symbol	MSH3
NCBI Official Synonym Symbols	DUP; MRP1
UniProt Protein Name	DNA mismatch repair protein Msh3
UniProt Synonym Protein Names	Divergent upstream protein; DUP; Mismatch repair protein 1
Protein Family	DNA mismatch repair protein
UniProt Gene Name	MSH3
UniProt Synonym Gene Names	DUC1; DUG; hMSH3; DUP; MRP1
UniProt Entry Name	MSH3_HUMAN
NCBI Protein Information	DNA mismatch repair protein Msh3; hMSH3; mismatch repair protein 1; divergent upstream protein
NCBI Summary for MSH3	The protein encoded by this gene forms a heterodimer with MSH2 to form MutS beta, part of the post-replicative DNA mismatch repair system. MutS beta initiates mismatch repair by binding to a mismatch and then forming a complex with MutL alpha heterodimer. This gene contains a polymorphic 9 bp tandem repeat sequence in the first exon. The repeat is present 6 times in the reference genome sequence and 3-7 repeats have been reported. Defects in this gene are a cause of susceptibility to endometrial cancer. [provided by RefSeq, Mar 2011]

UniProt Comments for MSH3	MSH3: Component of the post-replicative DNA mismatch repair system (MMR). Heterodimerizes with MSH2 to form MutS beta which binds to DNA mismatches thereby initiating DNA repair. When bound, the MutS beta heterodimer bends the DNA helix and shields approximately 20 base pairs. MutS beta recognizes large insertion- deletion loops (IDL) up to 13 nucleotides long. After mismatch binding, forms a ternary complex with the MutL alpha heterodimer, which is thought to be responsible for directing the downstream MMR events, including strand discrimination, excision, and resynthesis. Defects in MSH3 are a cause of susceptibility to endometrial cancer (ENDMC). Belongs to the DNA mismatch repair MutS family. MSH3 subfamily. Protein type: DNA repair, damage Chromosomal Location of Human Ortholog: 5q11-q12 Cellular Component: nucleoplasm; nuclear chromosome; membrane; nucleus; MutSbeta complex Molecular Function: DNA-dependent ATPase activity; double-strand/single-strand DNA junction binding; protein homodimerization activity; dinucleotide repeat insertion binding; oxidized purine DNA binding; mismatched DNA binding; loop DNA binding; Y-form DNA binding; centromeric DNA binding; protein binding; enzyme binding; single guanine insertion binding; guanine/thymine mispair binding; dinucleotide insertion or deletion binding; ATP binding; single-stranded DNA binding Biological Process: positive regulation of helicase activity; negative regulation of DNA recombination; mismatch repair; meiotic recombination; somatic recombination of immunoglobulin gene segments; DNA repair; maintenance of DNA repeat elements; meiotic mismatch repair Disease: Endometrial Cancer
Research Articles on MSH3	**1.** Oxidative stress, which causes a shift of hMSH3's subcellular location, may contribute to an hMSH3 loss-of-function phenotype by sequestering it to the cytosol
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/msh3/9244381