
TEAD2 Antibody – Rabbit Polyclonal


PRODUCT OVERVIEW

Product Name	TEAD2, Polyclonal Antibody
Full Product Name	TEAD2 Antibody
Product Gene Name	anti-TEAD2 antibody
Product Synonym Names	TEA domain family member 2; TEAD-2
Clonality	Polyclonal
Host	Rabbit
Species Reactivity	Human
Form/Format	Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Purity/Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Concentration	1.0 mg/ml (lot specific)
Specificity	The antibody detects endogenous levels of total TEAD2 protein.
Preparation and Storage	Store at -20 degree C
Molecular Weight	49,640 Da
OMIM	601729
3D Structure	ModBase 3D Structure for Q15562
Immunogen Type	Peptide
Immunogen Description	Synthesized peptide derived from internal of human TEAD2.
Target Name	TEAD2
Product Categories/Family for anti-TEAD2 antibody	Total protein Ab
Applications Tested/Suitable for anti-TEAD2 antibody	Immunohistochemistry (IHC), Immunofluorescence (IF)
Application Notes for anti-TEAD2 antibody	Immunohistochemistry: 1:50~1:100 Immunofluorescence: 1:100~1:500
Related Product Information for anti-TEAD2 antibody	Transcription factor which plays a key role in the Hippo signaling pathway, a pathway involved in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. The core of this pathway is composed of a kinase cascade wherein MST1/MST2, in complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1 oncoprotein and WWTR1/TAZ. Acts by mediating gene expression of YAP1 and WWTR1/TAZ, thereby regulating cell proliferation, migration and epithelial mesenchymal transition (EMT) induction. Binds to the SPH and GT-IIC 'enhansons' (5'-GTGGAATGT-3'). May be involved in the gene regulation of neural development. Binds to the M-CAT motif.The MGC Project Team, Genome Res. 14:2121-2127(2004). Jacquemin P., J. Biol. Chem. 271:21775-21785(1996).
Other Notes	Small volumes of anti-TEAD2 antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.

Searchable Terms for TEAD2 purchase	MBS9403948 is an antibody targeting TEAD2. Also known as TEAD2 Antibody. Reactive in Human. Host: Rabbit.



Immunohistochemistry (IHC) of anti-TEAD2 antibody
Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using TEAD2 antibody.



Immunofluorescence (IF) of anti-TEAD2 antibody
Immunofluorescence analysis of HepG2 cells, using TEAD2 antibody.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for TEAD2. It may not necessarily be applicable to this product.

NCBI GI #	375331915
NCBI GeneID	8463
NCBI Accession #	NP_001243587.1
UniProt Primary Accession #	Q15562
UniProt Secondary Accession #	Q8NA25; Q96IG3; B4DTJ6; M0R1T9
UniProt Related Accession #	Q15562
GenBank Nucleotide #	NM_001256658.1
NCBI Official Full Name	transcriptional enhancer factor TEF-4 isoform 1
NCBI Official Synonym Full Names	TEA domain family member 2
NCBI Official Symbol	TEAD2
NCBI Official Synonym Symbols	ETF; TEF4; TEF-4; TEAD-2
UniProt Protein Name	Transcriptional enhancer factor TEF-4
UniProt Synonym Protein Names	TEA domain family member 2; TEAD-2
Protein Family	Transcriptional enhancer factor
UniProt Gene Name	TEAD2
UniProt Synonym Gene Names	TEF4; TEAD-2
UniProt Entry Name	TEAD2_HUMAN
NCBI Protein Information	transcriptional enhancer factor TEF-4

UniProt Comments for TEAD2	TEAD2: Transcription factor which plays a key role in the Hippo signaling pathway, a pathway involved in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. The core of this pathway is composed of a kinase cascade wherein MST1/MST2, in complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1 oncoprotein and WWTR1/TAZ. Acts by mediating gene expression of YAP1 and WWTR1/TAZ, thereby regulating cell proliferation, migration and epithelial mesenchymal transition (EMT) induction. Binds to the SPH and GT-IIC 'enhansons' (5'- GTGGAATGT-3'). May be involved in the gene regulation of neural development. Binds to the M-CAT motif. Interacts with YAP1 and WWTR1/TAZ. Protein type: Transcription factor; DNA-binding Chromosomal Location of Human Ortholog: 19q13.3 Cellular Component: nucleoplasm; transcription factor complex; nucleus Molecular Function: RNA polymerase II transcription factor activity, enhancer binding; protein binding; DNA binding; transcription factor activity Biological Process: paraxial mesoderm development; transcription initiation from RNA polymerase II promoter; regulation of transcription, DNA-dependent; neural tube closure; lateral mesoderm development; positive regulation of transcription from RNA polymerase II promoter; gene expression; vasculogenesis; notochord development
Research Articles on TEAD2	**1.** Observational study of gene-disease association, gene-environment interaction, and pharmacogenomic / toxicogenomic. (HuGE Navigator)
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/tead2/9403948