

PARN Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW


Product Name	PARN, Polyclonal Antibody
Full Product Name	PARN Polyclonal Antibody
Product Gene Name	anti-PARN antibody
Product Synonym Names	PARN; DAN; DKCB6; PFBMFT4; poly (A)-specific ribonuclease
Clonality	Polyclonal
Isotype	IgG
Host	Rabbit
Species Reactivity	Human
Form/Format	PBS with 50% glycerol, pH7.4
Purity/Purification	Affinity purification
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.
Molecular Weight	67,722 Da
OMIM	604212
3D Structure	ModBase 3D Structure for O95453
Immunogen	Recombinant fusion protein of human PARN (NP_002573.1).
Conjugation	Unconjugated
Product Categories/Family for anti-PARN antibody	Total protein Ab
Applications Tested/Suitable for anti-PARN antibody	Western Blot (WB), Immunohistochemistry (IHC), Immunofluorescence (IF)
Application Notes for anti-PARN antibody	WB: 1:500-1:2000 IHC: 1:50-1:200 IF: 1:50-1:200
Related Product Information for anti-PARN antibody	The protein encoded by this gene is a 3'-exoribonuclease, with similarity to the RNase D family of 3'-exonucleases. It prefers poly (A) as the substrate, hence, efficiently degrades poly (A) tails of mRNAs. Exonucleolytic degradation of the poly (A) tail is often the first step in the decay of eukaryotic mRNAs. This protein is also involved in silencing of certain maternal mRNAs during oocyte maturation and early embryonic development, as well as in nonsense-mediated decay (NMD) of mRNAs that contain premature stop codons. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
Other Notes	Small volumes of anti-PARN antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for PARN purchase	MBS9433642 is an antibody targeting PARN. Also known as PARN Polyclonal Antibody. Reactive in Human. Host: Rabbit.



Western Blot (WB) of anti-PARN antibody
Western blot analysis of extracts of various cell lines, using PARN antibody.



Immunohistochemistry (IHC) of anti-PARN antibody
Immunohistochemistry of paraffin-embedded human esophageal cancer using PARN antibody.



Immunofluorescence (IF) of anti-PARN antibody
Immunofluorescence analysis of U2OS cells using PARN antibody.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for PARN. It may not necessarily be applicable to this product.

NCBI GI #	4505611
NCBI GeneID	5073
NCBI Accession #	NP_002573.1
UniProt Primary Accession #	O95453
UniProt Secondary Accession #	B2RCB3; B4DDG8; B4DWR4; B4E1H6
UniProt Related Accession #	O95453
GenBank Nucleotide #	NM_002582.3
NCBI Official Full Name	poly(A)-specific ribonuclease PARN isoform 1
NCBI Official Synonym Full Names	poly(A)-specific ribonuclease
NCBI Official Symbol	PARN
NCBI Official Synonym Symbols	DAN
UniProt Protein Name	Poly(A)-specific ribonuclease PARN
UniProt Synonym Protein Names	Deadenylating nuclease; Deadenylation nuclease; Polyadenylate-specific ribonuclease
Protein Family	Poly(A)-specific ribonuclease
UniProt Gene Name	PARN

UniProt Synonym Gene Names	DAN
UniProt Entry Name	PARN_HUMAN
NCBI Protein Information	poly(A)-specific ribonuclease PARN; poly(A)-specific ribonuclease PARN; deadenylating nuclease; deadenylation nuclease; polyadenylate-specific ribonuclease; poly(A)-specific ribonuclease (deadenylation nuclease)
UniProt Comments for PARN	PARN: 3'-exoribonuclease that has a preference for poly(A) tails of mRNAs, thereby efficiently degrading poly(A) tails. Exonucleolytic degradation of the poly(A) tail is often the first step in the decay of eukaryotic mRNAs and is also used to silence certain maternal mRNAs translationally during oocyte maturation and early embryonic development. Interacts with both the 3'-end poly(A) tail and the 5'-end cap structure during degradation, the interaction with the cap structure being required for an efficient degradation of poly(A) tails. Involved in nonsense-mediated mRNA decay, a critical process of selective degradation of mRNAs that contain premature stop codons. Also involved in degradation of inherently unstable mRNAs that contain AU-rich elements (AREs) in their 3'-UTR, possibly via its interaction with KHSRP. Probably mediates the removal of poly(A) tails of AREs mRNAs, which constitutes the first step of destabilization. Homodimer. Interacts with KHSRP and CELF1/CUGBP1. Found in a mRNA decay complex with RENT1, RENT2 and RENT3B. Ubiquitous. Belongs to the CAF1 family. 3 isoforms of the human protein are produced by alternative splicing. Protein type: Ribonuclease; RNA-binding; EC 3.1.13.4; Nucleolus Chromosomal Location of Human Ortholog: 16p13 Cellular Component: cytoplasm; nucleolus; cytosol; nucleus Molecular Function: protein binding; poly(A)-specific ribonuclease activity; nuclease activity; mRNA 3'-UTR binding; metal ion binding; nucleotide binding; protein kinase binding Biological Process: poly(A) tail shortening; RNA modification; mRNA catabolic process, nonsense-mediated decay; female gamete generation; gene expression; mRNA catabolic process, deadenylation-dependent decay Disease: Pulmonary Fibrosis And/or Bone Marrow Failure, Telomere-related, 4; Dyskeratosis Congenita, Autosomal Recessive, 6
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-antibody/parn/9433642