Desmoplakin (DSP) Antibody – Rabbit Polyclonal

PRODUCT OVERVIEW

Product Name	Desmoplakin (DSP), Polyclonal Antibody
Full Product Name	Desmoplakin (Phospho-Ser165/166) Antibody
Product Gene Name	anti-DSP antibody
Product Synonym Names	Desmoplakin (Ser165/166); Desmoplakin (DP)(250/210 kDa paraneoplastic pemphigus antigen)
Clonality	Polyclonal
Isotype	Rabbit IgG
Host	Rabbit
Species Reactivity	Human, Mouse, Rat
Form/Format	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Purity/Purification	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.
Concentration	1mg/ml (lot specific)
Specificity	This antibody detects endogenous levels of Human Mouse Rat Desmoplakin (phospho-Ser165 or 166)
Preparation and Storage	Store at -20 degree C/1 year
Molecular Weight	331,774 Da
OMIM	125647
3D Structure	ModBase 3D Structure for P15924
Immunogen	Synthesized phosho peptide around human Desmoplakin (Ser165 and 166)
Modification	Phospho Specific
Product Categories/Family for anti-DSP antibody	Primary Antibodies
Applications Tested/Suitable for anti-DSP antibody	Western Blot (WB)
Application Notes for anti-DSP antibody	WB: 1:1000-2000
Related Product Information for anti-DSP antibody	This gene encodes a protein that anchors intermediate filaments to desmosomal plaques and forms an obligate component of functional desmosomes. Mutations in this gene are the cause of several cardiomyopathies and keratodermas, including skin fragility-woolly hair syndrome. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2016]
Other Notes	Small volumes of anti-DSP antibody vial(s) may occasionally become entrapped in the seal of the product vial during shipment and storage. If necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the container`s cap. Certain products may require to ship with dry ice and additional dry ice fee may apply.
Searchable Terms for DSP purchase	MBS9519188 is an antibody targeting DSP. Also known as Desmoplakin (Phospho-Ser165/166) Antibody. Reactive in Human, Mouse, Rat. Host: Rabbit.

ADDITIONAL DETAILS

NCBI/Uniprot data below describe general gene information for DSP. It may not necessarily be applicable to this product.

NCBI GI #	58530842
NCBI GeneID	1832
NCBI Accession #	NP_001008844.1
UniProt Primary Accession #	P15924
UniProt Secondary Accession #	O75993; Q14189; Q9UHN4; B2RTT2; D7RX09
UniProt Related Accession #	P15924
GenBank Nucleotide #	NM_001008844.1
NCBI Official Full Name	desmoplakin isoform II
NCBI Official Synonym Full Names	desmoplakin
NCBI Official Symbol	DSP
NCBI Official Synonym Symbols	DP; DPI; DPII
UniProt Protein Name	Desmoplakin
UniProt Synonym Protein Names	250/210 kDa paraneoplastic pemphigus antigen
Protein Family	Desmoplakin
UniProt Gene Name	DSP
UniProt Synonym Gene Names	DP
UniProt Entry Name	DESP_HUMAN
NCBI Protein Information	desmoplakin; desmoplakin I; desmoplakin II; 250/210 kDa paraneoplastic pemphigus antigen
NCBI Summary for DSP	Desmosomes are intercellular junctions that tightly link adjacent cells. Desmoplakin is an obligate component of functional desmosomes that anchors intermediate filaments to desmosomal plaques. The N-terminus of desmoplakin is required for localization to the desmosome and interacts with the N-terminal region of plakophilin 1 and plakoglobin. The C-terminus of desmoplakin binds with intermediate filaments. In the mid-region of desmoplakin, a coiled-coiled rod domain is responsible for homodimerization. Mutations in this gene are the cause of several cardiomyopathies and keratodermas as well as the autoimmune disease paraneoplastic pemphigus. [provided by RefSeq, Jul 2008]
UniProt Comments for DSP	Desmoplakin: Major high molecular weight protein of desmosomes. Involved in the organization of the desmosomal cadherin- plakoglobin complexes into discrete plasma membrane domains and in the anchoring of intermediate filaments to the desmosomes. Homodimer. Interacts with COL17A1 (via cytoplasmic region). Associates (via C-terminal) with KRT5-KRT14 (via rod region), KRT8-KRT18 and VIM intermediate filaments. Interacts with DSC2. Isoform DPI is apparently an obligate constituent of all desmosomes. Isoform DPII resides predominantly in tissues and cells of stratified origin. Belongs to the plakin or cytolinker family. 2 isoforms of the human protein are produced by alternative splicing. Protein type: Cytoskeletal; Motility/polarity/chemotaxis; Cell adhesion Chromosomal Location of Human Ortholog: 6p24 Cellular Component: desmosome; mitochondrion; basolateral plasma membrane; plasma membrane; cornified envelope; intermediate filament; fascia adherens; nucleus Molecular Function: protein binding, bridging; protein binding; protein kinase C binding; structural constituent of cytoskeleton; cell adhesion molecule binding; structural molecule activity Biological Process: keratinocyte differentiation; epidermis development; cell-cell adhesion; wound healing; apoptosis; intermediate filament organization; peptide cross-linking; cell structure disassembly during apoptosis Disease: Cardiomyopathy, Dilated, With Woolly Hair And Keratoderma; Arrhythmogenic Right Ventricular Dysplasia, Familial, 8; Keratosis Palmoplantaris Striata Ii; Cardiomyopathy, Dilated, With Woolly Hair, Keratoderma, And Tooth Agenesis; Skin Fragility-woolly Hair Syndrome; Epidermolysis Bullosa, Lethal Acantholytic

Research Articles on DSP	**1.** Arrhythmogenic right ventricular cardiomyopathy patients of a three-generation Spanish family with a novel nonsense genetic variation in the DSP gene.
Precautions	All of MyBioSource's Products are for scientific laboratory research purposes and are not for diagnostic, therapeutics, prophylactic or in vivo use. Through your purchase, you expressly represent and warrant to MyBioSource that you will properly test and use any Products purchased from MyBioSource in accordance with industry standards. MyBioSource and its authorized distributors reserve the right to refuse to process any order where we reasonably believe that the intended use will fall outside of our acceptable guidelines.
Disclaimer	While every efforts were made to ensure the accuracy of the information provided in this datasheet, MyBioSource will not be liable for any omissions or errors contained herein. MyBioSource reserves the right to make changes to this datasheet at any time without prior notice. It is the responsibility of the customer to report product performance issues to MyBioSource within 30 days of receipt of the product. Please visit our Terms & Conditions page for more information.
Product Note	Select online data sheet information is drawn from bioinformatics databases, occasionally resulting in ambiguous or non-relevant product information. It is the responsibility of the customer to review, verify, and evaluate the information to make sure it matches their requirements before purchasing the kit. Our ELISA Kit assays are dynamic research tools and sometimes they may be updated and improved. If the format of this assay is important to you then please request the current manual or contact our technical support team with a presales inquiry before placing an order. We will confirm the current details of the assay. We cannot guarantee the sample manual posted online is the most current manual, it is intended to serve as an example only. Please refer to the instructions For Use provided with the assay kit for precise details.

For Research Use Only. Not for use in diagnostic or therapeutic procedures.

MyBioSource | Tel: +1.858.633.0165 | Fax: +1.858.633.0166 | mybiosource.com/contact-us
Online datasheet: https://www.mybiosource.com/polyclonal-human-mouse-rat-antibody/desmoplakin/9519188